

July 29, 2026

Arizona Department of Environmental Quality
Water Quality Division, Groundwater Protection
1110 West Washington Street
Phoenix, Arizona 85007

Attention: Bret Esslin, ADEQ UIC Permit Specialist

Subject: Second Quarter 2026 Monitoring Report
Underground Injection Control Permit No. P-515167

Dear Mr. Esslin:

Florence Copper LLC (Florence Copper) is submitting the attached reports in accordance with Section II.G.2 of UIC Permit No. P-515167 (UIC Permit), dated January 16, 2026, administered by the Arizona Department of Environmental Quality (ADEQ).

Background Information

Florence Copper received authorization to proceed with in-situ copper recovery (ISCR) operations on October 14, 2025. Commercial ISCR operations are ongoing. The authorized facilities and monitoring wells are identified on Figure 1. The configuration of the ISCR wellfield is shown on Figure 2.

ISCR Operations and Monitoring Quarterly Reporting

The requirements for quarterly reporting of monitoring activities are outlined in Section II.G.2 of the UIC Permit.

- **UIC Permit No. P-515167 Section II.G.2.a – Map of Operational Status and Groundwater Contours**

A quarterly groundwater contour map is included as Attachment 1. The ISCR wellfield was active during the reporting period.

- **UIC Permit No. P-515167 Section II.G.2.b – Table and Graphs of Injected and Recovered Volumes**

The daily cumulative injection and recovery volumes, and the daily percent recovery to injection volume values, are provided in tabular and graphical format in Attachment 2. On June 20, 2026, the percent recovery was reported at 103 percent, below the 106 percent requirement. Wellfield injection and recovery flows were rebalanced within 24 hours and required no further action. The recovery to injection ratio was at 106 percent or above during the remainder of the reporting period.



- **UIC Permit No. P-515167 Section II.G.2.c – Table and Graphs of the Well Head Measurements**

Daily average head measurement values for the observation wells, recovery wells, and applicable monitoring wells are provided in tabular and graphical format in Attachment 3. Florence Copper monitors hydraulic gradient in the wellfield using well triplets as defined in UIC Permit Section II.E.1.b. A triplet includes one recovery well, one observation well, and one point of compliance (POC) monitoring well. Well locations are shown on Figures 1 and 2. The water level difference across at least one of the four triplets was less than 1 foot on June 6, 11, 12, 14, 15, and 19, 2026. Recovery rates at nearby wells were adjusted, restoring the gradient within 24 hours on June 6 and 19, 2026, and within 48 hours on June 11 - 12 and 15 - 16, 2026. Additionally, an alternative triplet for the southwest portion of the wellfield with a greater than 1-foot water level difference is also provided for June 11 - 12 and 15 - 16, 2026. No further action is required.

- **UIC Permit No. P-515167 Section II.G.2.d – Table and Graphs of Fluid Electrical Conductivity Measurements**

Fluid electrical conductivity (EC) values are provided in tabular and graphical format in Attachment 4. No fluid EC alert level (AL) exceedances occurred during the reporting period.

- **UIC Permit No. P-515167 Section II.G.2.e – Table and Graphs of Monitor Well Water Levels and Analytical Results**

The Q2 2026 Compliance Monitoring Report is provided in Attachment 5 and presents tabular results of groundwater elevations, analytical results, field parameters, ALs, and aquifer quality limits (AQLs) for monitoring wells required under the UIC Permit. The Compliance Monitoring Report also provides a narrative summary of the Q2 2026 monitoring activities, a discussion of exceedances, and graphical presentation of monitoring results for parameters since operational startup of the wells.

As authorized by the ADEQ letter dated May 13, 2026, Annular Conductivity Device (ACD) monitoring has been replaced by a network of block monitoring wells (BMW). BMW monitoring results are presented in Attachment 9.

- **UIC Permit No. P-515167 Section II.G.2.f – Results of Monthly Injectate Organic Analysis**

The analytical results for monthly injectate organic analysis are provided in tabular format in Attachment 6A. The monthly organic concentrations were below the AL throughout the reporting period.

- **UIC Permit No. P-515167 Section II.G.2.g – Results of Monitoring Required if Injection Fluid is Modified**

Injection fluid was not modified during the reporting period; therefore, no monitoring sample was required. When applicable, analytical results of injection fluid will be provided in Attachment 6B of future quarterly reports.



- **UIC Permit No. P-515167 Section II.G.2.h – Results of Mechanical Integrity Testing**
No mechanical integrity testing was conducted during the reporting period. When applicable, future quarterly compliance reports will include mechanical integrity test results in Attachment 7.
- **UIC Permit No. P-515167 Section II.G.2.i – Analytical Results for Monthly Treated Water Samples**
No injection of treated water took place during the reporting period. When applicable, future quarterly compliance reports will include monthly treated ISCR wellfield water analytical results in Attachment 8.
- **UIC Permit No. P-515167 Section II.G.2.j – Results of ACD Monitoring for Demonstration of Mechanical Integrity**
As authorized by the ADEQ letter dated May 13, 2026, ACD monitoring has been replaced by a network of BMWs. BMW monitoring data is provided in Attachment 9. No conductivity AL exceedances occurred during the reporting period. In future quarterly reports, when more than one quarterly result is available, data will be presented graphically as required by Section II.G.2.e.
- **UIC Permit No. P-515167 Section II.G.2.k – Results of ACD Monitoring for Demonstration of Hydraulic Control and Protection of the Lower Basin Fill Unit and the Upper Basin Fill Unit from Vertical ISCR Fluid Movement**
As authorized by the ADEQ letter dated May 13, 2026, ACD monitoring has been replaced by a network of BMWs. BMW monitoring data is provided in Attachment 9. No conductivity AL exceedances occurred during the reporting period. In future quarterly reports, when more than one quarterly result is available, data will be presented graphically as required by Section II.G.2.e.
- **UIC Permit No. P-515167 Section II.G.2.l – Summary of Plugging and Abandonment Activity**
No well abandonments were completed during the reporting period. When applicable, an abandonment report will be provided in Attachment 10 of future quarterly compliance reports.
- **UIC Permit No. P-515167 Section II.G.2.m – Summary of Rinsing and Closure Operations**
No wellfield rinsing or closure of UIC authorized facilities were initiated in this reporting period. When applicable, future quarterly compliance reports will include a summary of rinsing and closure operations in Attachment 11.
- **UIC Permit No. P-515167 Section II.G.2.n – Table of Monthly Casing Annulus and Injection Pressures**
Maximum, minimum, and average injection pressures are provided in Attachment 12. Injection pressures were greater than ALs at 12 wells during various times in the reporting period. Automated valves on the injection wells were programmed to either reduce flow or closed when injection pressures neared the AL.



- **UIC Permit No. P-515167 Section II.G.2.o – Resource Block Status Report**
ISCR wells in seven resource blocks were operational during the reporting period. A resource block status summary table and figure are provided in Attachment 13.
- **UIC Permit No. P-515167 Appendix H – Migratory Bird Landings and Mortality**
Daily inspection of the water impoundments was conducted to record migratory bird landings and to identify any migratory bird mortality. No migratory bird mortalities were observed at the water impoundments during the reporting period. A summary of observed migratory bird landings is provided in Attachment 14.

Please call (520) 374-3984 with any questions regarding the content of this document.

Sincerely,

John Mays
General Manager

Enclosures:

Figure 1 – Groundwater Monitoring Area

Figure 2 – PTF Wellfield

Attachment 1 - Map of Operational Status and Groundwater Contours

Attachment 2 - Table and Graphs of Injected and Recovered Volumes

Attachment 3 - Table and Graphs of the Well Head Measurements

Attachment 4 – Table and Graphs of Fluid Electrical Conductivity Measurements

Attachment 5A - Concentration and Water Elevation Graphs

Attachment 5B – Well Details and Water Level Elevations

Attachment 5C – Groundwater Monitoring Summary

Attachment 6A - Results of Monthly Injectate Organic Analysis

Attachment 6B - Results of Monitoring Required if Injection Fluid is Modified

(Placeholder - Not Applicable for this Monitoring Period)

Attachment 7 – Results of Mechanical Integrity Testing

(Placeholder - Not Applicable for this Monitoring Period)

Attachment 8 – Analytical Results for Monthly Treated Water Samples

(Placeholder - Not Applicable for this Monitoring Period)

Attachment 9 - Block Monitoring Well Conductivity Results

Attachment 10 – Summary of Plugging and Abandonment Activity

(Placeholder - Not Applicable for this Monitoring Period)

Attachment 11 – Summary of Rinsing and Closure Operations

(Placeholder - Not Applicable for this Monitoring Period)


Attachment 12 - Table of Monthly Casing Annulus and Injection Pressures

Attachment 13 – Resource Block Status Report

Attachment 14 – Migratory Bird Landings and Mortality

FIGURES

GIS FILE PATH: \\haleyaldrich\share\phx_common\Projects\Florence Copper\GIS\33887_020_FLORENCE COPPER QUARTERLY REPORT.aprx - USER: gwillde - LAST SAVED: 7/16/2026 11:45 AM



LEGEND

- | | | | |
|--|------------------------------------|--|---|
| | USDW WELL | | FAULT LINE |
| | FAULT MONITORING WELL | | PROPOSED AQUIFER EXEMPTION BOUNDARY |
| | UIC POINT OF COMPLIANCE (POC) WELL | | AQUIFER EXEMPTION BOUNDARY |
| | SHAFT | | IN-SITU COPPER RECOVERY (ISCR) WELL FIELD |

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. UIC PERMIT: No. P-515167 (LTF 112590)
3. AERIAL IMAGERY SOURCE: FLORENCE COPPER, UNMANNED AERIAL VEHICLE (UAV), 2025



FLORENCE COPPER


GROUNDWATER MONITORING NETWORK



JULY 2026

FIGURE 1


C:\GIS\FILE PATH\H:\haleyaldrich\share\phx_common\Projects\Florence Copper\GIS\XXXXXXX_Florence Copper.aprx - USER: gwillie - LAST SAVED: 7/16/2026 12:32 PM



ATTACHMENT 1

Map of Operational Status and Groundwater Contours

GIS FILE PATH: \\haleyaldrich.com\share\hpx - common\Projects\Florence Copper\GIS\133887 000 QUARTERLY MONITORING 2026.aprx - USER: ayabu - LAST SAVED: 7/7/2026 5:09 PM



LEGEND

- APP AND UIC POINT OF COMPLIANCE (POC) WELL
- OBSERVATION WELL
- HYDRAULIC CONTROL
- SHAFT
- GROUNDWATER ELEVATION CONTOUR, 20-FT INTERVAL
- GROUNDWATER FLOW DIRECTION
- STATE LEASE BOUNDARY
- IN-SITU COPPER RECOVERY (ISCR) WELL FIELD
- PROPERTY BOUNDARY

NOTES

- APP PERMIT NO. 101704
- UIC PERMIT NO: P-515167
- WATER LEVEL DATA WAS COLLECTED ON MAY 20, 2026.
- WELLS WITH IDs AND GROUNDWATER ELEVATION WERE USED IN CONTOURING.
- AERIAL IMAGERY SOURCE: FLORENCE COPPER, UNMANNED AERIAL VEHICLE (UAV), 2025

HALEY
ALDRICH

FLORENCE COPPER, LLC
FLORENCE, ARIZONA

Florence
Copper

QUARTERLY CONTOUR MAP
MAY 20, 2026

JULY 2026

FIGURE 1-1

ATTACHMENT 2

Table and Graphs of Injected and Recovered Volumes

Q2 2026 DAILY INJECTION AND RECOVERY VOLUMES WITH PERCENT RECOVERY

FLORENCE COPPER LLC

FLORENCE, ARIZONA

PAGE 1 OF 3

Table 2-1. April 2026 Daily Injection and Recovery Volumes

Date	Daily Injection Volume (gallons)	Daily Recovery Volume (gallons)	Recovery/Injection Ratio	Percent Recovery (%)
4/1/2026	4,320,395	4,609,901	1.07	107
4/2/2026	4,415,876	4,691,731	1.06	106
4/3/2026	4,386,512	4,671,831	1.07	107
4/4/2026	4,420,096	4,702,404	1.06	106
4/5/2026	4,365,523	4,641,809	1.06	106
4/6/2026	4,233,633	4,497,068	1.06	106
4/7/2026	4,266,014	4,532,360	1.06	106
4/8/2026	4,299,323	4,578,957	1.07	107
4/9/2026	3,423,075	4,298,723	1.26	126
4/10/2026	4,119,219	4,431,024	1.08	108
4/11/2026	4,098,886	4,362,737	1.06	106
4/12/2026	4,051,538	4,323,406	1.07	107
4/13/2026	4,023,920	4,282,163	1.06	106
4/14/2026	4,104,143	4,383,989	1.07	107
4/15/2026	4,294,234	4,569,789	1.06	106
4/16/2026	4,414,065	4,704,652	1.07	107
4/17/2026	4,305,600	4,572,000	1.06	106
4/18/2026	4,342,661	4,616,900	1.06	106
4/19/2026	4,296,901	4,585,715	1.07	107
4/20/2026	4,209,379	4,487,219	1.07	107
4/21/2026	4,386,018	4,674,666	1.07	107
4/22/2026	4,181,852	4,606,913	1.10	110
4/23/2026	4,158,461	4,433,830	1.07	107
4/24/2026	4,617,757	4,938,041	1.07	107
4/25/2026	4,624,167	4,928,378	1.07	107
4/26/2026	4,566,750	4,863,675	1.07	107
4/27/2026	4,467,474	4,757,983	1.07	107
4/28/2026	4,521,751	4,834,528	1.07	107
4/29/2026	4,568,941	4,866,137	1.07	107
4/30/2026	4,701,192	4,999,198	1.06	106
April Averages	4,306,178	4,614,924	1.07	107

April Averages	Monthly Average Injection Volume (GPM)	Monthly Average Recovery Volume (GPM)
	2,990	3,205
Alert Level	12,650	-

Notes:

% = percent

GPM = gallons per minute

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 2-2. May 2026 Daily Injection and Recovery Volumes

Date	Daily Injection Volume (gallons)	Daily Recovery Volume (gallons)	Recovery/Injection Ratio	Percent Recovery (%)
5/1/2026	4,630,954	4,928,620	1.06	106
5/2/2026	4,591,714	4,887,285	1.06	106
5/3/2026	4,602,221	4,911,932	1.07	107
5/4/2026	4,751,273	5,059,289	1.06	106
5/5/2026	4,702,276	5,015,960	1.07	107
5/6/2026	4,598,323	4,896,320	1.06	106
5/7/2026	4,560,585	4,875,516	1.07	107
5/8/2026	4,569,724	4,885,283	1.07	107
5/9/2026	4,533,249	4,854,134	1.07	107
5/10/2026	4,482,662	4,817,303	1.07	107
5/11/2026	4,456,444	4,807,336	1.08	108
5/12/2026	4,450,680	4,776,910	1.07	107
5/13/2026	4,394,379	4,687,679	1.07	107
5/14/2026	4,386,451	4,671,963	1.07	107
5/15/2026	4,381,952	4,701,966	1.07	107
5/16/2026	4,362,030	4,688,544	1.07	107
5/17/2026	4,170,372	4,478,111	1.07	107
5/18/2026	4,166,915	4,477,498	1.07	107
5/19/2026	4,198,514	4,512,032	1.07	107
5/20/2026	4,202,720	4,516,551	1.07	107
5/21/2026	4,119,647	4,424,298	1.07	107
5/22/2026	4,175,225	4,487,759	1.07	107
5/23/2026	4,179,408	4,492,254	1.07	107
5/24/2026	4,116,291	4,383,400	1.06	106
5/25/2026	4,117,354	4,376,918	1.06	106
5/26/2026	4,338,855	4,636,798	1.07	107
5/27/2026	4,659,918	4,994,473	1.07	107
5/28/2026	4,750,941	5,070,096	1.07	107
5/29/2026	4,755,697	5,075,175	1.07	107
5/30/2026	4,734,797	5,070,185	1.07	107
5/31/2026	4,640,654	4,966,312	1.07	107
May Averages	4,444,588	4,755,739	1.07	107

May Averages	Monthly Average Injection Volume (GPM)	Monthly Average Recovery Volume (GPM)
	3,087	3,303
Alert Level	12,650	-

Notes:

% = percent

GPM = gallons per minute

Q2 2026 DAILY INJECTION AND RECOVERY VOLUMES WITH PERCENT RECOVERY

FLORENCE COPPER LLC

FLORENCE, ARIZONA

PAGE 3 OF 3

Table 2-3. June 2026 Daily Injection and Recovery Volumes

Date	Daily Injection Volume (gallons)	Daily Recovery Volume (gallons)	Recovery/Injection Ratio	Percent Recovery (%)
6/1/2026	4,829,544	5,140,500	1.06	106
6/2/2026	4,966,325	5,276,858	1.06	106
6/3/2026	4,971,301	5,282,152	1.06	106
6/4/2026	4,973,689	5,317,241	1.07	107
6/5/2026	4,986,062	5,322,566	1.07	107
6/6/2026	4,991,055	5,311,059	1.06	106
6/7/2026	4,904,345	5,226,055	1.07	107
6/8/2026	4,909,256	5,231,287	1.07	107
6/9/2026	4,906,450	5,235,674	1.07	107
6/10/2026	4,881,821	5,209,124	1.07	107
6/11/2026	4,570,888	4,887,283	1.07	107
6/12/2026	4,616,422	4,926,535	1.07	107
6/13/2026	4,869,632	5,192,307	1.07	107
6/14/2026	4,874,509	5,197,511	1.07	107
6/15/2026	4,171,276	4,820,169	1.16	116
6/16/2026	4,321,642	4,587,366	1.06	106
6/17/2026	4,547,238	4,862,132	1.07	107
6/18/2026	4,559,982	4,840,615	1.06	106
6/19/2026	4,582,687	4,867,906	1.06	106
6/20/2026	4,587,279	4,740,860	1.03	103
6/21/2026	4,588,022	4,920,183	1.07	107
6/22/2026	4,481,853	4,787,788	1.07	107
6/23/2026	4,486,344	4,792,585	1.07	107
6/24/2026	4,286,533	4,579,164	1.07	107
6/25/2026	4,780,321	5,106,980	1.07	107
6/26/2026	4,859,553	5,186,261	1.07	107
6/27/2026	4,833,027	5,151,528	1.07	107
6/28/2026	4,794,642	5,119,141	1.07	107
6/29/2026	4,580,192	4,887,570	1.07	107
6/30/2026	4,701,192	4,999,198	1.06	106
June Averages	4,713,769	5,033,520	1.07	107



June Averages	Monthly Average Injection Volume (GPM)	Monthly Average Recovery Volume (GPM)
	3,273	3,495
Alert Level	12,650	-



Notes:

Exceedance

% = percent

GPM = gallons per minute





ATTACHMENT 3

Table and Graphs of the Well Head Measurements

Q2 2026 HYDRAULIC GRADIENT
DAILY WATER LEVEL ELEVATIONS
 FLORENCE COPPER LLC
 FLORENCE, ARIZONA

Table 3-1. April 2026 Daily Average Water Level Elevations

Date	126129 Well Triplet			142133 Well Triplet			142145 Well Triplet			122137 Well Triplet		
	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well
	126129	124127	M22-O	142133	146133	M30-O	142145	144147	M76-O	122137	122141	M24-O
4/1/2026	NA	1196.56	1217.44	899.04	1007.30	1246.30	1148.82	1212.89	1243.80	NA	1232.78	1239.75
4/2/2026	1117.65	1141.94	1217.69	889.76	1197.01	1246.41	NA	1241.60	1244.39	1192.87	NA	1240.03
4/3/2026	1111.98	1140.53	1217.37	888.71	1003.38	1246.97	NA	1245.58	1244.63	1181.33	NA	1239.73
4/4/2026	1114.23	1142.16	1217.63	889.38	994.75	1246.89	1189.71	1247.69	1244.35	1182.57	NA	1240.26
4/5/2026	1117.25	1144.37	1218.74	889.47	1022.49	1246.93	1201.34	1247.48	1244.45	1184.82	NA	1242.33
4/6/2026	1142.66	1144.77	1219.37	1128.95	1214.69	1246.95	NA	961.12	1243.84	NA	NA	1242.94
4/7/2026	1122.01	1149.52	1219.11	946.07	1000.23	1246.71	NA	1244.99	1243.44	1182.19	NA	1242.11
4/8/2026	1125.80	1147.64	1218.87	890.14	1163.78	1246.27	1190.27	1242.35	1242.67	1183.31	NA	1240.29
4/9/2026	1096.64	1125.70	1214.53	888.88	1244.78	1246.13	1228.69	1236.06	1241.30	1180.54	NA	1236.41
4/10/2026	1146.52	1160.08	1217.07	895.40	1040.27	1246.32	1176.23	1231.51	1241.31	NA	NA	1237.70
4/11/2026	1179.71	1163.46	1218.86	1231.28	1010.38	1246.48	NA	1219.29	1241.71	1232.96	1141.31	1238.42
4/12/2026	1155.31	1166.78	1219.94	1097.89	NA	1246.41	1231.87	1214.71	1241.73	NA	1243.95	1238.22
4/13/2026	1177.82	1159.67	1220.35	1033.15	1051.87	1246.59	1217.32	1223.16	1241.92	1222.55	1235.69	1232.83
4/14/2026	1139.60	1156.49	1219.88	942.99	1041.95	1246.29	1118.03	1218.86	1241.30	1192.44	1238.22	1202.64
4/15/2026	1110.28	1138.29	1185.82	1122.35	1100.24	1245.84	1178.02	1226.77	1240.66	1182.56	NA	1237.10
4/16/2026	1095.90	1118.51	1215.51	946.30	1060.21	1245.56	1134.88	1231.21	1240.76	1179.59	NA	1238.96
4/17/2026	1089.94	1123.97	1212.47	945.05	1044.55	1245.58	1131.20	1210.21	1240.42	1180.31	NA	1238.35
4/18/2026	1087.47	1108.89	1211.63	924.86	1029.16	1245.39	1128.17	1195.46	1239.45	1183.26	NA	1239.06
4/19/2026	1074.40	1110.28	1210.93	929.06	1000.90	1245.58	1228.27	1189.76	1238.45	1219.05	NA	1238.03
4/20/2026	1077.20	1110.94	1211.59	911.66	1017.99	1245.66	1176.23	1196.11	1238.13	1174.56	NA	1237.84
4/21/2026	1080.50	1117.18	1192.42	951.84	1003.65	1245.59	NA	1201.66	1236.90	1197.01	1250.58	1237.87
4/22/2026	1089.18	1111.73	1212.18	912.46	1006.60	1245.44	1121.17	1200.51	1236.60	1219.05	1192.71	1236.36
4/23/2026	1083.29	1117.44	1212.78	951.21	1014.45	1245.08	1116.47	1204.01	1235.70	1197.32	1241.58	1233.21
4/24/2026	1088.26	1120.16	1213.36	1004.66	1020.09	1245.24	1130.17	1213.41	1236.25	1193.51	1242.02	1234.66
4/25/2026	1098.05	1124.03	1214.40	920.90	1011.27	1245.18	1115.77	1188.38	1237.51	1193.51	1263.53	1237.81
4/26/2026	1097.06	1125.20	1216.35	925.50	1016.52	1245.31	NA	1190.82	1238.37	1193.51	NA	1241.52
4/27/2026	1091.57	1124.08	1215.93	932.46	1052.71	1245.76	1099.87	1188.70	1239.43	1193.51	1261.78	1240.80
4/28/2026	1089.90	1122.91	1215.75	921.94	1030.11	1245.90	1121.17	1189.41	1239.35	1193.51	1242.02	1240.40
4/29/2026	1087.62	1120.13	1214.86	936.42	992.04	1245.73	1127.36	1197.73	1239.43	1173.39	1245.73	1239.58
4/30/2026	1084.53	1115.95	1213.20	1046.62	1059.50	1245.68	1129.30	1204.06	1239.17	1167.31	1247.62	1238.16

Notes:

All measurements in elevation above mean sea level.

NA or NM = Not measured or otherwise not available

**Q2 2026 HYDRAULIC GRADIENT
DAILY WATER LEVEL ELEVATIONS**
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Table 3-2. May 2026 Daily Average Water Level Elevations

Date	126129 Well Triplet			142133 Well Triplet			142145 Well Triplet			122137 Well Triplet		
	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well
	126129	124127	M22-O	142133	146133	M30-O	142145	144147	M76-O	122137	122141	M24-O
5/1/2026	1084.23	1115.79	1213.04	1063.89	972.27	1245.87	1129.30	1192.91	1239.43	1167.31	1247.62	1238.26
5/2/2026	1083.83	1115.35	1213.44	1066.64	1096.80	1246.17	NA	1196.09	1239.38	1167.31	1203.53	1239.51
5/3/2026	1084.01	1115.38	1214.16	1077.26	1100.30	1246.38	NA	1196.51	1239.52	1167.32	1247.62	1241.44
5/4/2026	1083.63	1115.03	1214.00	1153.63	1172.00	1246.26	NA	1192.50	1238.92	1167.31	1247.62	1240.46
5/5/2026	1082.63	1113.99	1213.16	1027.83	1026.77	1246.10	NA	1190.66	1239.45	1167.32	871.47	1238.55
5/6/2026	1085.20	1127.82	1212.36	1173.12	1181.27	1246.37	1140.36	1229.86	1239.82	1157.16	1039.73	1238.88
5/7/2026	1082.76	1127.56	1211.52	1173.17	1232.50	1246.60	1125.47	1210.56	1239.19	1154.42	1038.82	1235.59
5/8/2026	1082.08	1126.27	1210.99	1116.26	1131.55	1246.52	1143.50	1213.06	1239.33	1154.42	NA	1235.60
5/9/2026	1081.95	1126.06	1211.49	1078.35	1117.59	1246.50	NA	1211.46	1239.77	1154.42	NA	1236.88
5/10/2026	1092.84	1132.66	1212.58	1075.75	1114.54	1247.01	1099.87	1210.06	1241.10	1154.42	1233.56	1237.93
5/11/2026	1107.02	1126.61	1213.89	1073.83	1097.80	1246.91	1123.97	1207.96	1242.03	1154.42	1231.53	1237.63
5/12/2026	1116.41	1151.43	1213.66	1072.35	1111.10	1246.23	1121.57	1205.86	1240.77	1154.42	1216.73	1233.97
5/13/2026	1119.13	1144.30	1213.86	1068.57	1096.62	1245.67	1128.89	1106.66	1239.53	1148.11	1225.53	1233.16
5/14/2026	1104.21	1130.38	1213.87	1061.16	1088.01	1245.58	1126.30	1203.76	1238.91	1147.02	1228.81	1233.58
5/15/2026	1083.73	1113.31	1212.32	1070.27	1094.97	1245.33	1146.67	1210.36	1238.88	1147.02	1225.96	1235.70
5/16/2026	1077.71	1108.69	1210.68	1076.05	1100.45	1245.19	1159.57	1214.36	1238.26	1147.02	1223.44	1235.77
5/17/2026	1077.22	1108.16	1209.97	1077.43	1101.67	1245.38	1172.87	1219.26	1238.29	1147.02	1220.85	1235.84
5/18/2026	1076.28	1106.68	1209.83	1076.62	1101.44	1245.26	1228.77	1221.26	1238.49	1147.02	1220.05	1236.32
5/19/2026	1076.18	1106.57	1209.06	1075.25	1099.78	1245.05	1172.87	1221.26	1238.23	1147.05	1222.25	1234.81
5/20/2026	1081.53	1112.71	1210.21	1075.70	1100.41	1245.07	1010.90	1197.32	1237.75	1140.81	1224.43	1234.21
5/21/2026	1092.76	1121.25	1213.41	1074.39	1099.53	1245.26	1161.40	1212.46	1237.13	1140.11	1225.89	1234.33
5/22/2026	1112.72	1126.76	1215.44	1067.84	1094.65	1245.48	NA	1210.23	1237.42	1140.12	1229.76	1235.50
5/23/2026	1138.11	1128.68	1217.62	1063.24	1089.65	1245.50	NA	1221.63	1239.32	1140.11	1231.81	1238.44
5/24/2026	1141.06	1128.14	1217.50	1061.45	1088.29	1245.49	NA	1220.53	1238.98	1140.12	1230.31	1238.50
5/25/2026	1147.96	1132.64	1216.83	1059.68	1086.84	1245.35	NA	1216.19	1237.96	1140.11	1229.58	1236.46
5/26/2026	1141.30	1120.13	1214.15	1057.59	1085.00	1244.92	NA	1218.51	1237.91	NA	1222.19	1234.61
5/27/2026	1065.15	1110.44	1210.13	1056.30	1084.07	1245.12	1174.68	1216.77	1237.50	1140.60	1222.89	1233.68
5/28/2026	1048.67	1106.41	1209.24	1054.52	1082.16	1245.17	1203.90	1218.94	1237.42	1140.80	1229.69	1233.19
5/29/2026	1045.82	1104.42	1208.06	947.52	1064.84	1245.05	NA	1222.54	1237.26	1140.79	1214.47	1233.40
5/30/2026	1052.01	1115.35	1207.67	918.97	1031.98	1245.13	NA	1226.27	1237.46	NA	1205.80	1230.54
5/31/2026	1054.28	1117.84	1207.89	920.31	1030.61	1245.10	NA	1226.29	1237.17	NA	1207.53	1230.26

Notes:

All measurements in elevation above mean sea level.
NA or NM = Not measured or otherwise not available

**Q2 2026 HYDRAULIC GRADIENT
DAILY WATER LEVEL ELEVATIONS**
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Table 3-3. June 2026 Daily Average Water Level Elevations

Date	126129 Well Triplet			142133 Well Triplet			142145 Well Triplet			122137 Well Triplet		
	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well	Pumping Well	Observation Well	Monitoring Well
	126129	124127	M22-O	142133	146133	M30-O	142145	144147	M76-O	122137	122141	M24-O
6/1/2026	1050.67	1112.06	1207.05	945.68	1029.90	1245.34	911.17	1231.84	1236.67	1140.80	1194.73	1229.11
6/2/2026	1045.55	1103.89	1203.65	1109.28	1097.50	1245.38	918.27	1221.26	1235.71	1140.79	1183.88	1225.25
6/3/2026	1032.66	1088.76	1200.61	1108.48	1259.41	1245.87	879.47	1220.99	1235.30	1112.99	1180.92	1223.46
6/4/2026	1040.36	1093.24	1201.72	1162.94	1227.76	1245.62	851.20	1221.42	1234.78	1110.92	1195.64	1227.15
6/5/2026	1039.09	1092.42	1200.56	1232.66	1204.90	1245.51	1192.07	1225.16	1234.54	1110.93	1188.24	1225.06
6/6/2026	1040.47	1095.04	1201.99	1370.82	1242.70	1245.70	894.87	1225.37	1234.24	1111.05	1138.01	1228.04
6/7/2026	1047.31	1092.51	1201.81	1194.16	1262.20	1245.76	1017.17	1224.09	1234.44	1110.91	1198.90	1228.46
6/8/2026	1041.41	1095.02	1201.98	1219.66	1273.20	1246.04	957.17	1216.86	1234.79	NA	1198.54	1227.55
6/9/2026	1085.47	1102.35	1202.05	1167.02	1274.00	1245.84	906.47	1218.59	1235.09	1110.95	1191.89	1226.21
6/10/2026	1050.18	1096.95	1201.38	1113.33	1247.60	1245.64	1131.32	1222.10	1234.74	1113.13	1189.18	1225.41
6/11/2026	1035.26	1090.05	1199.98	1263.66	1256.10	1248.21	1240.40	1226.23	1234.54	1113.93	1187.58	1225.27
6/12/2026	975.70	1088.95	1200.06	1225.36	1267.20	1246.31	1247.17	1212.39	1234.94	1118.93	1179.34	1225.76
6/13/2026	970.70	1093.17	1199.34	1201.76	1173.40	1245.66	1191.97	1220.32	1234.79	1113.94	1189.05	1224.60
6/14/2026	968.20	1095.64	1207.51	1211.66	1186.10	1252.30	1276.87	1217.85	1238.94	1128.63	1191.71	1233.34
6/15/2026	953.20	1094.84	1202.93	1249.56	1210.50	1247.60	1240.40	1217.96	1235.93	1118.98	1194.35	1228.32
6/16/2026	951.00	1087.82	1204.87	1266.06	1341.43	1250.83	NA	1209.83	1238.38	1128.93	1183.07	1231.51
6/17/2026	1046.81	1003.39	1202.96	1262.38	1695.42	1248.58	1254.39	1258.06	1241.39	1118.84	1191.13	1226.69
6/18/2026	1001.60	1095.11	1199.85	1189.66	1163.66	1245.90	1257.00	1260.81	1235.33	1118.81	1198.64	1224.03
6/19/2026	1010.60	1090.31	1199.16	1266.09	1212.20	1245.93	1104.97	1260.66	1235.55	1118.77	1203.04	1227.02
6/20/2026	1042.65	1074.61	1206.57	1048.43	1150.20	1250.65	1249.17	1257.02	1242.51	1123.77	1192.71	1232.84
6/21/2026	1042.18	1080.31	1198.49	963.35	1100.29	1246.02	1257.00	1265.31	1239.04	1113.81	1201.15	1227.72
6/22/2026	1040.80	1110.51	1213.40	883.93	1032.42	1247.74	1209.17	1256.37	1237.01	1120.52	1191.81	1230.55
6/23/2026	1041.65	1138.61	1200.62	958.52	1031.88	1245.84	1276.67	1260.62	1238.84	1113.79	1183.61	1227.60
6/24/2026	945.91	1085.84	1201.14	994.67	1165.45	1245.94	1226.72	1237.22	1235.26	1124.04	1187.75	1228.10
6/25/2026	939.83	1089.43	1199.02	965.72	1177.19	1245.02	1222.00	1218.06	1234.84	1119.68	1193.64	1226.18
6/26/2026	941.67	1088.32	1199.33	961.77	1172.86	1244.78	1189.37	1215.96	1234.83	NA	1199.65	1227.43
6/27/2026	939.83	1081.35	1198.71	1099.99	1200.39	1244.47	1222.00	1241.18	1234.73	1119.65	1200.76	1227.17
6/28/2026	938.18	1078.12	1197.99	1140.32	1225.68	1244.35	960.27	1241.31	1234.48	1119.59	1204.09	1227.24
6/29/2026	939.16	1082.04	1200.67	1138.25	1223.28	1245.53	958.47	1208.86	1235.00	1124.56	1201.27	1228.53
6/30/2026	924.48	1088.91	1202.38	978.13	1191.21	1244.49	1201.87	1221.99	1232.98	1119.59	1203.08	1226.41

Notes:


All measurements in elevation above mean sea level.

NA or NM = Not measured or otherwise not available

Alternate triplet for 142145:

Date	Pumping Well	Observation Well	Monitoring Well
	146141	148143	M74-O
6/11/2026	1199.09	1216.95	1246.21
6/16/2026	948.58	1187.03	1249.46


Figure 3-1a. Triplet Water Elevations



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-1 through 3-3) for details on missing data points.*


Figure 3-1b. Triplet Water Elevations



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-1 through 3-3) for details on missing data points.*


Figure 3-1c. Triplet Water Elevations



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-1 through 3-3) for details on missing data points.*

Figure 3-1d. Triplet Water Elevations



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-1 through 3-3) for details on missing data points.*

Q2 2026 HYDRAULIC GRADIENT

DAILY WATER LEVEL DIFFERENCE FOR WELL PAIRINGS AND TRIPLETS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 3-4. April 2026 Daily Average Water Level Differences

Date	126129 Triplet		142133 Triplet		142145 Triplet		122137 Triplet		All Gradients >1 foot ⁽¹⁾	All Gradients >1 foot ⁽¹⁾
	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.		
	124127	M22-O	146133	M30-O	144147	M76-O	122141	M24-O		
4/1/2026	NA	NA	108.26	347.26	64.07	94.98	NA	NA	No	1
4/2/2026	24.29	100.04	307.25	356.65	NA	NA	NA	47.16	Yes	1
4/3/2026	28.55	105.39	114.67	358.27	NA	NA	NA	58.40	Yes	1
4/4/2026	27.93	103.40	105.37	357.51	57.98	54.64	NA	57.69	Yes	1
4/5/2026	27.12	101.49	133.02	357.47	46.14	43.11	NA	57.51	Yes	1
4/6/2026	2.11	76.71	85.74	118.00	NA	NA	NA	NA	No	1
4/7/2026	27.51	97.10	54.16	300.64	NA	NA	NA	59.92	Yes	1
4/8/2026	21.84	93.07	273.64	356.13	52.08	52.40	NA	56.98	Yes	1
4/9/2026	29.06	117.89	355.90	357.24	7.37	12.61	NA	55.87	Yes	1
4/10/2026	13.56	70.55	144.87	350.92	55.28	65.08	NA	NA	Yes	1
4/11/2026	-16.25	39.15	-220.90	15.20	NA	NA	-91.65	5.46	Yes	1
4/12/2026	11.47	64.63	NA	148.52	-17.16	9.86	NA	NA	No	1
4/13/2026	-18.15	42.53	18.72	213.44	5.84	24.60	13.14	10.28	No	1
4/14/2026	16.89	80.28	98.96	303.30	100.83	123.27	45.78	10.20	Yes	1
4/15/2026	28.01	75.53	-22.11	123.49	48.75	62.64	NA	54.54	No	1
4/16/2026	22.62	119.61	113.91	299.26	96.33	105.88	NA	59.37	Yes	1
4/17/2026	34.03	122.53	99.50	300.53	79.01	109.22	NA	58.04	Yes	1
4/18/2026	21.42	124.17	104.30	320.53	67.29	111.28	NA	55.80	Yes	1
4/19/2026	35.88	136.53	71.84	316.52	-38.51	10.18	NA	18.98	No	1
4/20/2026	33.74	134.39	106.33	334.00	19.88	61.90	NA	63.28	Yes	1
4/21/2026	36.68	111.92	51.81	293.74	NA	NA	53.57	40.86	Yes	1
4/22/2026	22.55	123.00	94.14	332.98	79.34	115.43	-26.34	17.30	No	1
4/23/2026	34.15	129.49	63.24	293.87	87.54	119.23	44.26	35.89	Yes	1
4/24/2026	31.90	125.10	15.43	240.58	83.24	106.08	48.51	41.15	Yes	1
4/25/2026	25.98	116.35	90.37	324.28	72.61	121.74	70.02	44.30	Yes	1
4/26/2026	28.13	119.28	91.02	319.81	NA	NA	NA	48.01	Yes	1
4/27/2026	32.51	124.36	120.25	313.30	88.83	139.56	68.27	47.29	Yes	1
4/28/2026	33.01	125.85	108.17	323.96	68.24	118.18	48.51	46.89	Yes	1
4/29/2026	32.51	127.23	55.62	309.31	70.37	112.07	72.35	66.19	Yes	1
4/30/2026	31.42	128.67	12.88	199.06	74.76	109.87	80.31	70.84	Yes	1

Notes:

All measurements in elevation above mean sea level.

NA or NM = Not measured or otherwise not available

WL Diff = Water level difference

(1) The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to POC well).

Water level difference across the triplet is less than 1 foot.

Q2 2026 HYDRAULIC GRADIENT

DAILY WATER LEVEL DIFFERENCE FOR WELL PAIRINGS AND TRIPLETS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 3-5. May 2026 Daily Average Water Level Differences

Date	126129 Triplet		142133 Triplet		142145 Triplet		122137 Triplet		All Gradients >1 foot ⁽¹⁾	All Gradients >1 foot ⁽¹⁾
	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.		
	124127	M22-O	146133	M30-O	144147	M76-O	122141	M24-O		
5/1/2026	31.57	128.82	-91.62	181.98	63.61	110.13	80.31	70.94	No	1
5/2/2026	31.52	129.61	30.16	179.53	NA	NA	36.22	72.20	Yes	1
5/3/2026	31.38	130.16	23.04	169.12	NA	NA	80.30	74.12	No	1
5/4/2026	31.40	130.37	18.37	92.63	NA	NA	80.31	73.15	Yes	1
5/5/2026	31.36	130.53	-1.06	218.27	NA	NA	-295.85	71.23	Yes	1
5/6/2026	42.62	127.16	8.15	73.24	89.50	99.45	-117.43	81.71	Yes	1
5/7/2026	44.81	128.76	59.33	73.43	85.09	113.72	-115.60	81.16	Yes	1
5/8/2026	44.19	128.91	15.29	130.26	69.56	95.83	NA	81.18	Yes	1
5/9/2026	44.11	129.54	39.23	168.15	NA	NA	NA	82.46	Yes	1
5/10/2026	39.82	119.74	38.79	171.25	110.19	141.23	79.14	83.51	Yes	1
5/11/2026	19.59	106.87	23.97	173.08	83.99	118.06	77.11	83.21	Yes	1
5/12/2026	35.02	97.24	38.75	173.89	84.29	119.20	62.31	79.55	Yes	1
5/13/2026	25.17	94.73	28.05	177.10	-22.23	110.64	77.42	85.05	Yes	1
5/14/2026	26.16	109.65	26.84	184.41	77.46	112.61	81.79	86.56	Yes	1
5/15/2026	29.57	128.59	24.71	175.06	63.69	92.21	78.94	88.69	Yes	1
5/16/2026	30.98	132.97	24.39	169.14	54.79	78.69	76.42	88.75	Yes	1
5/17/2026	30.94	132.75	24.24	167.95	46.39	65.42	73.83	88.82	Yes	1
5/18/2026	30.40	133.55	24.82	168.64	-7.51	9.72	73.03	89.30	Yes	1
5/19/2026	30.39	132.88	24.53	169.80	48.39	65.36	75.20	87.76	Yes	1
5/20/2026	31.18	128.68	24.71	169.37	186.42	226.85	83.62	93.40	Yes	1
5/21/2026	28.49	120.65	25.14	170.87	51.06	75.73	85.78	94.22	Yes	1
5/22/2026	14.04	102.72	26.81	177.64	NA	NA	89.64	95.38	Yes	1
5/23/2026	-9.43	79.51	26.41	182.26	NA	NA	91.70	98.33	Yes	1
5/24/2026	-12.92	76.44	26.84	184.04	NA	NA	90.19	98.38	Yes	1
5/25/2026	-15.32	68.87	27.16	185.67	NA	NA	89.47	96.35	Yes	1
5/26/2026	-21.17	72.85	27.41	187.33	NA	NA	NA	NA	Yes	1
5/27/2026	45.29	144.98	27.77	188.82	42.09	62.82	82.29	93.08	Yes	1
5/28/2026	57.74	160.57	27.64	190.65	15.04	33.52	88.89	92.39	Yes	1
5/29/2026	58.60	162.24	117.32	297.53	NA	NA	73.68	92.61	Yes	1
5/30/2026	63.34	155.66	113.01	326.16	NA	NA	NA	NA	Yes	1
5/31/2026	63.56	153.61	110.30	324.79	NA	NA	NA	NA	Yes	1

Notes:

All measurements in elevation above mean sea level.

NA or NM = Not measured or otherwise not available

WL Diff = Water level difference

(1) The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to POC well).

Water level difference across the triplet is less than 1 foot.

Q2 2026 HYDRAULIC GRADIENT

DAILY WATER LEVEL DIFFERENCE FOR WELL PAIRINGS AND TRIPLETS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 3-6. June 2026 Daily Average Water Level Differences

Date	126129 Triplet		142133 Triplet		142145 Triplet		122137 Triplet		All Gradients >1 foot ⁽¹⁾	All Gradients >1 foot ⁽¹⁾
	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.	Pumping Well to Observation well WL Diff.	Pumping Well to Monitoring Well WL Diff.		
	124127	M22-O	146133	M30-O	144147	M76-O	122141	M24-O		
6/1/2026	61.39	156.38	84.22	299.66	320.67	325.50	53.93	88.31	Yes	1
6/2/2026	58.34	158.10	-11.78	136.10	302.99	317.44	43.09	84.46	Yes	1
6/3/2026	56.10	167.95	150.93	137.39	341.52	355.83	67.93	110.47	Yes	1
6/4/2026	52.88	161.36	64.82	82.68	370.22	383.58	84.72	116.23	Yes	1
6/5/2026	53.33	161.47	-27.76	12.85	33.09	42.47	77.31	114.13	Yes	1
6/6/2026	54.57	161.52	-128.12	-125.12	330.50	339.37	26.96	116.99	No	1
6/7/2026	45.20	154.50	68.04	51.60	206.92	217.27	87.99	117.55	Yes	1
6/8/2026	53.61	160.57	53.54	26.38	259.69	277.62	NA	NA	Yes	1
6/9/2026	16.88	116.58	106.98	78.82	312.12	328.62	80.94	115.26	Yes	1
6/10/2026	46.77	151.20	134.27	132.31	90.78	103.42	76.05	112.28	Yes	1
6/11/2026	54.79	164.72	-7.56	-15.45	-14.17	-5.86	73.65	111.34	No	1
6/12/2026	113.25	224.36	41.84	20.95	-34.78	-12.23	60.41	106.83	No ⁽²⁾	1
6/13/2026	122.47	228.64	-28.36	43.90	28.35	42.82	75.11	110.66	Yes	1
6/14/2026	127.44	239.31	-25.56	40.64	-59.02	-37.93	63.08	104.71	No	1
6/15/2026	141.64	249.73	-39.06	-1.96	-22.44	-4.47	75.37	109.34	No ⁽²⁾	1
6/16/2026	136.82	253.87	75.37	-15.23	NA	NA	54.14	102.58	Yes	1
6/17/2026	-43.42	156.15	433.04	-13.80	3.67	-13.00	72.29	107.85	Yes	1
6/18/2026	93.51	198.25	-26.00	56.24	3.81	-21.67	79.83	105.22	Yes	1
6/19/2026	79.71	188.56	-53.89	-20.16	155.69	130.58	84.27	108.25	No	1
6/20/2026	31.96	163.92	101.77	202.22	7.85	-6.66	68.94	109.07	Yes	1
6/21/2026	38.13	156.31	136.94	282.67	8.31	-17.96	87.34	113.91	Yes	1
6/22/2026	69.71	172.60	148.49	363.81	47.20	27.84	71.29	110.03	Yes	1
6/23/2026	96.96	158.97	73.36	287.32	-16.05	-37.83	69.82	113.81	No	1
6/24/2026	139.93	255.23	170.78	251.27	10.50	8.54	63.71	104.06	Yes	1
6/25/2026	149.60	259.19	211.47	279.30	-3.94	12.84	73.96	106.50	Yes	1
6/26/2026	146.65	257.66	211.09	283.01	26.59	45.46	NA	NA	Yes	1
6/27/2026	141.52	258.88	100.40	144.48	19.18	12.73	81.11	107.52	Yes	1
6/28/2026	139.94	259.81	85.36	104.03	281.04	274.21	84.50	107.65	Yes	1
6/29/2026	142.88	261.51	85.03	107.28	250.39	276.53	76.71	103.97	Yes	1
6/30/2026	164.43	277.90	213.08	266.36	20.12	31.11	83.49	106.82	Yes	1

Notes:

All measurements in elevation above mean sea level.

NA or NM = Not measured or otherwise not available

WL Diff = Water level difference


Water level difference across the triplet is less than 1 foot.

(1) The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to POC well).

(2) Alternate triplet for 142145:

Date	146141	
	148143	M74-O
6/11/2026	17.86	47.12
6/16/2026	238.45	300.88


Figure 3-1e. Water Level Differences Across Triplet for 126129



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-4 through 3-6) for details on missing data points.*


Figure 3-1f. Water Level Differences Across Triplet for 142133



Notes:

The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-4 through 3-6) for details on missing data points.


Figure 3-1g. Water Level Differences Across Triplet for 142145



Notes:

*The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-4 through 3-6) for details on missing data points.*

Figure 3-1h. Water Level Differences Across Triplet for 122137



Notes:

The difference in water elevations is evaluated across the entire well triplets (i.e., from pumping well to monitoring well).
Refer to preceding Daily Average Water Level Elevations Table (Tables 3-4 through 3-6) for details on missing data points.

ATTACHMENT 4

Table and Graphs of Fluid Electrical Conductivity Measurements

Q2 2026 DAILY FLUID ELECTRICAL CONDUCTIVITY
INJECTION AND OBSERVATION WELLS
 FLORENCE COPPER LLC
 FLORENCE, ARIZONA

Table 4-1. April 2026 Daily Fluid Electrical Conductivity - Observation Wells

Date	120131	122141	124127	126145R	128123	130149	138125	140151	142129	144147	146133	148143
4/1/2026	884.41	1437.03	5683.59	1599.11	1454.07	3010.70	1061.91	968.61	NA	905.08	27.83	1020.41
4/2/2026	885.88	NA	5718.21	1608.31	1453.45	3564.86	NA	950.88	NA	903.46	29.22	1016.92
4/3/2026	887.42	NA	5763.73	1625.23	1452.60	3650.65	NA	946.91	NA	902.12	28.21	1009.82
4/4/2026	888.85	NA	5814.79	1655.92	1451.69	3784.05	NA	945.44	NA	900.33	21.54	1005.33
4/5/2026	887.37	NA	5881.94	1666.74	1450.85	3830.81	NA	944.56	NA	898.87	15.29	1000.98
4/6/2026	892.03	NA	5989.63	1652.96	1448.90	3860.82	NA	945.44	NA	898.40	14.26	996.62
4/7/2026	892.73	NA	6058.87	1641.29	1445.10	3858.87	NA	947.72	NA	898.50	9.18	992.73
4/8/2026	893.03	NA	6076.70	1674.93	1444.57	3731.38	NA	949.86	NA	899.00	6.65	988.70
4/9/2026	890.28	NA	6001.18	1678.37	1446.65	3504.67	NA	952.33	527.39	900.62	165.34	985.01
4/10/2026	888.53	NA	6394.57	1714.54	1453.08	3497.00	NA	957.67	768.44	902.91	836.42	983.59
4/11/2026	893.40	NA	6624.40	1767.32	1454.43	2972.31	NA	970.74	767.91	905.61	871.64	987.66
4/12/2026	897.03	NA	6800.39	1791.42	1453.27	2174.66	NA	974.40	770.07	905.42	894.72	994.34
4/13/2026	896.45	NA	6920.42	1779.22	1454.22	1837.75	NA	975.08	768.18	903.12	849.04	1000.15
4/14/2026	894.83	NA	7032.50	1760.16	1453.91	1697.74	NA	987.38	767.85	906.42	843.93	998.57
4/15/2026	900.22	NA	7000.39	1779.08	1454.78	1595.91	NA	982.26	768.11	907.05	845.19	995.17
4/16/2026	903.00	NA	6785.78	1762.87	1455.83	1928.76	NA	978.44	768.57	908.24	840.30	1017.32
4/17/2026	903.80	NA	6698.94	1771.86	1456.44	1727.77	NA	985.70	768.91	910.14	840.55	1014.92
4/18/2026	908.01	NA	6658.30	1916.27	1457.07	1747.10	NA	997.16	769.33	911.79	843.61	1004.10
4/19/2026	910.88	NA	6605.15	1978.49	1457.45	1655.93	NA	998.70	769.99	913.93	837.24	1003.44
4/20/2026	914.16	NA	6532.00	2041.52	1457.46	1536.88	NA	988.47	771.33	915.67	837.56	1019.53
4/21/2026	919.45	NA	6378.93	2102.19	1457.88	1480.10	NA	988.89	773.42	916.90	840.01	1023.16
4/22/2026	921.45	NA	6263.35	2161.67	1458.01	1822.99	NA	989.05	774.19	918.23	834.83	1021.12
4/23/2026	926.34	NA	6341.67	2216.71	1458.11	1716.89	NA	988.47	772.48	919.42	838.18	1017.22
4/24/2026	926.74	NA	6229.88	2212.18	1457.18	1609.74	NA	986.60	772.47	920.54	838.16	1019.84
4/25/2026	923.77	NA	6417.06	2185.51	1457.76	1443.95	NA	991.01	770.80	921.18	834.74	1018.22
4/26/2026	925.16	NA	6584.56	2223.84	1459.14	1387.26	NA	990.10	769.98	921.49	840.54	1015.82
4/27/2026	930.61	NA	6632.02	2257.69	1459.13	1359.36	NA	989.55	782.36	922.07	842.44	1009.86
4/28/2026	932.84	NA	6700.77	2324.84	1459.06	1322.07	NA	988.93	770.60	922.16	839.01	1010.45
4/29/2026	937.33	NA	6770.42	2365.08	1458.51	1298.11	NA	986.20	769.33	922.02	836.81	1007.71
4/30/2026	935.56	NA	6910.21	2465.78	1458.89	1271.37	1061.91	982.27	770.06	922.31	844.78	1004.51
Alert Level	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119

Notes:

All measurements in microSiemens per centimeter ($\mu\text{S}/\text{cm}$)

NA or NM = Not measured or otherwise not available

Q2 2026 DAILY FLUID ELECTRICAL CONDUCTIVITY
INJECTION AND OBSERVATION WELLS
 FLORENCE COPPER LLC
 FLORENCE, ARIZONA

Table 4-2. May 2026 Daily Fluid Electrical Conductivity - Observation Wells

Date	120131	122141	124127	126145R	128123	130149	138125	140151	142129	144147	146133	148143
5/1/2026	938.77	1437.03	6986.07	2554.30	1459.22	1270.81	NA	984.54	770.91	922.72	841.51	997.98
5/2/2026	941.91	NA	7067.90	2613.12	1459.22	1260.27	NA	979.60	770.86	922.69	841.45	992.50
5/3/2026	945.72	NA	7148.77	2715.27	1459.54	1249.45	NA	977.66	770.68	922.96	841.41	990.94
5/4/2026	951.76	NA	7184.60	2807.98	1459.73	1248.01	NA	977.95	773.03	923.60	845.37	991.63
5/5/2026	955.97	NA	7273.96	2887.24	1423.19	1242.05	773.30	978.71	772.70	924.07	846.91	988.31
5/6/2026	958.75	NA	7352.86	2686.54	1460.21	1225.93	1014.98	973.71	780.47	924.12	882.40	977.33
5/7/2026	958.54	NA	7471.92	2771.45	1459.87	1254.78	1013.06	968.36	778.63	924.34	860.06	966.36
5/8/2026	955.23	NA	7575.27	2810.82	1459.76	1278.86	1012.32	968.03	772.03	924.49	835.04	987.07
5/9/2026	957.73	528.00	7658.88	2772.28	1459.73	1277.87	1012.20	969.66	771.15	924.90	833.80	997.94
5/10/2026	963.24	1381.00	7728.29	2772.19	1459.65	1266.37	1012.66	971.27	770.71	925.87	832.61	1002.57
5/11/2026	966.44	2108.00	7802.02	2769.53	1459.11	1243.77	1014.72	973.58	770.45	926.59	834.53	1001.56
5/12/2026	966.16	1012.00	7788.62	2788.13	1459.23	1443.90	1015.07	974.96	769.98	927.17	833.99	988.12
5/13/2026	969.64	2943.99	7895.65	2836.05	1459.06	1318.78	1016.34	974.99	770.02	927.73	832.80	968.78
5/14/2026	969.13	3537.09	8048.68	2993.78	1460.37	1327.47	1015.30	971.32	770.12	928.28	833.53	1011.69
5/15/2026	968.73	3659.57	8144.19	2806.66	1460.41	1275.02	1014.06	968.30	769.66	928.20	832.07	1020.08
5/16/2026	970.13	3867.19	8108.69	2655.68	1458.67	1280.44	1013.54	964.76	769.74	928.19	834.96	1021.34
5/17/2026	972.43	3935.88	8123.91	2508.18	1458.67	1275.78	1013.61	961.76	769.90	927.39	835.24	1026.18
5/18/2026	979.43	3902.79	8147.92	2883.31	1459.44	1295.03	1013.41	959.77	769.82	926.12	833.92	1030.76
5/19/2026	983.81	3906.43	8174.85	2871.79	1459.50	1304.05	1013.62	963.24	770.05	926.93	831.69	1029.77
5/20/2026	986.37	3872.38	8213.16	2552.16	1459.24	1301.17	1013.73	965.33	769.93	916.93	832.79	1016.14
5/21/2026	990.62	3532.43	8200.84	2745.25	1459.76	1293.85	1012.62	966.24	769.54	928.42	831.26	1022.26
5/22/2026	987.68	3419.67	8258.45	2974.14	1460.39	1280.59	1013.47	968.63	769.97	929.09	831.79	1023.98
5/23/2026	984.71	3381.94	8311.87	3123.68	1460.80	1299.73	1012.36	960.74	769.75	928.30	832.03	1021.28
5/24/2026	982.50	3351.66	8357.96	3133.13	1461.40	1308.81	1013.39	960.13	769.40	926.60	835.94	1022.51
5/25/2026	985.07	3366.08	8411.84	3158.95	1460.43	1311.19	1014.13	962.05	769.22	926.35	835.35	1006.89
5/26/2026	980.88	3288.05	8468.49	3257.79	1461.48	1318.55	1013.46	963.20	769.42	925.50	831.85	1004.99
5/27/2026	978.77	3503.84	8538.31	3055.53	1461.17	1340.66	1011.01	963.91	769.05	925.07	830.71	1012.08
5/28/2026	984.18	3505.18	8573.02	3133.41	1461.66	1355.73	1011.28	971.23	768.80	924.92	832.33	1012.87
5/29/2026	986.98	3309.99	8598.92	3340.76	1461.52	2469.68	1016.11	974.00	768.79	923.60	836.01	1010.48
5/30/2026	989.15	3594.96	8627.06	3265.49	1459.97	3918.65	1021.81	972.77	768.45	920.10	837.67	1023.56
5/31/2026	989.49	3593.37	8723.26	2991.90	1459.35	3969.42	1023.71	973.89	767.49	918.36	839.45	1009.35
Alert Level	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119

Notes:

All measurements in microSiemens per centimeter ($\mu\text{S}/\text{cm}$)

NA or NM = Not measured or otherwise not available

Q2 2026 DAILY FLUID ELECTRICAL CONDUCTIVITY
INJECTION AND OBSERVATION WELLS
 FLORENCE COPPER LLC
 FLORENCE, ARIZONA

Table 4-3. June 2026 Daily Fluid Electrical Conductivity - Observation Wells


Date	120131	122141	124127	126145R	128123	130149	138125	140151	142129	144147	146133	148143
6/1/2026	990.42	3304.06	8696.01	2488.12	1457.93	4187.02	1021.62	972.42	773.46	917.26	863.35	1006.22
6/2/2026	991.82	3281.04	8663.99	2446.99	1458.07	4333.87	1019.62	960.10	780.05	917.46	907.16	976.28
6/3/2026	987.87	3488.33	8551.74	2488.12	1457.39	4255.00	1014.46	958.16	780.12	917.01	931.78	964.66
6/4/2026	995.35	3187.64	8702.32	2446.99	1459.77	4847.28	1011.25	949.05	780.47	914.97	913.36	994.21
6/5/2026	1000.41	3051.85	8582.63	2386.72	1461.05	4739.54	1012.30	942.03	782.62	913.41	946.00	991.13
6/6/2026	1005.50	2767.82	8597.96	2355.12	1461.25	5094.04	1012.44	949.49	783.54	909.84	896.22	994.93
6/7/2026	1003.68	2946.59	8400.77	2297.61	1461.60	5005.36	1013.14	952.76	784.26	913.02	977.77	966.63
6/8/2026	1007.72	2890.61	8462.07	2256.89	1463.19	5030.42	1013.90	956.57	784.90	912.46	950.00	982.57
6/9/2026	1010.65	2861.22	8207.32	2213.87	1463.27	5166.23	1015.24	957.03	781.82	910.45	1069.32	1006.00
6/10/2026	1007.77	2799.41	8196.53	2166.14	1463.60	5397.05	1016.00	961.63	780.20	910.20	981.56	1006.15
6/11/2026	1008.02	2792.13	8395.67	2123.34	1462.90	5481.06	1016.61	961.41	781.96	912.02	1154.11	958.30
6/12/2026	1011.15	2690.24	8377.86	2084.49	1458.90	5271.69	986.26	920.02	759.43	882.32	1196.51	918.63
6/13/2026	1014.08	2699.07	8600.94	2048.11	1464.05	5867.79	1016.56	963.91	786.40	920.49	1206.94	960.95
6/14/2026	1018.45	2680.96	8972.66	2017.01	1463.12	6154.37	1013.08	942.55	781.15	914.30	1286.06	875.77
6/15/2026	1016.31	2600.89	9027.40	1995.67	1462.78	6202.43	1013.88	933.91	782.20	926.92	1344.25	864.58
6/16/2026	1019.01	2542.53	9076.73	1975.66	1458.21	6126.93	984.65	899.66	756.21	904.28	1395.39	873.91
6/17/2026	1022.97	2619.58	7598.79	1959.22	1464.90	5381.04	1015.48	930.57	782.44	945.31	900.72	971.32
6/18/2026	1022.54	2659.29	1388.09	1937.53	1465.89	5351.79	1021.69	935.98	787.76	967.72	804.59	972.18
6/19/2026	1024.93	2706.93	1371.80	1929.67	1465.71	4826.90	1021.27	937.10	789.85	984.07	902.17	993.56
6/20/2026	1035.48	2686.13	1353.55	1921.41	1463.22	5763.60	1002.43	917.28	769.97	996.51	902.59	942.38
6/21/2026	1040.38	2756.33	1380.04	1911.02	1465.58	6282.83	1021.68	937.06	781.68	1038.50	1056.42	983.30
6/22/2026	1050.08	2750.51	1370.53	1899.96	1462.80	6232.25	999.40	925.06	760.96	1047.49	1301.47	981.69
6/23/2026	1055.83	2923.05	1379.00	1886.00	1466.85	5832.98	1024.78	962.75	780.57	1093.54	1429.21	1006.39
6/24/2026	1055.73	2807.07	1381.00	1881.02	1463.42	6007.61	1000.51	935.75	762.05	1132.12	1424.84	963.74
6/25/2026	1056.25	2812.85	1385.36	1864.89	1467.28	5824.66	1023.71	966.30	780.38	1173.50	1540.85	1013.35
6/26/2026	1063.31	2740.27	1383.44	1850.69	1467.35	5848.82	1023.73	968.55	780.27	1206.29	1531.66	1008.82
6/27/2026	1066.37	2798.93	1382.15	1841.41	1466.69	5828.09	1022.47	969.80	782.56	1241.59	1520.50	1001.87
6/28/2026	1070.76	2877.81	1381.06	1834.84	1466.46	5976.12	1022.32	969.52	783.99	1282.17	1460.10	998.59
6/29/2026	1080.87	3189.77	1370.78	1826.63	1465.74	6010.15	1016.04	964.48	778.46	1291.01	1353.21	976.92
6/30/2026	1094.64	3709.23	1379.79	1823.34	1466.93	6005.11	1021.57	971.99	781.33	1294.74	1380.40	950.50
Alert Level	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119	18,119

Notes:

All measurements in microSiemens per centimeter ($\mu\text{S}/\text{cm}$)

NA or NM = Not measured or otherwise not available

Figure 4-1. Daily Fluid Electrical Conductivity - Observation Wells Q2 2026



ATTACHMENT 5

5A. Concentration and Water Elevation Graphs

5B. Well Details and Water Level Elevations

5C. Groundwater Monitoring Summary

ATTACHMENT 5A
Concentration and Water Elevation Graphs

M1-GL Analyte Graphs

Figure 5A-1a. Alkalinity, Bicarbonate




Figure 5A-1b. Alkalinity, Carbonate




Figure 5A-1c. Alkalinity, Hydroxide




Figure 5A-1d. Alkalinity, Total (as CaCO3)




Figure 5A-1e. Aluminum




Figure 5A-1f. Antimony




Figure 5A-1g. Arsenic





Figure 5A-1h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M1-GL Analyte Graphs

Figure 5A-1i. Benzene




Figure 5A-1j. Beryllium




Figure 5A-1k. Cadmium




Figure 5A-1l. Calcium




Figure 5A-1m. Chloride




Figure 5A-1n. Chromium




Figure 5A-1o. Cobalt





Figure 5A-1p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M1-GL Analyte Graphs

Figure 5A-1q. Ethylbenzene




Figure 5A-1r. Fluoride




Figure 5A-1s. Gross Alpha Analytes




Figure 5A-1t. Iron




Figure 5A-1u. Lead




Figure 5A-1v. Magnesium




Figure 5A-1w. Manganese





Figure 5A-1x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M1-GL Analyte Graphs

Figure 5A-1y. Nickel




Figure 5A-1z. Nitrate (as N)




Figure 5A-1aa. pH, Field




Figure 5A-1ab. Potassium




Figure 5A-1ac. Radium-226 & 228




Figure 5A-1ad. Selenium




Figure 5A-1ae. Sodium





Figure 5A-1af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M1-GL Analyte Graphs

Figure 5A-1ag. Sulfate




Figure 5A-1ah. Temperature, Field




Figure 5A-1ai. Thallium




Figure 5A-1aj. Toluene




Figure 5A-1ak. Total Dissolved Solids (TDS)




Figure 5A-1al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-1am. Uranium





Figure 5A-1an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M1-GL Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2a. Alkalinity, Bicarbonate




Figure 5A-2b. Alkalinity, Carbonate




Figure 5A-2c. Alkalinity, Hydroxide




Figure 5A-2d. Alkalinity, Total (as CaCO₃)




Figure 5A-2e. Aluminum




Figure 5A-2f. Antimony




Figure 5A-2g. Arsenic





Figure 5A-2h. Barium



--- AL —●— Analyte
--- AQL

Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2i. Benzene




Figure 5A-2j. Beryllium




Figure 5A-2k. Cadmium




Figure 5A-2l. Calcium




Figure 5A-2m. Chloride




Figure 5A-2n. Chromium




Figure 5A-2o. Cobalt





Figure 5A-2p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2q. Ethylbenzene




Figure 5A-2r. Fluoride




Figure 5A-2s. Gross Alpha Analytes




Figure 5A-2t. Iron




Figure 5A-2u. Lead




Figure 5A-2v. Magnesium




Figure 5A-2w. Manganese





Figure 5A-2x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2y. Nickel




Figure 5A-2z. Nitrate (as N)




Figure 5A-2aa. pH, Field




Figure 5A-2ab. Potassium




Figure 5A-2ac. Radium-226 & 228




Figure 5A-2ad. Selenium




Figure 5A-2ae. Sodium





Figure 5A-2af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2ag. Sulfate




Figure 5A-2ah. Temperature, Field




Figure 5A-2ai. Thallium




Figure 5A-2aj. Toluene




Figure 5A-2ak. Total Dissolved Solids (TDS)




Figure 5A-2al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-2am. Uranium





Figure 5A-2an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M18-GU Analyte Graphs

Figure 5A-2ao. Zinc




Figure 5A-2ap. Total Uranium Isotopes





Figure 5A-2aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P49-O Analyte Graphs

Figure 5A-3a. Alkalinity, Bicarbonate




Figure 5A-3b. Alkalinity, Carbonate




Figure 5A-3c. Alkalinity, Hydroxide




Figure 5A-3d. Alkalinity, Total (as CaCO3)




Figure 5A-3e. Aluminum




Figure 5A-3f. Antimony




Figure 5A-3g. Arsenic





Figure 5A-3h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

P49-O Analyte Graphs

Figure 5A-3i. Benzene




Figure 5A-3j. Beryllium




Figure 5A-3k. Cadmium




Figure 5A-3l. Calcium




Figure 5A-3m. Chloride




Figure 5A-3n. Chromium




Figure 5A-3o. Cobalt





Figure 5A-3p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P49-O Analyte Graphs

Figure 5A-3q. Ethylbenzene




Figure 5A-3r. Fluoride




Figure 5A-3s. Gross Alpha Analytes




Figure 5A-3t. Iron




Figure 5A-3u. Lead




Figure 5A-3v. Magnesium




Figure 5A-3w. Manganese





Figure 5A-3x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P49-O Analyte Graphs

Figure 5A-3y. Nickel




Figure 5A-3z. Nitrate (as N)




Figure 5A-3aa. pH, Field




Figure 5A-3ab. Potassium




Figure 5A-3ac. Radium-226 & 228




Figure 5A-3ad. Selenium




Figure 5A-3ae. Sodium





Figure 5A-3af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P49-O Analyte Graphs

Figure 5A-3ag. Sulfate




Figure 5A-3ah. Temperature, Field




Figure 5A-3ai. Thallium




Figure 5A-3aj. Toluene




Figure 5A-3ak. Total Dissolved Solids (TDS)




Figure 5A-3al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-3am. Uranium








Figure 5A-3an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

P49-O Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4a. Alkalinity, Bicarbonate




Figure 5A-4b. Alkalinity, Carbonate




Figure 5A-4c. Alkalinity, Hydroxide




Figure 5A-4d. Alkalinity, Total (as CaCO3)




Figure 5A-4e. Aluminum




Figure 5A-4f. Antimony




Figure 5A-4g. Arsenic





Figure 5A-4h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4i. Benzene




Figure 5A-4j. Beryllium




Figure 5A-4k. Cadmium




Figure 5A-4l. Calcium




Figure 5A-4m. Chloride




Figure 5A-4n. Chromium




Figure 5A-4o. Cobalt





Figure 5A-4p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4q. Ethylbenzene




Figure 5A-4r. Fluoride




Figure 5A-4s. Gross Alpha Analytes




Figure 5A-4t. Iron




Figure 5A-4u. Lead




Figure 5A-4v. Magnesium




Figure 5A-4w. Manganese





Figure 5A-4x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4y. Nickel




Figure 5A-4z. Nitrate (as N)




Figure 5A-4aa. pH, Field




Figure 5A-4ab. Potassium




Figure 5A-4ac. Radium-226 & 228




Figure 5A-4ad. Selenium




Figure 5A-4ae. Sodium





Figure 5A-4af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4ag. Sulfate




Figure 5A-4ah. Temperature, Field




Figure 5A-4ai. Thallium




Figure 5A-4aj. Toluene




Figure 5A-4ak. Total Dissolved Solids (TDS)




Figure 5A-4al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-4am. Uranium





Figure 5A-4an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

O49-GL(R) Analyte Graphs

Figure 5A-4ao. Zinc




Figure 5A-4ap. Total Uranium Isotopes





Figure 5A-4aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs

Figure 5A-5a. Alkalinity, Bicarbonate




Figure 5A-5b. Alkalinity, Carbonate




Figure 5A-5c. Alkalinity, Hydroxide




Figure 5A-5d. Alkalinity, Total (as CaCO3)




Figure 5A-5e. Aluminum




Figure 5A-5f. Antimony




Figure 5A-5g. Arsenic





Figure 5A-5h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs

Figure 5A-5i. Benzene




Figure 5A-5j. Beryllium




Figure 5A-5k. Cadmium




Figure 5A-5l. Calcium




Figure 5A-5m. Chloride




Figure 5A-5n. Chromium




Figure 5A-5o. Cobalt





Figure 5A-5p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs

Figure 5A-5q. Ethylbenzene




Figure 5A-5r. Fluoride




Figure 5A-5s. Gross Alpha Analytes




Figure 5A-5t. Iron




Figure 5A-5u. Lead




Figure 5A-5v. Magnesium




Figure 5A-5w. Manganese













Figure 5A-5x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs

Figure 5A-5ag. Sulfate




Figure 5A-5ah. Temperature, Field




Figure 5A-5ai. Thallium




Figure 5A-5aj. Toluene




Figure 5A-5ak. Total Dissolved Solids (TDS)




Figure 5A-5al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-5am. Uranium





Figure 5A-5an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M67-LBFR1 Analyte Graphs

Figure 5A-5ao. Zinc




Figure 5A-5ap. Total Uranium Isotopes





Figure 5A-5aq. Ion Balance



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6a. Alkalinity, Bicarbonate




Figure 5A-6b. Alkalinity, Carbonate




Figure 5A-6c. Alkalinity, Hydroxide




Figure 5A-6d. Alkalinity, Total (as CaCO3)




Figure 5A-6e. Aluminum




Figure 5A-6f. Antimony




Figure 5A-6g. Arsenic





Figure 5A-6h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6i. Benzene




Figure 5A-6j. Beryllium




Figure 5A-6k. Cadmium




Figure 5A-6l. Calcium




Figure 5A-6m. Chloride




Figure 5A-6n. Chromium




Figure 5A-6o. Cobalt





Figure 5A-6p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6q. Ethylbenzene




Figure 5A-6r. Fluoride




Figure 5A-6s. Gross Alpha Analytes




Figure 5A-6t. Iron




Figure 5A-6u. Lead




Figure 5A-6v. Magnesium




Figure 5A-6w. Manganese





Figure 5A-6x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6y. Nickel




Figure 5A-6z. Nitrate (as N)




Figure 5A-6aa. pH, Field




Figure 5A-6ab. Potassium




Figure 5A-6ac. Radium-226 & 228




Figure 5A-6ad. Selenium




Figure 5A-6ae. Sodium





Figure 5A-6af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6ag. Sulfate




Figure 5A-6ah. Temperature, Field




Figure 5A-6ai. Thallium




Figure 5A-6aj. Toluene




Figure 5A-6ak. Total Dissolved Solids (TDS)




Figure 5A-6al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-6am. Uranium





Figure 5A-6an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M17-GL Analyte Graphs

Figure 5A-6ao. Zinc




Figure 5A-6ap. Total Uranium Isotopes





Figure 5A-6aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7a. Alkalinity, Bicarbonate




Figure 5A-7b. Alkalinity, Carbonate




Figure 5A-7c. Alkalinity, Hydroxide




Figure 5A-7d. Alkalinity, Total (as CaCO3)




Figure 5A-7e. Aluminum




Figure 5A-7f. Antimony




Figure 5A-7g. Arsenic





Figure 5A-7h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7i. Benzene




Figure 5A-7j. Beryllium




Figure 5A-7k. Cadmium




Figure 5A-7l. Calcium




Figure 5A-7m. Chloride




Figure 5A-7n. Chromium




Figure 5A-7o. Cobalt





Figure 5A-7p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7q. Ethylbenzene




Figure 5A-7r. Fluoride




Figure 5A-7s. Gross Alpha Analytes




Figure 5A-7t. Iron




Figure 5A-7u. Lead




Figure 5A-7v. Magnesium




Figure 5A-7w. Manganese





Figure 5A-7x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7y. Nickel




Figure 5A-7z. Nitrate (as N)




Figure 5A-7aa. pH, Field




Figure 5A-7ab. Potassium




Figure 5A-7ac. Radium-226 & 228




Figure 5A-7ad. Selenium




Figure 5A-7ae. Sodium





Figure 5A-7af. Specific Conductance, Field



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7ag. Sulfate




Figure 5A-7ah. Temperature, Field




Figure 5A-7ai. Thallium




Figure 5A-7aj. Toluene




Figure 5A-7ak. Total Dissolved Solids (TDS)




Figure 5A-7al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-7am. Uranium





Figure 5A-7an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M16-GU(R) Analyte Graphs

Figure 5A-7ao. Zinc




Figure 5A-7ap. Total Uranium Isotopes





Figure 5A-7aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8a. Alkalinity, Bicarbonate




Figure 5A-8b. Alkalinity, Carbonate




Figure 5A-8c. Alkalinity, Hydroxide




Figure 5A-8d. Alkalinity, Total (as CaCO3)




Figure 5A-8e. Aluminum




Figure 5A-8f. Antimony




Figure 5A-8g. Arsenic





Figure 5A-8h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8i. Benzene




Figure 5A-8j. Beryllium




Figure 5A-8k. Cadmium




Figure 5A-8l. Calcium




Figure 5A-8m. Chloride




Figure 5A-8n. Chromium




Figure 5A-8o. Cobalt





Figure 5A-8p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8q. Ethylbenzene




Figure 5A-8r. Fluoride




Figure 5A-8s. Gross Alpha Analytes




Figure 5A-8t. Iron




Figure 5A-8u. Lead




Figure 5A-8v. Magnesium




Figure 5A-8w. Manganese





Figure 5A-8x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8y. Nickel




Figure 5A-8z. Nitrate (as N)




Figure 5A-8aa. pH, Field




Figure 5A-8ab. Potassium




Figure 5A-8ac. Radium-226 & 228




Figure 5A-8ad. Selenium




Figure 5A-8ae. Sodium





Figure 5A-8af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8ag. Sulfate




Figure 5A-8ah. Temperature, Field




Figure 5A-8ai. Thallium




Figure 5A-8aj. Toluene




Figure 5A-8ak. Total Dissolved Solids (TDS)




Figure 5A-8al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-8am. Uranium





Figure 5A-8an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M24-O Analyte Graphs

Figure 5A-8ao. Zinc




Figure 5A-8ap. Total Uranium Isotopes





Figure 5A-8aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9a. Alkalinity, Bicarbonate




Figure 5A-9b. Alkalinity, Carbonate




Figure 5A-9c. Alkalinity, Hydroxide




Figure 5A-9d. Alkalinity, Total (as CaCO3)




Figure 5A-9e. Aluminum




Figure 5A-9f. Antimony




Figure 5A-9g. Arsenic





Figure 5A-9h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9i. Benzene




Figure 5A-9j. Beryllium




Figure 5A-9k. Cadmium




Figure 5A-9l. Calcium




Figure 5A-9m. Chloride




Figure 5A-9n. Chromium




Figure 5A-9o. Cobalt





Figure 5A-9p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9q. Ethylbenzene




Figure 5A-9r. Fluoride




Figure 5A-9s. Gross Alpha Analytes




Figure 5A-9t. Iron




Figure 5A-9u. Lead




Figure 5A-9v. Magnesium




Figure 5A-9w. Manganese





Figure 5A-9x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9y. Nickel




Figure 5A-9z. Nitrate (as N)




Figure 5A-9aa. pH, Field




Figure 5A-9ab. Potassium




Figure 5A-9ac. Radium-226 & 228




Figure 5A-9ad. Selenium




Figure 5A-9ae. Sodium





Figure 5A-9af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9ag. Sulfate




Figure 5A-9ah. Temperature, Field




Figure 5A-9ai. Thallium




Figure 5A-9aj. Toluene




Figure 5A-9ak. Total Dissolved Solids (TDS)




Figure 5A-9al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-9am. Uranium





Figure 5A-9an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M25-UBF Analyte Graphs

Figure 5A-9ao. Zinc




Figure 5A-9ap. Total Uranium Isotopes





Figure 5A-9aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs

Figure 5A-10a. Alkalinity, Bicarbonate




Figure 5A-10b. Alkalinity, Carbonate




Figure 5A-10c. Alkalinity, Hydroxide




Figure 5A-10d. Alkalinity, Total (as CaCO3)




Figure 5A-10e. Aluminum




Figure 5A-10f. Antimony




Figure 5A-10g. Arsenic





Figure 5A-10h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs

Figure 5A-10i. Benzene




Figure 5A-10j. Beryllium




Figure 5A-10k. Cadmium




Figure 5A-10l. Calcium




Figure 5A-10m. Chloride




Figure 5A-10n. Chromium




Figure 5A-10o. Cobalt





Figure 5A-10p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs

Figure 5A-10q. Ethylbenzene




Figure 5A-10r. Fluoride




Figure 5A-10s. Gross Alpha Analytes




Figure 5A-10t. Iron




Figure 5A-10u. Lead




Figure 5A-10v. Magnesium




Figure 5A-10w. Manganese





Figure 5A-10x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs

Figure 5A-10y. Nickel




Figure 5A-10z. Nitrate (as N)




Figure 5A-10aa. pH, Field




Figure 5A-10ab. Potassium




Figure 5A-10ac. Radium-226 & 228




Figure 5A-10ad. Selenium




Figure 5A-10ae. Sodium





Figure 5A-10af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs

Figure 5A-10ag. Sulfate




Figure 5A-10ah. Temperature, Field




Figure 5A-10ai. Thallium




Figure 5A-10aj. Toluene




Figure 5A-10ak. Total Dissolved Solids (TDS)




Figure 5A-10al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-10am. Uranium





Figure 5A-10an. Xylene (Total)



--- AL —●— Analyte
--- AQL

Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M14-GL Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11a. Alkalinity, Bicarbonate




Figure 5A-11b. Alkalinity, Carbonate




Figure 5A-11c. Alkalinity, Hydroxide




Figure 5A-11d. Alkalinity, Total (as CaCO3)




Figure 5A-11e. Aluminum




Figure 5A-11f. Antimony




Figure 5A-11g. Arsenic





Figure 5A-11h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11i. Benzene




Figure 5A-11j. Beryllium




Figure 5A-11k. Cadmium




Figure 5A-11l. Calcium




Figure 5A-11m. Chloride




Figure 5A-11n. Chromium




Figure 5A-11o. Cobalt





Figure 5A-11p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11q. Ethylbenzene




Figure 5A-11r. Fluoride




Figure 5A-11s. Gross Alpha Analytes




Figure 5A-11t. Iron




Figure 5A-11u. Lead




Figure 5A-11v. Magnesium




Figure 5A-11w. Manganese





Figure 5A-11x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11y. Nickel




Figure 5A-11z. Nitrate (as N)




Figure 5A-11aa. pH, Field




Figure 5A-11ab. Potassium




Figure 5A-11ac. Radium-226 & 228




Figure 5A-11ad. Selenium




Figure 5A-11ae. Sodium





Figure 5A-11af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11ag. Sulfate




Figure 5A-11ah. Temperature, Field




Figure 5A-11ai. Thallium




Figure 5A-11aj. Toluene




Figure 5A-11ak. Total Dissolved Solids (TDS)




Figure 5A-11al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-11am. Uranium





Figure 5A-11an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M15-GU Analyte Graphs

Figure 5A-11ao. Zinc




Figure 5A-11ap. Total Uranium Isotopes





Figure 5A-11aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12a. Alkalinity, Bicarbonate




Figure 5A-12b. Alkalinity, Carbonate




Figure 5A-12c. Alkalinity, Hydroxide




Figure 5A-12d. Alkalinity, Total (as CaCO3)




Figure 5A-12e. Aluminum




Figure 5A-12f. Antimony




Figure 5A-12g. Arsenic





Figure 5A-12h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12i. Benzene




Figure 5A-12j. Beryllium




Figure 5A-12k. Cadmium




Figure 5A-12l. Calcium




Figure 5A-12m. Chloride




Figure 5A-12n. Chromium




Figure 5A-12o. Cobalt





Figure 5A-12p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12q. Ethylbenzene




Figure 5A-12r. Fluoride




Figure 5A-12s. Gross Alpha Analytes




Figure 5A-12t. Iron




Figure 5A-12u. Lead




Figure 5A-12v. Magnesium




Figure 5A-12w. Manganese





Figure 5A-12x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12y. Nickel




Figure 5A-12z. Nitrate (as N)




Figure 5A-12aa. pH, Field




Figure 5A-12ab. Potassium




Figure 5A-12ac. Radium-226 & 228




Figure 5A-12ad. Selenium




Figure 5A-12ae. Sodium





Figure 5A-12af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12ag. Sulfate




Figure 5A-12ah. Temperature, Field




Figure 5A-12ai. Thallium




Figure 5A-12aj. Toluene




Figure 5A-12ak. Total Dissolved Solids (TDS)




Figure 5A-12al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-12am. Uranium





Figure 5A-12an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M22-O Analyte Graphs

Figure 5A-12ao. Zinc




Figure 5A-12ap. Total Uranium Isotopes





Figure 5A-12aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs

Figure 5A-13a. Alkalinity, Bicarbonate




Figure 5A-13b. Alkalinity, Carbonate




Figure 5A-13c. Alkalinity, Hydroxide




Figure 5A-13d. Alkalinity, Total (as CaCO3)




Figure 5A-13e. Aluminum




Figure 5A-13f. Antimony




Figure 5A-13g. Arsenic





Figure 5A-13h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs

Figure 5A-13i. Benzene




Figure 5A-13j. Beryllium




Figure 5A-13k. Cadmium




Figure 5A-13l. Calcium




Figure 5A-13m. Chloride




Figure 5A-13n. Chromium




Figure 5A-13o. Cobalt





Figure 5A-13p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs

Figure 5A-13q. Ethylbenzene




Figure 5A-13r. Fluoride




Figure 5A-13s. Gross Alpha Analytes




Figure 5A-13t. Iron




Figure 5A-13u. Lead




Figure 5A-13v. Magnesium




Figure 5A-13w. Manganese





Figure 5A-13x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs

Figure 5A-13y. Nickel




Figure 5A-13z. Nitrate (as N)




Figure 5A-13aa. pH, Field




Figure 5A-13ab. Potassium




Figure 5A-13ac. Radium-226 & 228




Figure 5A-13ad. Selenium




Figure 5A-13ae. Sodium





Figure 5A-13af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs

Figure 5A-13ag. Sulfate




Figure 5A-13ah. Temperature, Field




Figure 5A-13ai. Thallium




Figure 5A-13aj. Toluene




Figure 5A-13ak. Total Dissolved Solids (TDS)




Figure 5A-13al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-13am. Uranium





Figure 5A-13an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M23-UBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs

Figure 5A-14a. Alkalinity, Bicarbonate




Figure 5A-14b. Alkalinity, Carbonate




Figure 5A-14c. Alkalinity, Hydroxide




Figure 5A-14d. Alkalinity, Total (as CaCO3)




Figure 5A-14e. Aluminum




Figure 5A-14f. Antimony




Figure 5A-14g. Arsenic





Figure 5A-14h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs

Figure 5A-14i. Benzene




Figure 5A-14j. Beryllium




Figure 5A-14k. Cadmium




Figure 5A-14l. Calcium




Figure 5A-14m. Chloride




Figure 5A-14n. Chromium




Figure 5A-14o. Cobalt





Figure 5A-14p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs

Figure 5A-14q. Ethylbenzene




Figure 5A-14r. Fluoride




Figure 5A-14s. Gross Alpha Analytes




Figure 5A-14t. Iron




Figure 5A-14u. Lead




Figure 5A-14v. Magnesium




Figure 5A-14w. Manganese





Figure 5A-14x. Mercury



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs

Figure 5A-14ag. Sulfate




Figure 5A-14ah. Temperature, Field




Figure 5A-14ai. Thallium




Figure 5A-14aj. Toluene




Figure 5A-14ak. Total Dissolved Solids (TDS)




Figure 5A-14al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-14am. Uranium





Figure 5A-14an. Xylene (Total)



--- AL —●— Analyte
--- AQL

Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M70-LBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs

Figure 5A-15a. Alkalinity, Bicarbonate




Figure 5A-15b. Alkalinity, Carbonate




Figure 5A-15c. Alkalinity, Hydroxide




Figure 5A-15d. Alkalinity, Total (as CaCO3)




Figure 5A-15e. Aluminum




Figure 5A-15f. Antimony




Figure 5A-15g. Arsenic





Figure 5A-15h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs

Figure 5A-15i. Benzene




Figure 5A-15j. Beryllium




Figure 5A-15k. Cadmium




Figure 5A-15l. Calcium




Figure 5A-15m. Chloride




Figure 5A-15n. Chromium




Figure 5A-15o. Cobalt





Figure 5A-15p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs

Figure 5A-15q. Ethylbenzene




Figure 5A-15r. Fluoride




Figure 5A-15s. Gross Alpha Analytes




Figure 5A-15t. Iron




Figure 5A-15u. Lead




Figure 5A-15v. Magnesium




Figure 5A-15w. Manganese













Figure 5A-15x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs

Figure 5A-15ag. Sulfate




Figure 5A-15ah. Temperature, Field




Figure 5A-15ai. Thallium




Figure 5A-15aj. Toluene




Figure 5A-15ak. Total Dissolved Solids (TDS)




Figure 5A-15al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-15am. Uranium





Figure 5A-15an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M71-UBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs

Figure 5A-16a. Alkalinity, Bicarbonate




Figure 5A-16b. Alkalinity, Carbonate




Figure 5A-16c. Alkalinity, Hydroxide




Figure 5A-16d. Alkalinity, Total (as CaCO3)




Figure 5A-16e. Aluminum




Figure 5A-16f. Antimony




Figure 5A-16g. Arsenic





Figure 5A-16h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs

Figure 5A-16i. Benzene




Figure 5A-16j. Beryllium




Figure 5A-16k. Cadmium




Figure 5A-16l. Calcium




Figure 5A-16m. Chloride




Figure 5A-16n. Chromium




Figure 5A-16o. Cobalt





Figure 5A-16p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs

Figure 5A-16q. Ethylbenzene




Figure 5A-16r. Fluoride




Figure 5A-16s. Gross Alpha Analytes




Figure 5A-16t. Iron




Figure 5A-16u. Lead




Figure 5A-16v. Magnesium




Figure 5A-16w. Manganese





Figure 5A-16x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs

Figure 5A-16y. Nickel




Figure 5A-16z. Nitrate (as N)




Figure 5A-16aa. pH, Field




Figure 5A-16ab. Potassium




Figure 5A-16ac. Radium-226 & 228




Figure 5A-16ad. Selenium




Figure 5A-16ae. Sodium





Figure 5A-16af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs

Figure 5A-16ag. Sulfate




Figure 5A-16ah. Temperature, Field




Figure 5A-16ai. Thallium




Figure 5A-16aj. Toluene




Figure 5A-16ak. Total Dissolved Solids (TDS)




Figure 5A-16al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-16am. Uranium








Figure 5A-16an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M6-GU Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17a. Alkalinity, Bicarbonate




Figure 5A-17b. Alkalinity, Carbonate




Figure 5A-17c. Alkalinity, Hydroxide




Figure 5A-17d. Alkalinity, Total (as CaCO3)




Figure 5A-17e. Aluminum




Figure 5A-17f. Antimony




Figure 5A-17g. Arsenic





Figure 5A-17h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17i. Benzene




Figure 5A-17j. Beryllium




Figure 5A-17k. Cadmium




Figure 5A-17l. Calcium




Figure 5A-17m. Chloride




Figure 5A-17n. Chromium




Figure 5A-17o. Cobalt





Figure 5A-17p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17q. Ethylbenzene




Figure 5A-17r. Fluoride




Figure 5A-17s. Gross Alpha Analytes




Figure 5A-17t. Iron




Figure 5A-17u. Lead




Figure 5A-17v. Magnesium




Figure 5A-17w. Manganese





Figure 5A-17x. Mercury



Notes:

- AL = Alert Level
- AQL = Aquifer Quality Limit
- Non-detect results are represented as half the applicable reporting limit
- mg/L = milligrams per Liter
- uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17y. Nickel




Figure 5A-17z. Nitrate (as N)




Figure 5A-17aa. pH, Field




Figure 5A-17ab. Potassium




Figure 5A-17ac. Radium-226 & 228




Figure 5A-17ad. Selenium




Figure 5A-17ae. Sodium





Figure 5A-17af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17ag. Sulfate




Figure 5A-17ah. Temperature, Field




Figure 5A-17ai. Thallium




Figure 5A-17aj. Toluene




Figure 5A-17ak. Total Dissolved Solids (TDS)




Figure 5A-17al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-17am. Uranium





Figure 5A-17an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M7-GL Analyte Graphs

Figure 5A-17ao. Zinc




Figure 5A-17ap. Total Uranium Isotopes





Figure 5A-17aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M8-O Analyte Graphs

Figure 5A-18a. Alkalinity, Bicarbonate




Figure 5A-18b. Alkalinity, Carbonate




Figure 5A-18c. Alkalinity, Hydroxide




Figure 5A-18d. Alkalinity, Total (as CaCO3)




Figure 5A-18e. Aluminum




Figure 5A-18f. Antimony




Figure 5A-18g. Arsenic





Figure 5A-18h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M8-O Analyte Graphs

Figure 5A-18i. Benzene




Figure 5A-18j. Beryllium




Figure 5A-18k. Cadmium




Figure 5A-18l. Calcium




Figure 5A-18m. Chloride




Figure 5A-18n. Chromium




Figure 5A-18o. Cobalt





Figure 5A-18p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M8-O Analyte Graphs

Figure 5A-18q. Ethylbenzene




Figure 5A-18r. Fluoride




Figure 5A-18s. Gross Alpha Analytes




Figure 5A-18t. Iron




Figure 5A-18u. Lead




Figure 5A-18v. Magnesium




Figure 5A-18w. Manganese





Figure 5A-18x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M8-O Analyte Graphs

Figure 5A-18y. Nickel




Figure 5A-18z. Nitrate (as N)




Figure 5A-18aa. pH, Field




Figure 5A-18ab. Potassium




Figure 5A-18ac. Radium-226 & 228




Figure 5A-18ad. Selenium




Figure 5A-18ae. Sodium





Figure 5A-18af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M8-O Analyte Graphs

Figure 5A-18ag. Sulfate




Figure 5A-18ah. Temperature, Field




Figure 5A-18ai. Thallium




Figure 5A-18aj. Toluene




Figure 5A-18ak. Total Dissolved Solids (TDS)




Figure 5A-18al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-18am. Uranium





Figure 5A-18an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M8-O Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19a. Alkalinity, Bicarbonate




Figure 5A-19b. Alkalinity, Carbonate




Figure 5A-19c. Alkalinity, Hydroxide




Figure 5A-19d. Alkalinity, Total (as CaCO3)




Figure 5A-19e. Aluminum




Figure 5A-19f. Antimony




Figure 5A-19g. Arsenic





Figure 5A-19h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19i. Benzene




Figure 5A-19j. Beryllium




Figure 5A-19k. Cadmium




Figure 5A-19l. Calcium




Figure 5A-19m. Chloride




Figure 5A-19n. Chromium




Figure 5A-19o. Cobalt





Figure 5A-19p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19q. Ethylbenzene




Figure 5A-19r. Fluoride




Figure 5A-19s. Gross Alpha Analytes




Figure 5A-19t. Iron




Figure 5A-19u. Lead




Figure 5A-19v. Magnesium




Figure 5A-19w. Manganese





Figure 5A-19x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19y. Nickel




Figure 5A-19z. Nitrate (as N)




Figure 5A-19aa. pH, Field




Figure 5A-19ab. Potassium




Figure 5A-19ac. Radium-226 & 228




Figure 5A-19ad. Selenium




Figure 5A-19ae. Sodium





Figure 5A-19af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19ag. Sulfate




Figure 5A-19ah. Temperature, Field




Figure 5A-19ai. Thallium




Figure 5A-19aj. Toluene




Figure 5A-19ak. Total Dissolved Solids (TDS)




Figure 5A-19al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-19am. Uranium





Figure 5A-19an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M26-O Analyte Graphs

Figure 5A-19ao. Zinc




Figure 5A-19ap. Total Uranium Isotopes





Figure 5A-19aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs

Figure 5A-20a. Alkalinity, Bicarbonate




Figure 5A-20b. Alkalinity, Carbonate




Figure 5A-20c. Alkalinity, Hydroxide




Figure 5A-20d. Alkalinity, Total (as CaCO₃)




Figure 5A-20e. Aluminum




Figure 5A-20f. Antimony




Figure 5A-20g. Arsenic





Figure 5A-20h. Barium



--- AL —●— Analyte
--- AQL

Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs

Figure 5A-20i. Benzene




Figure 5A-20j. Beryllium




Figure 5A-20k. Cadmium




Figure 5A-20l. Calcium




Figure 5A-20m. Chloride




Figure 5A-20n. Chromium




Figure 5A-20o. Cobalt





Figure 5A-20p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs

Figure 5A-20q. Ethylbenzene




Figure 5A-20r. Fluoride




Figure 5A-20s. Gross Alpha Analytes




Figure 5A-20t. Iron




Figure 5A-20u. Lead




Figure 5A-20v. Magnesium




Figure 5A-20w. Manganese





Figure 5A-20x. Mercury



Notes:

- AL = Alert Level
- AQL = Aquifer Quality Limit
- Non-detect results are represented as half the applicable reporting limit
- mg/L = milligrams per Liter
- uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs

Figure 5A-20y. Nickel




Figure 5A-20z. Nitrate (as N)




Figure 5A-20aa. pH, Field




Figure 5A-20ab. Potassium




Figure 5A-20ac. Radium-226 & 228




Figure 5A-20ad. Selenium




Figure 5A-20ae. Sodium





Figure 5A-20af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs

Figure 5A-20ag. Sulfate




Figure 5A-20ah. Temperature, Field




Figure 5A-20ai. Thallium




Figure 5A-20aj. Toluene




Figure 5A-20ak. Total Dissolved Solids (TDS)




Figure 5A-20al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-20am. Uranium





Figure 5A-20an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M27-LBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs

Figure 5A-21a. Alkalinity, Bicarbonate




Figure 5A-21b. Alkalinity, Carbonate




Figure 5A-21c. Alkalinity, Hydroxide




Figure 5A-21d. Alkalinity, Total (as CaCO3)




Figure 5A-21e. Aluminum




Figure 5A-21f. Antimony




Figure 5A-21g. Arsenic





Figure 5A-21h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs

Figure 5A-21i. Benzene




Figure 5A-21j. Beryllium




Figure 5A-21k. Cadmium




Figure 5A-21l. Calcium




Figure 5A-21m. Chloride




Figure 5A-21n. Chromium




Figure 5A-21o. Cobalt





Figure 5A-21p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs

Figure 5A-21q. Ethylbenzene




Figure 5A-21r. Fluoride




Figure 5A-21s. Gross Alpha Analytes




Figure 5A-21t. Iron




Figure 5A-21u. Lead




Figure 5A-21v. Magnesium




Figure 5A-21w. Manganese





Figure 5A-21x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs

Figure 5A-21y. Nickel




Figure 5A-21z. Nitrate (as N)




Figure 5A-21aa. pH, Field




Figure 5A-21ab. Potassium




Figure 5A-21ac. Radium-226 & 228




Figure 5A-21ad. Selenium




Figure 5A-21ae. Sodium





Figure 5A-21af. Specific Conductance, Field



Notes:

- AL = Alert Level
- AQL = Aquifer Quality Limit
- Non-detect results are represented as half the applicable reporting limit
- mg/L = milligrams per Liter
- uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs

Figure 5A-21ag. Sulfate




Figure 5A-21ah. Temperature, Field




Figure 5A-21ai. Thallium




Figure 5A-21aj. Toluene




Figure 5A-21ak. Total Dissolved Solids (TDS)




Figure 5A-21al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-21am. Uranium





Figure 5A-21an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M28-LBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs

Figure 5A-22a. Alkalinity, Bicarbonate




Figure 5A-22b. Alkalinity, Carbonate




Figure 5A-22c. Alkalinity, Hydroxide




Figure 5A-22d. Alkalinity, Total (as CaCO3)




Figure 5A-22e. Aluminum




Figure 5A-22f. Antimony




Figure 5A-22g. Arsenic





Figure 5A-22h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs

Figure 5A-22i. Benzene




Figure 5A-22j. Beryllium




Figure 5A-22k. Cadmium




Figure 5A-22l. Calcium




Figure 5A-22m. Chloride




Figure 5A-22n. Chromium




Figure 5A-22o. Cobalt





Figure 5A-22p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs

Figure 5A-22q. Ethylbenzene




Figure 5A-22r. Fluoride




Figure 5A-22s. Gross Alpha Analytes




Figure 5A-22t. Iron




Figure 5A-22u. Lead




Figure 5A-22v. Magnesium




Figure 5A-22w. Manganese













Figure 5A-22x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs

Figure 5A-22ag. Sulfate




Figure 5A-22ah. Temperature, Field




Figure 5A-22ai. Thallium




Figure 5A-22aj. Toluene




Figure 5A-22ak. Total Dissolved Solids (TDS)




Figure 5A-22al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-22am. Uranium





Figure 5A-22an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M29-UBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs

Figure 5A-23a. Alkalinity, Bicarbonate




Figure 5A-23b. Alkalinity, Carbonate




Figure 5A-23c. Alkalinity, Hydroxide




Figure 5A-23d. Alkalinity, Total (as CaCO3)




Figure 5A-23e. Aluminum




Figure 5A-23f. Antimony




Figure 5A-23g. Arsenic





Figure 5A-23h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs

Figure 5A-23i. Benzene




Figure 5A-23j. Beryllium




Figure 5A-23k. Cadmium




Figure 5A-23l. Calcium




Figure 5A-23m. Chloride




Figure 5A-23n. Chromium




Figure 5A-23o. Cobalt





Figure 5A-23p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs

Figure 5A-23q. Ethylbenzene




Figure 5A-23r. Fluoride




Figure 5A-23s. Gross Alpha Analytes




Figure 5A-23t. Iron




Figure 5A-23u. Lead




Figure 5A-23v. Magnesium




Figure 5A-23w. Manganese













Figure 5A-23x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs

Figure 5A-23ag. Sulfate




Figure 5A-23ah. Temperature, Field




Figure 5A-23ai. Thallium




Figure 5A-23aj. Toluene




Figure 5A-23ak. Total Dissolved Solids (TDS)




Figure 5A-23al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-23am. Uranium








Figure 5A-23an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M62-LBF Analyte Graphs



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs

Figure 5A-24i. Benzene




Figure 5A-24j. Beryllium




Figure 5A-24k. Cadmium




Figure 5A-24l. Calcium




Figure 5A-24m. Chloride




Figure 5A-24n. Chromium




Figure 5A-24o. Cobalt





Figure 5A-24p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs

Figure 5A-24q. Ethylbenzene




Figure 5A-24r. Fluoride




Figure 5A-24s. Gross Alpha Analytes




Figure 5A-24t. Iron




Figure 5A-24u. Lead




Figure 5A-24v. Magnesium




Figure 5A-24w. Manganese





Figure 5A-24x. Mercury



Notes:

- AL = Alert Level
- AQL = Aquifer Quality Limit
- Non-detect results are represented as half the applicable reporting limit
- mg/L = milligrams per Liter
- uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs

Figure 5A-24y. Nickel




Figure 5A-24z. Nitrate (as N)




Figure 5A-24aa. pH, Field




Figure 5A-24ab. Potassium




Figure 5A-24ac. Radium-226 & 228




Figure 5A-24ad. Selenium




Figure 5A-24ae. Sodium





Figure 5A-24af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs

Figure 5A-24ag. Sulfate




Figure 5A-24ah. Temperature, Field




Figure 5A-24ai. Thallium




Figure 5A-24aj. Toluene




Figure 5A-24ak. Total Dissolved Solids (TDS)




Figure 5A-24al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-24am. Uranium








Figure 5A-24an. Xylene (Total)



Notes:

- AL = Alert Level
- AQL = Aquifer Quality Limit
- Non-detect results are represented as half the applicable reporting limit
- mg/L = milligrams per Liter
- uS/cm = microSiemens per centimeter

O19-GL Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25a. Alkalinity, Bicarbonate




Figure 5A-25b. Alkalinity, Carbonate




Figure 5A-25c. Alkalinity, Hydroxide




Figure 5A-25d. Alkalinity, Total (as CaCO3)




Figure 5A-25e. Aluminum




Figure 5A-25f. Antimony




Figure 5A-25g. Arsenic





Figure 5A-25h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25i. Benzene




Figure 5A-25j. Beryllium




Figure 5A-25k. Cadmium




Figure 5A-25l. Calcium




Figure 5A-25m. Chloride




Figure 5A-25n. Chromium




Figure 5A-25o. Cobalt





Figure 5A-25p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25q. Ethylbenzene




Figure 5A-25r. Fluoride




Figure 5A-25s. Gross Alpha Analytes




Figure 5A-25t. Iron




Figure 5A-25u. Lead




Figure 5A-25v. Magnesium




Figure 5A-25w. Manganese





Figure 5A-25x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25y. Nickel




Figure 5A-25z. Nitrate (as N)




Figure 5A-25aa. pH, Field




Figure 5A-25ab. Potassium




Figure 5A-25ac. Radium-226 & 228




Figure 5A-25ad. Selenium




Figure 5A-25ae. Sodium





Figure 5A-25af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25ag. Sulfate




Figure 5A-25ah. Temperature, Field




Figure 5A-25ai. Thallium




Figure 5A-25aj. Toluene




Figure 5A-25ak. Total Dissolved Solids (TDS)




Figure 5A-25al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-25am. Uranium





Figure 5A-25an. Xylene (Total)



--- AL
 —●— Analyte
 --- AQL

Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

P19-1-O Analyte Graphs

Figure 5A-25ao. Zinc




Figure 5A-25ap. Total Uranium Isotopes





Figure 5A-25aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs

Figure 5A-26a. Alkalinity, Bicarbonate




Figure 5A-26b. Alkalinity, Carbonate




Figure 5A-26c. Alkalinity, Hydroxide




Figure 5A-26d. Alkalinity, Total (as CaCO3)




Figure 5A-26e. Aluminum




Figure 5A-26f. Antimony




Figure 5A-26g. Arsenic





Figure 5A-26h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs

Figure 5A-26i. Benzene




Figure 5A-26j. Beryllium




Figure 5A-26k. Cadmium




Figure 5A-26l. Calcium




Figure 5A-26m. Chloride




Figure 5A-26n. Chromium




Figure 5A-26o. Cobalt





Figure 5A-26p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs

Figure 5A-26q. Ethylbenzene




Figure 5A-26r. Fluoride




Figure 5A-26s. Gross Alpha Analytes




Figure 5A-26t. Iron




Figure 5A-26u. Lead




Figure 5A-26v. Magnesium




Figure 5A-26w. Manganese





Figure 5A-26x. Mercury



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs

Figure 5A-26ag. Sulfate




Figure 5A-26ah. Temperature, Field




Figure 5A-26ai. Thallium




Figure 5A-26aj. Toluene




Figure 5A-26ak. Total Dissolved Solids (TDS)




Figure 5A-26al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-26am. Uranium








Figure 5A-26an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M19-LBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs

Figure 5A-27a. Alkalinity, Bicarbonate




Figure 5A-27b. Alkalinity, Carbonate




Figure 5A-27c. Alkalinity, Hydroxide




Figure 5A-27d. Alkalinity, Total (as CaCO3)




Figure 5A-27e. Aluminum




Figure 5A-27f. Antimony




Figure 5A-27g. Arsenic





Figure 5A-27h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs

Figure 5A-27i. Benzene




Figure 5A-27j. Beryllium




Figure 5A-27k. Cadmium




Figure 5A-27l. Calcium




Figure 5A-27m. Chloride




Figure 5A-27n. Chromium




Figure 5A-27o. Cobalt





Figure 5A-27p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs

Figure 5A-27q. Ethylbenzene




Figure 5A-27r. Fluoride




Figure 5A-27s. Gross Alpha Analytes




Figure 5A-27t. Iron




Figure 5A-27u. Lead




Figure 5A-27v. Magnesium




Figure 5A-27w. Manganese













Figure 5A-27x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs

Figure 5A-27ag. Sulfate




Figure 5A-27ah. Temperature, Field




Figure 5A-27ai. Thallium




Figure 5A-27aj. Toluene




Figure 5A-27ak. Total Dissolved Solids (TDS)




Figure 5A-27al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-27am. Uranium





Figure 5A-27an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M20-O(R) Analyte Graphs

Figure 5A-27ao. Zinc




Figure 5A-27ap. Total Uranium Isotopes





Figure 5A-27aq. Ion Balance



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter









uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs

Figure 5A-28q. Ethylbenzene




Figure 5A-28r. Fluoride




Figure 5A-28s. Gross Alpha Analytes




Figure 5A-28t. Iron




Figure 5A-28u. Lead




Figure 5A-28v. Magnesium




Figure 5A-28w. Manganese





Figure 5A-28x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs

Figure 5A-28y. Nickel




Figure 5A-28z. Nitrate (as N)




Figure 5A-28aa. pH, Field




Figure 5A-28ab. Potassium




Figure 5A-28ac. Radium-226 & 228




Figure 5A-28ad. Selenium




Figure 5A-28ae. Sodium





Figure 5A-28af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs

Figure 5A-28ag. Sulfate




Figure 5A-28ah. Temperature, Field




Figure 5A-28ai. Thallium




Figure 5A-28aj. Toluene




Figure 5A-28ak. Total Dissolved Solids (TDS)




Figure 5A-28al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-28am. Uranium





Figure 5A-28an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M21-UBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29a. Alkalinity, Bicarbonate




Figure 5A-29b. Alkalinity, Carbonate




Figure 5A-29c. Alkalinity, Hydroxide




Figure 5A-29d. Alkalinity, Total (as CaCO3)




Figure 5A-29e. Aluminum




Figure 5A-29f. Antimony




Figure 5A-29g. Arsenic





Figure 5A-29h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29i. Benzene




Figure 5A-29j. Beryllium




Figure 5A-29k. Cadmium




Figure 5A-29l. Calcium




Figure 5A-29m. Chloride




Figure 5A-29n. Chromium




Figure 5A-29o. Cobalt





Figure 5A-29p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29q. Ethylbenzene




Figure 5A-29r. Fluoride




Figure 5A-29s. Gross Alpha Analytes




Figure 5A-29t. Iron




Figure 5A-29u. Lead




Figure 5A-29v. Magnesium




Figure 5A-29w. Manganese





Figure 5A-29x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29y. Nickel




Figure 5A-29z. Nitrate (as N)




Figure 5A-29aa. pH, Field




Figure 5A-29ab. Potassium




Figure 5A-29ac. Radium-226 & 228




Figure 5A-29ad. Selenium




Figure 5A-29ae. Sodium





Figure 5A-29af. Specific Conductance, Field



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29ag. Sulfate




Figure 5A-29ah. Temperature, Field




Figure 5A-29ai. Thallium




Figure 5A-29aj. Toluene




Figure 5A-29ak. Total Dissolved Solids (TDS)




Figure 5A-29al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-29am. Uranium





Figure 5A-29an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M30-O Analyte Graphs

Figure 5A-29ao. Zinc




Figure 5A-29ap. Total Uranium Isotopes





Figure 5A-29aq. Ion Balance



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30a. Alkalinity, Bicarbonate




Figure 5A-30b. Alkalinity, Carbonate




Figure 5A-30c. Alkalinity, Hydroxide




Figure 5A-30d. Alkalinity, Total (as CaCO3)




Figure 5A-30e. Aluminum




Figure 5A-30f. Antimony




Figure 5A-30g. Arsenic





Figure 5A-30h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30i. Benzene




Figure 5A-30j. Beryllium




Figure 5A-30k. Cadmium




Figure 5A-30l. Calcium




Figure 5A-30m. Chloride




Figure 5A-30n. Chromium




Figure 5A-30o. Cobalt





Figure 5A-30p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30q. Ethylbenzene




Figure 5A-30r. Fluoride




Figure 5A-30s. Gross Alpha Analytes




Figure 5A-30t. Iron




Figure 5A-30u. Lead




Figure 5A-30v. Magnesium




Figure 5A-30w. Manganese





Figure 5A-30x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30y. Nickel




Figure 5A-30z. Nitrate (as N)




Figure 5A-30aa. pH, Field




Figure 5A-30ab. Potassium




Figure 5A-30ac. Radium-226 & 228




Figure 5A-30ad. Selenium




Figure 5A-30ae. Sodium





Figure 5A-30af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30ag. Sulfate




Figure 5A-30ah. Temperature, Field




Figure 5A-30ai. Thallium




Figure 5A-30aj. Toluene




Figure 5A-30ak. Total Dissolved Solids (TDS)




Figure 5A-30al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-30am. Uranium





Figure 5A-30an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M31-LBF Analyte Graphs

Figure 5A-30ao. Zinc




Figure 5A-30ap. Total Uranium Isotopes





Figure 5A-30aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs

Figure 5A-31a. Alkalinity, Bicarbonate




Figure 5A-31b. Alkalinity, Carbonate




Figure 5A-31c. Alkalinity, Hydroxide




Figure 5A-31d. Alkalinity, Total (as CaCO3)




Figure 5A-31e. Aluminum




Figure 5A-31f. Antimony




Figure 5A-31g. Arsenic





Figure 5A-31h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs

Figure 5A-31i. Benzene




Figure 5A-31j. Beryllium




Figure 5A-31k. Cadmium




Figure 5A-31l. Calcium




Figure 5A-31m. Chloride




Figure 5A-31n. Chromium




Figure 5A-31o. Cobalt





Figure 5A-31p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs

Figure 5A-31q. Ethylbenzene




Figure 5A-31r. Fluoride




Figure 5A-31s. Gross Alpha Analytes




Figure 5A-31t. Iron




Figure 5A-31u. Lead




Figure 5A-31v. Magnesium




Figure 5A-31w. Manganese













Figure 5A-31x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs

Figure 5A-31ag. Sulfate




Figure 5A-31ah. Temperature, Field




Figure 5A-31ai. Thallium




Figure 5A-31aj. Toluene




Figure 5A-31ak. Total Dissolved Solids (TDS)




Figure 5A-31al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-31am. Uranium





Figure 5A-31an. Xylene (Total)



Notes:

AL = Alert Level




AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M63-LBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs

Figure 5A-32a. Alkalinity, Bicarbonate




Figure 5A-32b. Alkalinity, Carbonate




Figure 5A-32c. Alkalinity, Hydroxide




Figure 5A-32d. Alkalinity, Total (as CaCO3)




Figure 5A-32e. Aluminum




Figure 5A-32f. Antimony




Figure 5A-32g. Arsenic





Figure 5A-32h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs

Figure 5A-32i. Benzene




Figure 5A-32j. Beryllium




Figure 5A-32k. Cadmium




Figure 5A-32l. Calcium




Figure 5A-32m. Chloride




Figure 5A-32n. Chromium




Figure 5A-32o. Cobalt





Figure 5A-32p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs

Figure 5A-32q. Ethylbenzene




Figure 5A-32r. Fluoride




Figure 5A-32s. Gross Alpha Analytes




Figure 5A-32t. Iron




Figure 5A-32u. Lead




Figure 5A-32v. Magnesium




Figure 5A-32w. Manganese





Figure 5A-32x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs

Figure 5A-32y. Nickel




Figure 5A-32z. Nitrate (as N)




Figure 5A-32aa. pH, Field




Figure 5A-32ab. Potassium




Figure 5A-32ac. Radium-226 & 228




Figure 5A-32ad. Selenium




Figure 5A-32ae. Sodium





Figure 5A-32af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs

Figure 5A-32ag. Sulfate




Figure 5A-32ah. Temperature, Field




Figure 5A-32ai. Thallium




Figure 5A-32aj. Toluene




Figure 5A-32ak. Total Dissolved Solids (TDS)




Figure 5A-32al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-32am. Uranium








Figure 5A-32an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M64-LBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M74-O Analyte Graphs

Figure 5A-33a. Alkalinity, Bicarbonate




Figure 5A-33b. Alkalinity, Carbonate




Figure 5A-33c. Alkalinity, Hydroxide




Figure 5A-33d. Alkalinity, Total (as CaCO3)




Figure 5A-33e. Aluminum




Figure 5A-33f. Antimony




Figure 5A-33g. Arsenic





Figure 5A-33h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M74-O Analyte Graphs

Figure 5A-33i. Benzene




Figure 5A-33j. Beryllium




Figure 5A-33k. Cadmium




Figure 5A-33l. Calcium




Figure 5A-33m. Chloride




Figure 5A-33n. Chromium




Figure 5A-33o. Cobalt





Figure 5A-33p. Copper



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M74-O Analyte Graphs



--- AL —●— Analyt

Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M74-O Analyte Graphs

Figure 5A-33y. Nickel




Figure 5A-33z. Nitrate (as N)




Figure 5A-33aa. pH, Field




Figure 5A-33ab. Potassium




Figure 5A-33ac. Radium-226 & 228




Figure 5A-33ad. Selenium




Figure 5A-33ae. Sodium





Figure 5A-33af. Specific Conductance, Field



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M74-O Analyte Graphs

Figure 5A-33ag. Sulfate




Figure 5A-33ah. Temperature, Field




Figure 5A-33ai. Thallium




Figure 5A-33aj. Toluene




Figure 5A-33ak. Total Dissolved Solids (TDS)




Figure 5A-33al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-33am. Uranium





Figure 5A-33an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M74-O Analyte Graphs

Figure 5A-33ao. Zinc




Figure 5A-33ap. Total Uranium Isotopes





Figure 5A-33aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs

Figure 5A-34a. Alkalinity, Bicarbonate




Figure 5A-34b. Alkalinity, Carbonate




Figure 5A-34c. Alkalinity, Hydroxide




Figure 5A-34d. Alkalinity, Total (as CaCO3)




Figure 5A-34e. Aluminum




Figure 5A-34f. Antimony




Figure 5A-34g. Arsenic





Figure 5A-34h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs

Figure 5A-34i. Benzene




Figure 5A-34j. Beryllium




Figure 5A-34k. Cadmium




Figure 5A-34l. Calcium




Figure 5A-34m. Chloride




Figure 5A-34n. Chromium




Figure 5A-34o. Cobalt





Figure 5A-34p. Copper



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs



--- AL —●— Analyte
--- AOL

Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
µS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs

Figure 5A-34y. Nickel




Figure 5A-34z. Nitrate (as N)




Figure 5A-34aa. pH, Field




Figure 5A-34ab. Potassium




Figure 5A-34ac. Radium-226 & 228




Figure 5A-34ad. Selenium




Figure 5A-34ae. Sodium





Figure 5A-34af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs

Figure 5A-34ag. Sulfate




Figure 5A-34ah. Temperature, Field




Figure 5A-34ai. Thallium




Figure 5A-34aj. Toluene




Figure 5A-34ak. Total Dissolved Solids (TDS)




Figure 5A-34al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-34am. Uranium





Figure 5A-34an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M75-UBF Analyte Graphs

Figure 5A-34ao. Zinc




Figure 5A-34ap. Total Uranium Isotopes





Figure 5A-34aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs

Figure 5A-35a. Alkalinity, Bicarbonate




Figure 5A-35b. Alkalinity, Carbonate




Figure 5A-35c. Alkalinity, Hydroxide




Figure 5A-35d. Alkalinity, Total (as CaCO3)




Figure 5A-35e. Aluminum




Figure 5A-35f. Antimony




Figure 5A-35g. Arsenic





Figure 5A-35h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs

Figure 5A-35i. Benzene




Figure 5A-35j. Beryllium




Figure 5A-35k. Cadmium




Figure 5A-35l. Calcium




Figure 5A-35m. Chloride




Figure 5A-35n. Chromium




Figure 5A-35o. Cobalt





Figure 5A-35p. Copper



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs

Figure 5A-35q. Ethylbenzene




Figure 5A-35r. Fluoride




Figure 5A-35s. Gross Alpha Analytes




Figure 5A-35t. Iron




Figure 5A-35u. Lead




Figure 5A-35v. Magnesium




Figure 5A-35w. Manganese





Figure 5A-35x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs

Figure 5A-35y. Nickel




Figure 5A-35z. Nitrate (as N)




Figure 5A-35aa. pH, Field




Figure 5A-35ab. Potassium




Figure 5A-35ac. Radium-226 & 228




Figure 5A-35ad. Selenium




Figure 5A-35ae. Sodium





Figure 5A-35af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs

Figure 5A-35ag. Sulfate




Figure 5A-35ah. Temperature, Field




Figure 5A-35ai. Thallium




Figure 5A-35aj. Toluene




Figure 5A-35ak. Total Dissolved Solids (TDS)




Figure 5A-35al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-35am. Uranium








Figure 5A-35an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M2-GU Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36a. Alkalinity, Bicarbonate




Figure 5A-36b. Alkalinity, Carbonate




Figure 5A-36c. Alkalinity, Hydroxide




Figure 5A-36d. Alkalinity, Total (as CaCO₃)




Figure 5A-36e. Aluminum




Figure 5A-36f. Antimony




Figure 5A-36g. Arsenic





Figure 5A-36h. Barium



--- AL —●— Analyte
--- AQL

Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36i. Benzene




Figure 5A-36j. Beryllium




Figure 5A-36k. Cadmium




Figure 5A-36l. Calcium




Figure 5A-36m. Chloride




Figure 5A-36n. Chromium




Figure 5A-36o. Cobalt





Figure 5A-36p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36q. Ethylbenzene




Figure 5A-36r. Fluoride




Figure 5A-36s. Gross Alpha Analytes




Figure 5A-36t. Iron




Figure 5A-36u. Lead




Figure 5A-36v. Magnesium




Figure 5A-36w. Manganese





Figure 5A-36x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36y. Nickel




Figure 5A-36z. Nitrate (as N)




Figure 5A-36aa. pH, Field




Figure 5A-36ab. Potassium




Figure 5A-36ac. Radium-226 & 228




Figure 5A-36ad. Selenium




Figure 5A-36ae. Sodium





Figure 5A-36af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36ag. Sulfate




Figure 5A-36ah. Temperature, Field




Figure 5A-36ai. Thallium




Figure 5A-36aj. Toluene




Figure 5A-36ak. Total Dissolved Solids (TDS)




Figure 5A-36al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-36am. Uranium





Figure 5A-36an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M3-GL Analyte Graphs

Figure 5A-36ao. Zinc




Figure 5A-36ap. Total Uranium Isotopes





Figure 5A-36aq. Ion Balance



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37a. Alkalinity, Bicarbonate




Figure 5A-37b. Alkalinity, Carbonate




Figure 5A-37c. Alkalinity, Hydroxide




Figure 5A-37d. Alkalinity, Total (as CaCO3)




Figure 5A-37e. Aluminum




Figure 5A-37f. Antimony




Figure 5A-37g. Arsenic





Figure 5A-37h. Barium



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37i. Benzene




Figure 5A-37j. Beryllium




Figure 5A-37k. Cadmium




Figure 5A-37l. Calcium




Figure 5A-37m. Chloride




Figure 5A-37n. Chromium




Figure 5A-37o. Cobalt





Figure 5A-37p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37q. Ethylbenzene




Figure 5A-37r. Fluoride




Figure 5A-37s. Gross Alpha Analytes




Figure 5A-37t. Iron




Figure 5A-37u. Lead




Figure 5A-37v. Magnesium




Figure 5A-37w. Manganese





Figure 5A-37x. Mercury



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37y. Nickel




Figure 5A-37z. Nitrate (as N)




Figure 5A-37aa. pH, Field




Figure 5A-37ab. Potassium




Figure 5A-37ac. Radium-226 & 228




Figure 5A-37ad. Selenium




Figure 5A-37ae. Sodium





Figure 5A-37af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37ag. Sulfate




Figure 5A-37ah. Temperature, Field




Figure 5A-37ai. Thallium




Figure 5A-37aj. Toluene




Figure 5A-37ak. Total Dissolved Solids (TDS)




Figure 5A-37al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-37am. Uranium





Figure 5A-37an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M4-O Analyte Graphs

Figure 5A-37ao. Zinc




Figure 5A-37ap. Total Uranium Isotopes





Figure 5A-37aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs

Figure 5A-38a. Alkalinity, Bicarbonate




Figure 5A-38b. Alkalinity, Carbonate




Figure 5A-38c. Alkalinity, Hydroxide




Figure 5A-38d. Alkalinity, Total (as CaCO3)




Figure 5A-38e. Aluminum




Figure 5A-38f. Antimony




Figure 5A-38g. Arsenic





Figure 5A-38h. Barium



Notes:

AL = Alert Level









AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs

Figure 5A-38q. Ethylbenzene




Figure 5A-38r. Fluoride




Figure 5A-38s. Gross Alpha Analytes




Figure 5A-38t. Iron




Figure 5A-38u. Lead




Figure 5A-38v. Magnesium




Figure 5A-38w. Manganese













Figure 5A-38x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs

Figure 5A-38ag. Sulfate




Figure 5A-38ah. Temperature, Field




Figure 5A-38ai. Thallium




Figure 5A-38aj. Toluene




Figure 5A-38ak. Total Dissolved Solids (TDS)




Figure 5A-38al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-38am. Uranium





Figure 5A-38an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M65-LBF Analyte Graphs

Figure 5A-38ao. Zinc




Figure 5A-38ap. Total Uranium Isotopes





Figure 5A-38aq. Ion Balance



Notes:
AL = Alert Level
AQL = Aquifer Quality Limit
Non-detect results are represented as half the applicable reporting limit
mg/L = milligrams per Liter
uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39a. Alkalinity, Bicarbonate




Figure 5A-39b. Alkalinity, Carbonate




Figure 5A-39c. Alkalinity, Hydroxide




Figure 5A-39d. Alkalinity, Total (as CaCO3)




Figure 5A-39e. Aluminum




Figure 5A-39f. Antimony




Figure 5A-39g. Arsenic





Figure 5A-39h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39i. Benzene




Figure 5A-39j. Beryllium




Figure 5A-39k. Cadmium




Figure 5A-39l. Calcium




Figure 5A-39m. Chloride




Figure 5A-39n. Chromium




Figure 5A-39o. Cobalt





Figure 5A-39p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39q. Ethylbenzene




Figure 5A-39r. Fluoride




Figure 5A-39s. Gross Alpha Analytes




Figure 5A-39t. Iron




Figure 5A-39u. Lead




Figure 5A-39v. Magnesium




Figure 5A-39w. Manganese





Figure 5A-39x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39y. Nickel




Figure 5A-39z. Nitrate (as N)




Figure 5A-39aa. pH, Field




Figure 5A-39ab. Potassium




Figure 5A-39ac. Radium-226 & 228




Figure 5A-39ad. Selenium




Figure 5A-39ae. Sodium





Figure 5A-39af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39ag. Sulfate




Figure 5A-39ah. Temperature, Field




Figure 5A-39ai. Thallium




Figure 5A-39aj. Toluene




Figure 5A-39ak. Total Dissolved Solids (TDS)




Figure 5A-39al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-39am. Uranium





Figure 5A-39an. Xylene (Total)



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M76-O Analyte Graphs

Figure 5A-39ao. Zinc




Figure 5A-39ap. Total Uranium Isotopes





Figure 5A-39aq. Ion Balance



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs

Figure 5A-40a. Alkalinity, Bicarbonate




Figure 5A-40b. Alkalinity, Carbonate




Figure 5A-40c. Alkalinity, Hydroxide




Figure 5A-40d. Alkalinity, Total (as CaCO3)




Figure 5A-40e. Aluminum




Figure 5A-40f. Antimony




Figure 5A-40g. Arsenic





Figure 5A-40h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs

Figure 5A-40i. Benzene




Figure 5A-40j. Beryllium




Figure 5A-40k. Cadmium




Figure 5A-40l. Calcium




Figure 5A-40m. Chloride




Figure 5A-40n. Chromium




Figure 5A-40o. Cobalt





Figure 5A-40p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs

Figure 5A-40q. Ethylbenzene




Figure 5A-40r. Fluoride




Figure 5A-40s. Gross Alpha Analytes




Figure 5A-40t. Iron




Figure 5A-40u. Lead




Figure 5A-40v. Magnesium




Figure 5A-40w. Manganese





Figure 5A-40x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs

Figure 5A-40y. Nickel




Figure 5A-40z. Nitrate (as N)




Figure 5A-40aa. pH, Field




Figure 5A-40ab. Potassium




Figure 5A-40ac. Radium-226 & 228




Figure 5A-40ad. Selenium




Figure 5A-40ae. Sodium





Figure 5A-40af. Specific Conductance, Field



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs

Figure 5A-40ag. Sulfate




Figure 5A-40ah. Temperature, Field




Figure 5A-40ai. Thallium




Figure 5A-40aj. Toluene




Figure 5A-40ak. Total Dissolved Solids (TDS)




Figure 5A-40al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-40am. Uranium








Figure 5A-40an. Xylene (Total)



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M77-UBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs

Figure 5A-41a. Alkalinity, Bicarbonate




Figure 5A-41b. Alkalinity, Carbonate




Figure 5A-41c. Alkalinity, Hydroxide




Figure 5A-41d. Alkalinity, Total (as CaCO3)




Figure 5A-41e. Aluminum




Figure 5A-41f. Antimony




Figure 5A-41g. Arsenic





Figure 5A-41h. Barium



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs

Figure 5A-41i. Benzene




Figure 5A-41j. Beryllium




Figure 5A-41k. Cadmium




Figure 5A-41l. Calcium




Figure 5A-41m. Chloride




Figure 5A-41n. Chromium




Figure 5A-41o. Cobalt





Figure 5A-41p. Copper



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs

Figure 5A-41q. Ethylbenzene




Figure 5A-41r. Fluoride




Figure 5A-41s. Gross Alpha Analytes




Figure 5A-41t. Iron




Figure 5A-41u. Lead




Figure 5A-41v. Magnesium




Figure 5A-41w. Manganese













Figure 5A-41x. Mercury



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs



Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs

Figure 5A-41ag. Sulfate




Figure 5A-41ah. Temperature, Field




Figure 5A-41ai. Thallium




Figure 5A-41aj. Toluene




Figure 5A-41ak. Total Dissolved Solids (TDS)




Figure 5A-41al. Total Petroleum Hydrocarbons (C10-C22) Diesel




Figure 5A-41am. Uranium








Figure 5A-41an. Xylene (Total)



--- AL --- Analyte
 --- AQL

Notes:
 AL = Alert Level
 AQL = Aquifer Quality Limit
 Non-detect results are represented as half the applicable reporting limit
 mg/L = milligrams per Liter
 uS/cm = microSiemens per centimeter

M73-LBF Analyte Graphs



Notes:

AL = Alert Level

AQL = Aquifer Quality Limit

Non-detect results are represented as half the applicable reporting limit

mg/L = milligrams per Liter

uS/cm = microSiemens per centimeter

ATTACHMENT 5B

Well Details and Water Level Elevations

TABLE 5B-1

SUMMARY OF QUARTERLY WATER LEVELS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Location ID	Date	Depth to Water (feet)	Description of Measuring Point	Elevation of Measuring Point (feet amsl)	Water Level Elevation (feet amsl)
M1-GL	04/08/2026	220.00	TOC	1461.75	1241.75
M1-GL	04/08/2026	219.98	TOC	1461.75	1241.77
M18-GU	04/08/2026	207.21	TOM	1462.40	1255.19
P49-O	04/06/2026	225.83	TOM	1467.14	1241.31
P49-O	04/09/2026	292.85	TOM	1467.14	1174.29
P49-O	04/22/2026	237.20	TOM	1467.14	1229.94
P49-O	05/20/2026	235.50	TOM	1467.14	1231.64
P49-O	06/17/2026	238.20	TOM	1467.14	1228.94
O49-GL(R)	04/06/2026	225.40	TOM	1465.83	1240.43
O49-GL(R)	04/13/2026	233.48	TOM	1465.83	1232.35
O49-GL(R)	05/14/2026	203.63	TOM	1465.83	1262.20
M67-LBFR1	04/06/2026	224.68	TOC	1466.08	1241.40
M67-LBFR1	04/09/2026	233.35	TOC	1466.08	1232.73
M16-GU(R)	04/06/2026	226.90	TOC	1468.57	1241.67
M16-GU(R)	04/14/2026	234.32	TOC	1468.57	1234.25
M17-GL	04/06/2026	228.11	TOM	1466.16	1238.05
M17-GL	04/14/2026	236.58	TOM	1466.16	1229.58
M24-O	04/14/2026	236.30	TOM	1471.67	1235.37
M24-O	04/22/2026	239.20	TOM	1471.67	1232.47
M24-O	05/20/2026	241.40	TOM	1471.67	1230.27
M24-O	06/17/2026	250.50	TOM	1471.67	1221.17
M25-UBF	04/06/2026	214.05	TOM	1469.27	1255.22
M25-UBF	04/14/2026	214.35	TOM	1469.27	1254.92
M14-GL	04/01/2026	244.00	TOM	1477.12	1233.12
M14-GL	04/06/2026	242.35	TOM	1477.12	1234.77
M14-GL	04/15/2026	242.94	TOM	1477.12	1234.18
M14-GL	05/06/2026	244.50	TOM	1477.12	1232.62
M15-GU	04/06/2026	234.54	TOC	1476.53	1241.99
M15-GU	04/13/2026	238.01	TOC	1476.53	1238.52
M22-O	04/06/2026	256.88	TOM	1478.38	1221.50
M22-O	04/16/2026	258.30	TOM	1478.38	1220.08
M22-O	04/22/2026	264.10	TOM	1478.38	1214.28
M22-O	05/20/2026	257.30	TOM	1478.38	1221.08
M22-O	06/17/2026	274.75	TOM	1478.38	1203.63
M23-UBF	04/15/2026	220.60	TOM	1477.61	1257.01
M70-LBF	04/01/2026	245.22	TOC	1485.28	1240.06
M70-LBF	04/06/2026	244.42	TOC	1485.28	1240.86
M70-LBF	04/13/2026	247.75	TOC	1485.28	1237.53
M70-LBF	05/06/2026	248.21	TOC	1485.28	1237.07
M71-UBF	04/06/2026	237.82	TOC	1486.68	1248.86
M71-UBF	04/13/2026	238.86	TOC	1486.68	1247.82
M6-GU	04/06/2026	240.04	TOC	1482.45	1242.41
M6-GU	04/20/2026	241.61	TOC	1482.45	1240.84
M7-GL	04/06/2026	260.35	TOC	1481.22	1220.87
M7-GL	04/20/2026	263.18	TOC	1481.22	1218.04
M8-O	04/06/2026	320.60	TOC	1480.46	1159.86
M8-O	04/22/2026	343.90	TOC	1480.46	1136.56
M8-O	04/23/2026	344.50	TOC	1480.46	1135.96

TABLE 5B-1

SUMMARY OF QUARTERLY WATER LEVELS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Location ID	Date	Depth to Water (feet)	Description of Measuring Point	Elevation of Measuring Point (feet amsl)	Water Level Elevation (feet amsl)
M8-O	05/20/2026	341.30	TOC	1480.46	1139.16
M8-O	06/17/2026	354.22	TOC	1480.46	1126.24
M26-O	04/06/2026	334.90	TOM	1490.75	1155.85
M26-O	04/22/2026	364.90	TOM	1490.75	1125.85
M26-O	04/23/2026	364.08	TOM	1490.75	1126.67
M26-O	05/20/2026	353.60	TOM	1490.75	1137.15
M26-O	05/26/2026	357.10	TOM	1490.75	1133.65
M26-O	06/17/2026	301.22	TOM	1490.75	1189.53
M27-LBF	04/06/2026	243.62	TOM	1488.85	1245.23
M27-LBF	04/21/2026	246.44	TOM	1488.85	1242.41
M28-LBF	04/06/2026	247.40	TOM	1489.45	1242.05
M28-LBF	04/21/2026	249.55	TOM	1489.45	1239.90
M29-UBF	04/06/2026	342.75	TOM	1489.49	1146.74
M29-UBF	04/21/2026	245.15	TOM	1489.49	1244.34
M62-LBF	04/06/2026	257.57	TOC	1487.90	1230.33
M62-LBF	04/16/2026	257.51	TOC	1487.90	1230.39
O19-GL	04/06/2026	243.08	TOM	1483.28	1240.20
O19-GL	04/15/2026	243.60	TOM	1483.28	1239.68
P19-1-O	04/06/2026	257.03	TOM	1488.28	1231.25
P19-1-O	04/15/2026	246.37	TOM	1488.28	1241.91
P19-1-O	04/22/2026	249.90	TOM	1488.28	1238.38
P19-1-O	05/20/2026	249.40	TOM	1488.28	1238.88
P19-1-O	06/17/2026	250.10	TOM	1488.28	1238.18
M19-LBF	04/06/2026	245.63	TOM	1490.05	1244.42
M19-LBF	04/16/2026	247.10	TOM	1490.05	1242.95
M20-O(R)	04/06/2026	248.65	TOM	1492.56	1243.91
M20-O(R)	04/22/2026	250.95	TOM	1492.56	1241.61
M20-O(R)	04/22/2026	266.00	TOM	1492.56	1226.56
M20-O(R)	05/20/2026	251.00	TOM	1492.56	1241.56
M20-O(R)	06/17/2026	250.43	TOM	1492.56	1242.13
M21-UBF	04/06/2026	240.80	TOM	1489.52	1248.72
M21-UBF	04/16/2026	240.95	TOM	1489.52	1248.57
M30-O	04/06/2026	239.70	TOM	1488.31	1248.61
M30-O	04/22/2026	243.40	TOM	1488.31	1244.91
M30-O	04/28/2026	242.42	TOM	1488.31	1245.89
M30-O	05/20/2026	242.90	TOM	1488.31	1245.41
M30-O	06/17/2026	258.10	TOM	1488.31	1230.21
M31-LBF	04/06/2026	238.31	TOM	1485.93	1247.62
M31-LBF	04/28/2026	240.21	TOM	1485.93	1245.72
M63-LBF	04/06/2026	243.69	TOC	1488.84	1245.15
M63-LBF	04/22/2026	246.34	TOC	1488.84	1242.50
M63-LBF	05/27/2026	245.11	TOC	1488.84	1243.73
M64-LBF	04/06/2026	219.48	TOC	1470.15	1250.67
M64-LBF	04/27/2026	222.78	TOC	1470.15	1247.37
M64-LBF	06/01/2026	222.99	TOC	1470.15	1247.16
M74-O	04/06/2026	217.52	TOC	1470.48	1252.96
M74-O	04/22/2026	223.10	TOC	1470.48	1247.38

TABLE 5B-1

SUMMARY OF QUARTERLY WATER LEVELS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Location ID	Date	Depth to Water (feet)	Description of Measuring Point	Elevation of Measuring Point (feet amsl)	Water Level Elevation (feet amsl)
M74-O	04/27/2026	222.53	TOC	1470.48	1247.95
M74-O	05/20/2026	223.20	TOC	1470.48	1247.28
M74-O	06/01/2026	222.79	TOC	1470.48	1247.69
M74-O	06/17/2026	220.90	TOC	1470.48	1249.58
M75-UBF	04/06/2026	216.42	TOC	1470.91	1254.49
M75-UBF	04/27/2026	218.17	TOC	1470.91	1252.74
M2-GU	04/06/2026	207.27	TOC	1460.80	1253.53
M2-GU	04/07/2026	207.53	TOC	1460.80	1253.27
M3-GL	04/06/2026	208.89	TOC	1460.74	1251.85
M3-GL	04/07/2026	209.15	TOC	1460.74	1251.59
M4-O	04/06/2026	742.73	TOC	1463.24	720.510
M4-O	04/07/2026	209.90	TOC	1463.24	1253.34
M4-O	04/22/2026	213.10	TOC	1463.24	1250.14
M4-O	05/20/2026	213.30	TOC	1463.24	1249.94
M4-O	06/17/2026	214.92	TOC	1463.24	1248.32
M65-LBF	04/06/2026	216.83	TOC	1464.41	1247.58
M65-LBF	04/08/2026	218.30	TOC	1464.41	1246.11
M65-LBF	05/06/2026	221.41	TOC	1464.41	1243.00
M76-O	04/06/2026	215.94	TOC	1466.04	1250.10
M76-O	04/08/2026	217.50	TOC	1466.04	1248.54
M76-O	04/22/2026	226.20	TOC	1466.04	1239.84
M76-O	05/20/2026	224.40	TOC	1466.04	1241.64
M76-O	06/17/2026	224.65	TOC	1466.04	1241.39
M77-UBF	04/06/2026	210.66	TOC	1466.43	1255.77
M77-UBF	04/13/2026	211.30	TOC	1466.43	1255.13
M73-LBF	04/01/2026	241.74	TOC	1483.35	1241.61
M73-LBF	04/06/2026	238.91	TOC	1483.35	1244.44
M73-LBF	05/06/2026	241.77	TOC	1483.35	1241.58

Notes:

amsl = above mean sea level

TOC = top of casing

TOM = top of monument

ATTACHMENT 5C
Groundwater Monitoring Summary

TECHNICAL MEMORANDUM

July 30, 2026
File No. 133887-021

TO: Florence Copper LLC
Mark Severson, P.E., Environmental Manager
Mikel Smothermon, MS, RA, Senior Environmental Supervisor

FROM: Haley & Aldrich, Inc.
Laura Menken, R.G., Project Manager
Mark Nicholls, R.G., Lead Hydrogeologist

SUBJECT: Florence Copper Project, Quarterly Compliance Monitoring Report
Underground Injection Control Permit
Second Quarter 2026



Haley & Aldrich, Inc. has prepared this memorandum to convey the results of the quarterly compliance groundwater monitoring conducted during the second quarter (Q2) 2026 at the Florence Copper Project. The Florence Copper Project is subject to Underground Injection Control (UIC) Permit No. P-515167 dated January 16, 2026 and issued by the Arizona Department of Environmental Quality (ADEQ).

SAMPLING ACTIVITIES

During Q2 2026, monitoring was conducted at 41 monitoring wells. Water levels were measured on April 6, 2026, and quarterly groundwater sampling was conducted between April 7 and May 26, 2026. Groundwater sampling and analysis was conducted in accordance with Section II.F of the UIC Permit.

The majority of the monitoring wells are equipped with dedicated low-flow bladder pumps. Low-flow sampling was conducted in accordance with Section II.F of the UIC Permit. However, wells M4-O, M14-GL, M15-GU, M16-GU(R), M18-GU, M20-O(R), M22-O, M24-O, O49-GL(R), and P49-O are equipped with dedicated stainless steel electric submersible pumps. These wells were sampled by purging a minimum of three borehole volumes, except for well M20-O(R), which was purged dry for two consecutive days and allowed to recharge prior to sampling.

Each sample was labeled, placed in a cooler with ice, maintained at 4 degrees Celsius ($^{\circ}\text{C}$) $\pm$ 2 $^{\circ}\text{C}$, and transported under chain of custody to Turner Laboratories, Inc. for analysis. Samples were analyzed for quarterly (Level 1) and annual (Level 2) monitoring parameters listed in Tables 1 and 2 of the UIC Permit, respectively.

Well M18-GU has been dry since July 2023. Florence Copper LLC (Florence Copper) attempted to collect a sample on April 8, 2026, but the well did not produce enough water to sample. Florence Copper will continue attempts to sample the well on a quarterly basis and confirm water level conditions.

RESULTS

The results of the Q2 2026 monitoring event are presented in Tables 5C-1 through 5C-6 as follows:

- Table 5C-1 – Q2 2026 Field Parameters;¹
- Table 5C-2 – Q2 2026 Quarterly (Level 1) Analytical Parameters;
- Table 5C-3 – Q2 2026 Inorganic Parameters;
- Table 5C-4 – Q2 2026 Radiochemical Parameters;
- Table 5C-5 – Q2 2026 Organic Compounds; and
- Table 5C-6 – Q2 2026 Trace Metals.

The Q2 2026 results were compared to the alert levels (AL) and aquifer quality limits (AQL) listed in the applicable tables in Appendix J of the UIC Permit.

No AQL exceedances occurred during Q2 2026. A discussion of AL exceedances is provided below. A quality assurance/quality control summary of Q2 2026 data is provided in Appendix 5C-A.

CONTINGENCY SAMPLING PLANS

Contingency sampling procedures consistent with Section II.H.2 of the UIC Permit were implemented during Q2 2026.

Point of Compliance Well M15-GU

Well M15-GU had a confirmed AL sulfate exceedance in Q1 2026. Florence Copper submitted an initial notification to ADEQ on April 1, 2026. On April 9, 2026, Florence Copper submitted a mitigation report describing well redevelopment to be completed by purging the well with a pump. After redevelopment, a sample collected on April 13, 2026 had a sulfate concentration of 110 milligrams per liter (mg/L), below the AL of 126 mg/L. No further action is required and quarterly sampling at M15-GU is scheduled to continue in Q3 2026.

¹ Note that turbidity was monitored as a field parameter in addition to field pH, temperature, and specific conductance, but is not required by the UIC Permit and therefore is not reported.

Point of Compliance Well M63-LBF

On May 26, 2026, Florence Copper identified a potential manganese AL exceedance at well M63-LBF based on the sample collected on April 22, 2026. In accordance with UIC Permit Section II.H.2.a, a verification sample was collected on May 27, 2026. On June 11, 2026, Florence Copper was notified that the concentration of manganese exceeded the AL, confirming the exceedance. Sample results are included in the table below.

Results for Well 63-LBF				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
April 22, 2026	Manganese	0.53 mg/L	0.1 mg/L	No AQL
May 27, 2026	Manganese	0.48 mg/L	0.1 mg/L	No AQL
Notes: Bold = exceedances AL = alert level AQL = aquifer quality limit mg/L = milligrams per liter UIC Permit = Underground Injection Control Permit				

Florence Copper submitted an initial notification to ADEQ on June 12, 2026. On June 19, 2026, Florence Copper submitted a mitigation report describing well redevelopment to be completed by purging well volumes with a pump. Following redevelopment, a sample will be collected to evaluate manganese concentrations.

Point of Compliance Well M64-LBF

On May 29, 2026, Florence Copper identified a potential manganese AL exceedance at well M64-LBF from the sample collected on April 27, 2026. In accordance with UIC Permit Section II.H.2.a, a verification sample was collected on June 1, 2026. On June 16, 2026, Florence Copper was notified that the concentration of manganese exceeded the AL, confirming the exceedance. Sample results are included in the table below.

Results for Well 64-LBF				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
April 27, 2026	Manganese	0.27 mg/L	0.1 mg/L	No AQL
June 1, 2026	Manganese	0.17 mg/L	0.1 mg/L	No AQL
Notes: Bold = exceedances AL = alert level AQL = aquifer quality limit mg/L = milligrams per liter UIC Permit = Underground Injection Control Permit				

Florence Copper submitted an initial notification to ADEQ on June 19, 2026. On June 25, 2026, Florence Copper submitted a mitigation report describing well redevelopment to be completed by purging the well with a pump. Following redevelopment, a sample will be collected to evaluate manganese concentrations.

Point of Compliance Well M65-LBF

On May 5, 2026, Florence Copper identified a potential manganese AL exceedance at well M65-LBF from the sample collected on April 8, 2026. In accordance with UIC Permit Section II.H.2.a, a verification sample was collected on May 6, 2026. On June 11, 2026, Florence Copper was notified that the concentration of manganese exceeded the AL, confirming the exceedance. Sample results are included in the table below.

Results for Well 65-LBF				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
April 18, 2026	Manganese	0.32 mg/L	0.1 mg/L	No AQL
May 6, 2026	Manganese	0.36 mg/L	0.1 mg/L	No AQL
Notes: Bold = exceedances AL = alert level AQL = aquifer quality limit mg/L = milligrams per liter UIC Permit = Underground Injection Control Permit				

Florence Copper submitted an initial notification to ADEQ on June 12, 2026. On June 19, 2026, Florence Copper submitted a mitigation report describing well redevelopment to be completed by purging the well with a pump. Following redevelopment, a sample will be collected to evaluate manganese concentrations.

Point of Compliance Well M74-O

Well M74-O had confirmed AL exceedances of magnesium, sulfate, and total dissolved solids (TDS) in Q1 2026. Florence Copper submitted an initial notification to ADEQ on April 2, 2026. On April 9, 2026, Florence Copper submitted a mitigation report describing airlifting activities. The AL exceedances continued in Q2 based on the sample collected on April 27, 2026. A potential manganese exceedance was also identified in the sample.

On May 29, 2026, Florence Copper identified the potential manganese AL exceedance. In accordance with UIC Permit Section II.H.2.a, a verification sample was collected on June 1, 2026. On June 16, 2026, Florence Copper was notified that the sample exceeded the manganese AL, confirming the manganese exceedance, and dismissed the prior exceedances of magnesium, sulfate, and TDS. Sample results are included in the table below.

Results for Well 74-O				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
April 27, 2026	Magnesium	53 mg/L	23.8 mg/L	No AQL
	Sulfate	1,290 mg/L	758.5 mg/L	No AQL
	TDS	2,200 mg/L	1,300 mg/L	No AQL
	Manganese	0.35	0.0643 mg/L	No AQL

Results for Well 74-O				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
June 1, 2026	Magnesium	12 mg/L	23.8 mg/L	No AQL
	Sulfate	86 mg/L	758.5 mg/L	No AQL
	TDS	550 mg/L	1,300 mg/L	No AQL
	Manganese	0.10	0.0643 mg/L	No AQL
Notes: <i>Bold = Exceedances</i> <i>AL = alert level</i> <i>AQL = aquifer quality limit</i> <i>mg/L = milligrams per liter</i> <i>TDS = total dissolved solids</i> <i>UIC Permit = Underground Injection Control Permit</i>				

Florence Copper submitted an initial notification for the manganese exceedance to ADEQ on June 19, 2026. On June 25, 2026, Florence Copper submitted a mitigation report describing well redevelopment completed by purging well volumes with a pump. Following redevelopment, a sample will be collected to evaluate manganese concentrations.

Point of Compliance Well O49-GL(R)

Well O49-GL(R) had a confirmed TDS AL exceedance in Q3 2025 as reported to the U.S. Environmental Protection Agency at the time. The AL exceedance continued in Q2 2026 for TDS from a sample collected on April 13, 2026. A potential magnesium exceedance was identified in the sample.

On May 12, 2026, Florence Copper identified the potential magnesium AL exceedance. In accordance with UIC Permit Section II.H.2.a, a verification sample was collected on May 14, 2026. The sample results dismissed the potential magnesium exceedance. TDS will continue to be monitored on a quarterly basis. Sample results are included in the table below.

TDS Results for Well O49-GL(R)				
Date	Parameter	Result	UIC Permit AL	UIC Permit AQL
April 13, 2026	TDS	930 mg/L	849 mg/L	No AQL
	Magnesium	20 mg/L	18 mg/L	No AQL
May 14, 2026	TDS	870 mg/L	849 mg/L	No AQL
	Magnesium	16 mg/L	18 mg/L	No AQL
Notes: <i>Bold = Exceedances</i> <i>AL = alert level</i> <i>AQL = aquifer quality limit</i> <i>mg/L = milligrams per liter</i> <i>TDS = total dissolved solids</i> <i>UIC Permit = Underground Injection Control Permit</i>				

The TDS exceedance at O49-GL(R) is not the result of solution migrating from the in-situ copper recovery wellfield. Well O49-GL(R) is located approximately 1,400 feet southwest and cross-gradient of the active wellfield. Quarterly sampling at O49-GL(R) is scheduled to continue in Q3 2026.

Attachments:

- Table 5C-1 – Q2 2026 Field Parameters
- Table 5C-2 – Q2 2026 Quarterly (Level 1) Analytical Parameters
- Table 5C-3 – Q2 2026 Inorganic Parameters
- Table 5C-4 – Q2 2026 Radionuclide Parameters
- Table 5C-5 – Q2 2026 Organic Compounds
- Table 5C-6 – Q2 2026 Trace Metals
- Appendix 5C-A – Data Quality Assurance/Quality Control Summary

TABLES

TABLE 5C-1

Q2 2026 FIELD PARAMETERS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Location	Sample Date	Temperature, Field Deg C	Temperature, Field Deg F	pH, Field pH units	Specific Conductance, Field µmhos/cm
M1-GL	04/08/2026	23.6	74.5	7.31	1,220
P49-O	04/09/2026	28.0	82.4	7.64	826
O49-GL(R)	04/13/2026	25.8	78.4	7.45	1,680
O49-GL(R) ⁽¹⁾	05/14/2026	26.7	80.1	7.52	1,534
M67-LBFR1	04/09/2026	24.0	75.2	8.67	779
M16-GU(R)	04/14/2026	24.7	76.5	7.24	1,676
M17-GL	04/14/2026	23.2	73.8	8.60	791
M24-O	04/14/2026	30.3	86.5	7.78	1,813
M25-UBF	04/14/2026	22.5	72.5	6.95	2,433
M14-GL	04/15/2026	25.2	77.4	7.83	913
M15-GU	04/13/2026	24.8	76.6	7.39	1,570
M22-O	04/16/2026	26.5	79.7	8.34	780
M23-UBF	04/15/2026	22.9	73.2	7.21	1,906
M70-LBF	04/13/2026	24.0	75.2	8.06	731
M71-UBF	04/13/2026	23.7	74.7	7.08	1,915
M6-GU	04/20/2026	24.7	76.5	8.19	671
M7-GL	04/20/2026	25.5	77.9	9.31	480
M8-O	04/23/2026	25.3	77.5	8.90	577
M26-O	05/26/2026	29.0	84.2	8.61	547
M27-LBF	04/21/2026	25.9	78.6	7.48	1,689
M28-LBF	04/21/2026	26.0	78.8	8.11	686
M29-UBF	04/21/2026	24.8	76.6	7.25	1,615
M62-LBF	04/16/2026	24.4	75.9	7.95	660
O19-GL	04/15/2026	24.1	75.4	7.65	864
P19-1-O	04/15/2026	24.2	75.6	7.36	792
M19-LBF	04/16/2026	25.1	77.2	7.39	878
M20-O(R)	04/22/2026	24.0	75.2	7.27	778
M21-UBF	04/16/2026	25.5	77.9	7.18	1,741
M30-O	04/28/2026	23.7	74.7	7.47	856
M31-LBF	04/28/2026	23.8	74.8	7.37	1,515
M63-LBF	04/22/2026	25.3	77.5	7.66	937
M63-LBF ⁽¹⁾	05/27/2026	24.7	76.5	7.52	939
M64-LBF	04/27/2026	23.8	74.8	7.51	858
M64-LBF ⁽¹⁾	06/01/2026	27.9	82.2	7.50	872
M74-O	04/27/2026	22.9	73.2	7.43	2,658
M74-O ⁽¹⁾	06/01/2026	23.9	75.0	7.70	912
M75-UBF	04/27/2026	23.2	73.8	7.26	1,773
M2-GU	04/07/2026	23.4	74.1	7.14	1,874
M3-GL	04/07/2026	22.9	73.2	7.11	1,676
M4-O	04/07/2026	23.0	73.4	7.25	738
M65-LBF	04/08/2026	23.7	74.7	7.40	959
M65-LBF ⁽¹⁾	05/06/2026	22.2	72.0	7.46	889
M76-O	04/08/2026	25.1	77.2	7.42	887
M77-UBF	04/13/2026	22.6	72.7	7.21	1,517
M73-LBF	04/14/2026	24.3	75.7	7.12	1,599

Notes:

(1) Verification samples

µmhos/cm = micromhos per centimeter

Deg C = degrees Celsius

Deg F = degrees Fahrenheit

TABLE 5C-2
Q2 2026 QUARTERLY (LEVEL 1) ANALYTICAL PARAMETERS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location ID	Sample Date	Sample Type	Magnesium, Dissolved		Sulfate		Fluoride		Aquifer Quality Limit	Total Dissolved Solids (TDS)	
			Concentration	Alert Level	Concentration	Alert Level	Concentration	Alert Level		Concentration	Alert Level
M1-GL	04/08/2026	Primary	18	31	113	184.2	0.72	3.2	4.0	680	1028
P49-O	04/09/2026	Primary	2.9 J	6.2	104	181	1.0	3.2	4.0	460	801
P49-O	04/09/2026	Duplicate	3.0 J	6.2	106	181	1.1	3.2	4.0	460	801
O49-GL(R)	04/13/2026	Primary	20	18	151	181	0.45 J	3.2	4.0	930	849
O49-GL(R) ⁽¹⁾	05/14/2026	Primary	16	18	136	181	0.44 J	3.2	4.0	870	849
M67-LBFR1	04/09/2026	Primary	3.5	29	35.5	180	< 0.18	3.2	4.0	410	1000
M16-GU(R)	04/14/2026	Primary	26	52	212	248	0.50 J	3.2	4.0	940	1635
M17-GL	04/14/2026	Primary	4.6	9.3	81.0	209	0.60	3.2	4.0	430	831
M24-O	04/14/2026	Primary	9.6	19	629	1364	1.1	3.2	4.0	1,200	2363
M24-O	04/14/2026	Duplicate	9.8	19	632	1364	1.1	3.2	4.0	1,200	2363
M25-UBF	04/14/2026	Primary	38	76	234	387	0.57	3.2	4.0	1,400	2683
M14-GL	04/15/2026	Primary	12	23	48.7	144	0.59	3.2	4.0	470	874
M15-GU	04/13/2026	Primary	30	44	110	126	0.45 J	3.2	4.0	840	1359
M22-O	04/16/2026	Primary	6.0	8.6	49.9	86	0.84	3.2	4.0	410	1094
M22-O	04/16/2026	Duplicate	5.8	8.6	49.9	86	0.82	3.2	4.0	410	1094
M23-UBF	04/15/2026	Primary	28	69	209	411	0.85	3.2	4.0	1,100	2392
M70-LBF	04/13/2026	Primary	1.7 J	29	32.6	180	0.70	3.2	4.0	380	1000
M71-UBF	04/13/2026	Primary	31	45.09	206	280	0.63	3.2	4.0	1,100	1500
M6-GU	04/20/2026	Primary	2.0 J	44	74.0	86	< 1.8	3.2	4.0	360	620
M7-GL	04/20/2026	Primary	< 0.10	1.0	39.2	82	1.2 J	3.2	4.0	270	464
M8-O	04/23/2026	Primary	< 0.10	1.0	38.1	122	2.3	3.6	4.0	330	609
M26-O	05/26/2026	Primary	0.22 J	1.0	53.7	105	1.5	3.4	4.0	330	556
M27-LBF	04/21/2026	Primary	31	51	178	179	0.28 J	3.2	4.0	970	1745
M28-LBF	04/21/2026	Primary	1.7 J	2.6	34.6	81	0.71	3.2	4.0	370	610
M29-UBF	04/21/2026	Primary	27	84	191	456	0.73	3.2	4.0	980	2751
M62-LBF	04/16/2026	Primary	2.3 J	29	38.3	180	1.3	3.2	4.0	350	1000
O19-GL	04/15/2026	Primary	9.9	17	53.5	99	0.83	3.2	4.0	470	770
P19-1-O	04/15/2026	Primary	4.8	23	59.9	144	1.7	3.2	4.0	450	874
M19-LBF	04/16/2026	Primary	11	21	45.7	89	0.63	3.2	4.0	450	794
M20-O(R)	04/22/2026	Primary	8.3	14	63.0	112	0.94	3.2	4.0	500	809
M20-O(R)	04/22/2026	Duplicate	8.3	14	62.8	112	< 0.18	3.2	4.0	490	809
M21-UBF	04/16/2026	Primary	28	87	181	487	0.82	3.2	4.0	980	2867
M30-O	04/28/2026	Primary	12	18	57.9	102	0.87	3.2	4.0	510	824
M31-LBF	04/28/2026	Primary	27	--	144	330	0.91	3.2	4.0	890	--
M63-LBF	04/22/2026	Primary	11	29	65.2	180	< 0.18	3.2	4.0	540	1000
M63-LBF ⁽¹⁾	05/27/2026	Primary	11	29	62.6	180	0.55	3.2	4.0	540	1000
M64-LBF	04/27/2026	Primary	11	29	47.9	180	< 0.18	3.2	4.0	480	1000
M64-LBF ⁽¹⁾	06/01/2026	Primary	11	29	46.3	180	0.31 J	3.2	4.0	480	1000
M74-O	04/27/2026	Primary	53	23.8	1,290	758.5	0.69	3.2	4.0	2,200	1300
M74-O ⁽¹⁾	06/01/2026	Primary	12	23.8	86.0	758.5	0.50	3.2	4.0	550	1300
M75-UBF	04/27/2026	Primary	33	46	159	280	0.84	3.2	4.0	1,000	1531
M2-GU	04/07/2026	Primary	27	39	208	275	0.79	3.2	4.0	1,000	1496
M3-GL	04/07/2026	Primary	24	36	173	187	0.70	3.2	4.0	930	1157
M4-O	04/07/2026	Primary	3.7	15	55.8	405	2.7	--	5.1	430	1072
M4-O	04/07/2026	Duplicate	3.8	15	55.7	405	2.7	--	5.1	430	1072
M65-LBF	04/08/2026	Primary	11	29	44.9	180	0.35 J	3.2	4.0	500	1000
M65-LBF ⁽¹⁾	05/06/2026	Primary	13	29	45.0	180	0.59	3.2	4.0	510	1000
M76-O	04/08/2026	Primary	9.6	23.8	42.3	758.5	0.26 J	3.2	4.0	470	1300
M77-UBF	04/13/2026	Primary	22	46	162	280	0.85	3.2	4.0	850	1531
M73-LBF	04/14/2026	Primary	25	29	174	180	0.29 J	3.2	4.0	890	1000
Arizona Aquifer Water Quality Standard ⁽¹⁾			--		--		4.0			--	

Notes:
(1) Verification samples
All results in milligrams per liter (mg/L).
Detects are **bolded**.
Non-detects are reported to the laboratory method detection limit (< MDL).
J = estimated value
Indicates an exceedance of an alert level.

TABLE 5C-3
Q2 2026 INORGANIC PARAMETERS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location	Sample Date	Sample Type	Alkalinity, Bicarbonate mg/L	Alkalinity, Carbonate mg/L	Dissolved Calcium mg/L	Chloride mg/L	Nitrate (as N) mg/L	Dissolved Potassium mg/L	Dissolved Sodium mg/L	pH (Lab) pH Units	Anion/Cation Ratio %
M1-GL	04/08/2026	Primary	160	< 2.0	75	170	3.8	4.2 J	87	7.4	10.6
P49-O	04/09/2026	Primary	120	< 2.0	26	89	0.39 J	3.1 J	97	7.5	16.2
P49-O	04/09/2026	Duplicate	110	< 2.0	26	88	0.39 J	3.2 J	98	7.5	16.0
O49-GL(R)	04/13/2026	Primary	110	< 2.0	120	310	12	7.3	150	7.5	5.94
M67-LBFR1	04/09/2026	Primary	110	< 2.0	26	110	< 0.27	5.0 J	88	8.1	12.0
M16-GU(R)	04/14/2026	Primary	170	< 2.0	110	260	8.0	5.7	130	7.3	10.2
M17-GL	04/14/2026	Primary	86	< 2.0	20	100	< 0.27	4.9 J	97	8.3	8.50
M24-O	04/14/2026	Primary	88	< 2.0	120	55	0.51	4.9 J	220	7.8	1.92
M24-O	04/14/2026	Duplicate	84	< 2.0	120	55	0.49 J	4.9 J	220	7.8	1.63
M25-UBF	04/14/2026	Primary	220	< 2.0	170	380	14	6.2	180	7.1	5.27
M14-GL	04/15/2026	Primary	130	< 2.0	41	140	0.98	3.9 J	88	7.8	8.93
M15-GU	04/13/2026	Primary	130	< 2.0	110	290	7.2	6.0	120	7.5	3.66
M22-O	04/16/2026	Primary	94	< 2.0	32	130	0.33 J	3.8 J	88	8.1	10.1
M22-O	04/16/2026	Duplicate	96	< 2.0	31	120	0.33 J	3.7 J	89	8.1	8.62
M23-UBF	04/15/2026	Primary	210	< 2.0	130	250	9.7	5.3 J	150	7.4	5.52
M70-LBF	04/13/2026	Primary	120	< 2.0	11	110	< 0.27	4.0 J	120	7.9	3.55
M71-UBF	04/13/2026	Primary	210	< 2.0	140	290	11	6.1	170	7.2	4.09
M6-GU	04/20/2026	Primary	48	< 2.0	14	130	0.48 J	3.0 J	99	7.9	10.8
M7-GL	04/20/2026	Primary	52	48	2.6 J	68	< 0.27	1.3 J	86	9.1	13.4
M8-O	04/23/2026	Primary	110	52	1.9 J	44	< 0.27	1.0 J	110	9.0	8.47
M26-O	05/26/2026	Primary	140	< 2.0	3.1 J	35	0.91	1.0 J	98	8.6	10.9
M27-LBF	04/21/2026	Primary	120	< 2.0	130	330	10	5.7	120	7.7	8.04
M28-LBF	04/21/2026	Primary	92	< 2.0	15	130	< 0.27	3.3 J	99	7.9	10.8
M29-UBF	04/21/2026	Primary	220	< 2.0	120	250	8.9	5.1	140	7.5	8.33
M62-LBF	04/16/2026	Primary	120	< 2.0	18	85	0.46 J	3.6 J	89	7.9	12.0
O19-GL	04/15/2026	Primary	120	< 2.0	47	120	0.62	4.1 J	76	7.8	8.99
P19-1-O	04/15/2026	Primary	120	< 2.0	24	96	0.35 J	3.7 J	99	7.6	13.5
M19-LBF	04/16/2026	Primary	130	< 2.0	51	140	0.50	3.9 J	77	7.7	8.16
M20-O(R)	04/22/2026	Primary	100	< 2.0	39	120	0.39 J	4.7 J	85	7.6	15.1
M20-O(R)	04/22/2026	Duplicate	120	< 2.0	39	120	0.39 J	4.6 J	83	7.5	17.4
M21-UBF	04/16/2026	Primary	210	< 2.0	120	280	9.5	5.2	150	7.6	7.97
M30-O	04/28/2026	Primary	130	< 2.0	56	140	0.88	4.8 J	80	7.7	11.5
M31-LBF	04/28/2026	Primary	200	< 2.0	120	240	8.1	5.1	130	7.5	4.23
M63-LBF	04/22/2026	Primary	180	< 2.0	48	130	< 0.27	4.6 J	100	7.6	9.94
M64-LBF	04/27/2026	Primary	160	< 2.0	53	130	< 0.27	4.2 J	85	7.8	7.81
M74-O	04/27/2026	Primary	140	< 2.0	250	50	< 0.27	9.5	260	7.8	6.24
M75-UBF	04/27/2026	Primary	220	< 2.0	140	320	7.3	5.3	140	7.5	6.92
M2-GU	04/07/2026	Primary	210	< 2.0	110	270	11	4.6 J	140	7.4	12.8
M3-GL	04/07/2026	Primary	220	< 2.0	100	240	5.7	5.6	120	7.3	13.2
M4-O	04/07/2026	Primary	98	< 2.0	17	110	0.51	3.1 J	88	7.3	24.4
M4-O	04/07/2026	Duplicate	100	< 2.0	17	110	0.51	3.1 J	87	7.3	25.0
M65-LBF	04/08/2026	Primary	190	< 2.0	51	130	< 0.27	4.5 J	80	7.4	12.7
M76-O	04/08/2026	Primary	150	< 2.0	45	120	0.50	4.1 J	75	7.5	11.4
M77-UBF	04/13/2026	Primary	230	< 2.0	100	180	7.0	5.1 J	140	7.4	5.19
M73-LBF	04/14/2026	Primary	210	< 2.0	110	210	8.2	5.8	120	7.3	7.82
Arizona Aquifer Water Quality Standard ⁽¹⁾			--	--	--	--	10	--	--	--	--

Notes:

(1) Arizona Aquifer Water Quality Standard (AWQS), Drinking Water Standard, August 4, 2025.

All wells are permitted under both the Aquifer Protection Permit (APP) and Underground Injection Control Permit with the exception of M52-UBF, which is only permitted under the APP.

Detects are **bolded**.

Non-detects are reported to the laboratory method detection limit (< MDL).

% = percent

J = estimated value

mg/L = milligrams per liter

TABLE 5C-4

Q2 2026 RADIONUCLIDE PARAMETERS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Location ID	Sample ID	Sample Type	Gross Alpha Analytes		Total Uranium Isotopes ⁽¹⁾	Adjusted Gross Alpha Activity ⁽³⁾			Radium-226 + 228		
			pCi/L	AL		pCi/L	AL	AQL	pCi/L	AL	AQL
M1-GL	04/08/2026	Primary	5.6 ± 0.6	15	--	--	12	15	0.83 U	4.0	5.0
P49-O	04/09/2026	Primary	2.0 ± 0.4	15	--	--	12	15	0.8 ± 0.3	4.0	5.0
P49-O	04/09/2026	Duplicate	2.5 ± 0.4	15	--	--	12	15	1.7 ± 0.4	4.0	5.0
O49-GL(R)	04/13/2026	Primary	4.7 ± 0.5	15	--	--	12	15	0.74 U	4.0	5.0
M67-LBFR1	04/09/2026	Primary	0.95 U	20.6	--	--	--	23.3	1.3 ± 0.4	4.0	5.0
M16-GU(R)	04/14/2026	Primary	8.3 ± 0.6	15	--	--	12	15	0.9 ± 0.2	4.0	5.0
M17-GL	04/14/2026	Primary	0.49 U	15	--	--	12	15	0.74 U	4.0	5.0
M24-O	04/14/2026	Primary	4.6 ± 0.5	15	--	--	12	15	1.1 ± 0.2	4.0	5.0
M24-O	04/14/2026	Duplicate	4.1 ± 0.5	15	--	--	12	15	1.1 ± 0.2	4.0	5.0
M25-UBF	04/14/2026	Primary	8.6 ± 0.7	15	--	--	12	15	0.74 U	4.0	5.0
M14-GL	04/15/2026	Primary	3.5 ± 0.4	15	--	--	12	15	0.74 U	4.0	5.0
M15-GU	04/13/2026	Primary	4.6 ± 0.5	15	--	--	12	15	0.74 U	4.0	5.0
M22-O	04/16/2026	Primary	2.3 ± 0.4	15	--	--	12	15	0.74 U	4.0	5.0
M22-O	04/16/2026	Duplicate	2.2 ± 0.4	15	--	--	12	15	0.74 U	4.0	5.0
M23-UBF	04/15/2026	Primary	8.5 ± 0.7	15	--	--	12	15	0.74 U	4.0	5.0
M70-LBF	04/13/2026	Primary	1.7 ± 0.3	20.6	--	--	--	23.3	0.74 U	4.0	5.0
M71-UBF	04/13/2026	Primary	5.3 ± 0.5	21	--	--	--	22.32	0.7 ± 0.2	4.0	5.0
M6-GU	04/20/2026	Primary	0.48 U	15	--	--	12	15	0.83 U	4.0	5.0
M7-GL	04/20/2026	Primary	1.0 ± 0.3	15	--	--	12	15	0.83 U	4.0	5.0
M8-O	04/23/2026	Primary	0.96 U	15	--	--	12	15	0.74 U	4.0	5.0
M26-O	05/26/2026	Primary	7.2 ± 0.6	15	11.8 ± 1.2	0.49 U	12	15	0.73 U	4.0	5.0
M27-LBF	04/21/2026	Primary	5.5 ± 0.5	15	--	--	12	15	1.5 ± 0.4	4.0	5.0
M28-LBF	04/21/2026	Primary	0.49 U	15	--	--	12	15	0.8 ± 0.3	4.0	5.0
M29-UBF	04/21/2026	Primary	5.5 ± 0.5	15	--	--	12	15	0.6 ± 0.2	4.0	5.0
M62-LBF	04/16/2026	Primary	4.2 ± 0.5	20.6	--	--	--	23.3	0.5 ± 0.2	4.0	5.0
O19-GL	04/15/2026	Primary	4.9 ± 0.5	15	--	--	12	15	0.74 U	4.0	5.0
P19-1-O	04/15/2026	Primary	3.6 ± 0.4	15	--	--	12	15	0.74 U	4.0	5.0
M19-LBF	04/16/2026	Primary	3.1 ± 0.5	15	--	--	12	15	0.74 U	4.0	5.0
M20-O(R)	04/22/2026	Primary	3.8 ± 0.5	15	--	--	12	15	1.3 ± 0.4	4.0	5.0
M20-O(R)	04/22/2026	Duplicate	4.1 ± 0.5	15	--	--	12	15	0.83 U	4.0	5.0
M21-UBF	04/16/2026	Primary	5.4 ± 0.6	15	--	--	12	15	0.8 ± 0.3	4.0	5.0
M30-O	04/28/2026	Primary	6.7 ± 0.6	15	--	--	12	15	0.83 U	4.0	5.0
M31-LBF	04/28/2026	Primary	4.7 ± 0.5	15	--	--	12	15	0.83 U	4.0	5.0
M63-LBF	04/22/2026	Primary	5.9 ± 0.6	22.7	--	--	--	26.2	0.83 U	4.0	5.0
M64-LBF	04/27/2026	Primary	6.5 ± 0.6	22.7	--	--	--	26.2	0.83 U	4.0	5.0
M74-O	04/27/2026	Primary	9.81 U	19	--	--	--	24.07	1.3 ± 0.4	4.0	5.0
M75-UBF	04/27/2026	Primary	6.2 ± 0.6	22	--	--	--	24.93	0.83 U	4.0	5.0
M2-GU	04/07/2026	Primary	5.6 ± 0.6	15	--	--	12	15	0.83 U	4.0	5.0
M3-GL	04/07/2026	Primary	6.9 ± 0.6	15	--	--	12	15	0.83 U	4.0	5.0
M4-O	04/07/2026	Primary	1.3 ± 0.3	15	--	--	12	15	0.83 U	--	5.0
M4-O	04/07/2026	Duplicate	1.0 ± 0.3	15	--	--	12	15	0.83 U	--	5.0
M65-LBF	04/08/2026	Primary	6.8 ± 0.6	20.6	--	--	--	23.3	1.0 ± 0.4	4.0	5.0
M76-O	04/08/2026	Primary	5.3 ± 0.6	19	--	--	--	24.07	0.83 U	4.0	5.0
M77-UBF	04/13/2026	Primary	5.3 ± 0.5	22	--	--	--	24.93	0.74 U	4.0	5.0
M73-LBF	04/14/2026	Primary	9.4 ± 0.7	20.6	--	--	--	23.3	1.0 ± 0.2	4.0	5.0
Arizona Aquifer Water Quality Standard ⁽²⁾			-- ⁽⁴⁾		--	15			5		

Notes:

(1) Total uranium isotopes are analyzed and adjusted gross alpha calculated when gross alpha concentration exceeds 12 pCi/L.

(2) Arizona Aquifer Water Quality Standard (AWQS), Drinking Water Standard, August 4, 2025.

(3) The AWQS applies to Adjusted Gross Alpha, which equals Gross Alpha minus Uranium Isotopes.

Detects are **bolded**.

U = Analyte not detected above the Minimum Detectable Concentration (MDC U,

AL = Alert Level

AQL = Aquifer Quality Limit

pCi/L = picocuries per liter

TABLE 5C-5
Q2 2026 ORGANIC PARAMETERS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location	Sample Date	Sample Type	Benzene			Ethylbenzene			Toluene			Total Xylene			Total Petroleum Hydrocarbons - Diesel	
			µg/L	AL	AQL	µg/L	AL	AQL	µg/L	AL	AQL	µg/L	AL	AQL	mg/L	AL
M1-GL	04/08/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
P49-O	04/09/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	0.045 J	--
P49-O	04/09/2026	Duplicate	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
O49-GL(R)	04/13/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M67-LBF1	04/09/2026	Primary	< 0.063	4.0	5.0	0.073 J	560	700	< 0.057	800	1000	< 0.13	8000	10000	0.13	--
M16-GU(R)	04/14/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M17-GL	04/14/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	0.25 J	800	1000	< 0.13	8000	10000	< 0.041	--
M24-O	04/14/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	0.081 J	800	1000	< 0.13	8000	10000	< 0.042	--
M24-O	04/14/2026	Duplicate	< 0.063	4.0	5.0	< 0.054	560	700	0.093 J	800	1000	< 0.13	8000	10000	< 0.042	--
M25-UBF	04/14/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M14-GL	04/15/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M15-GU	04/13/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M22-O	04/16/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M22-O	04/16/2026	Duplicate	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M23-UBF	04/15/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M70-LBF	04/13/2026	Primary	0.10 J	4.0	5.0	< 0.054	560	700	0.090 J	800	1000	< 0.13	8000	10000	< 0.041	--
M71-UBF	04/13/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M6-GU	04/20/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M7-GL	04/20/2026	Primary	< 0.063	4.0	5.0	0.29 J	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M8-O	04/23/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M26-O	05/26/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	8.0	800	1000	< 0.13	8000	10000	< 0.042	--
M27-LBF	04/21/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	0.11 J	800	1000	< 0.13	8000	10000	< 0.042	--
M28-LBF	04/21/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.039	--
M29-UBF	04/21/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M62-LBF	04/16/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
O19-GL	04/15/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.040	--
P19-1-O	04/15/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.040	--
M19-LBF	04/16/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M20-GL(R)	04/22/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M20-GL(R)	04/22/2026	Duplicate	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M21-UBF	04/16/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.040	--
M30-O	04/28/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.040	--
M31-LBF	04/28/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.040	--
M63-LBF	04/22/2026	Primary	0.17 J	4.0	5.0	< 0.054	560	700	0.060 J	800	1000	< 0.13	8000	10000	0.069	--
M64-LBF	04/27/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M74-O	04/27/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	0.041 J	--
M75-UBF	04/27/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M2-GU	04/07/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M3-GL	04/07/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M4-O	04/07/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M4-O	04/07/2026	Duplicate	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.042	--
M65-LBF	04/08/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	0.070	--
M76-O	04/08/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.041	--
M77-UBF	04/13/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	< 0.039	--
M73-LBF	04/14/2026	Primary	< 0.063	4.0	5.0	< 0.054	560	700	< 0.057	800	1000	< 0.13	8000	10000	0.053	--
Arizona Aquifer Water Quality Standard ⁽¹⁾			5			700			1000			10000			--	

Notes:
All wells are permitted under both the Aquifer Protection Permit (APP) and Underground Injection Control (UIC) Permit with the exception of M52-UBF, which is only permitted under the APP.
(1) Arizona Aquifer Water Quality Standard (AWQS), Drinking Water Standard, August 4, 2025.
All wells are permitted under both the APP and UIC Permit, with the exception of M52-UBF, which is only permitted under the APP.
Detects are **bolded**.
Non-detects are reported to the laboratory method detection limit (< MDL).
µg/L = micrograms per liter
AL = Alert Level
AQL = Aquifer Quality Limit
J = estimated value
mg/L = milligrams per liter

TABLE 5C-6
Q2 2026 TRACE METALS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location	Sample Date	Sample Type	Dissolved Aluminum		Dissolved Antimony			Dissolved Arsenic			Dissolved Barium			Dissolved Beryllium			Dissolved Cadmium			Dissolved Chromium ⁽³⁾		
			mg/L	AL	mg/L	AL	AQL	mg/L	AL	AQL	mg/L	AL	AQL	mg/L	AL	AQL	mg/L	AL	AQL	mg/L	AL	AQL
M1-GL	04/08/2026	Primary	< 0.013	0.71	0.000041 J	0.0050	0.0060	0.0019	0.026	0.050	0.026	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0050	--	0.00090	0.080	0.10
P49-O	04/09/2026	Primary	< 0.013	0.71	0.000043 J	0.0050	0.0060	0.00028 J	0.026	0.050	0.0017	1.6	2.0	0.000038 J	--	0.0053	< 0.000050	0.0040	0.0050	0.0022	0.080	0.10
P49-O	04/09/2026	Duplicate	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00012 J	0.026	0.050	0.0019	1.6	2.0	0.000027 J	--	0.0053	< 0.000050	0.0040	0.0050	0.0023	0.080	0.10
O49-GL(R)	04/13/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0010	0.026	0.050	0.011	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0018	0.080	0.10
M67-LBFR1	04/09/2026	Primary	< 0.013	0.20	0.000063 J	0.0048	0.0060	0.00038 J	0.0080	0.010	0.016	1.6	2.0	0.000042 J	0.0032	0.004	< 0.000050	0.0040	0.0050	0.00029 J	0.080	0.10
M16-GU(R)	04/14/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0015	0.026	0.050	0.0080	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	--	0.040	0.00067	0.080	0.10
M17-GL	04/14/2026	Primary	< 0.013	0.71	< 0.000039	--	0.016	0.00049 J	0.026	0.050	0.0056	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00011 J	0.080	0.10
M24-O	04/14/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00054	0.026	0.050	0.0072	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00055	0.080	0.10
M24-O	04/14/2026	Duplicate	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00038 J	0.026	0.050	0.0072	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00037 J	0.080	0.10
M25-UBF	04/14/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0016	0.026	0.050	0.072	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00083	0.080	0.10
M14-GL	04/15/2026	Primary	< 0.013	0.71	< 0.000039	--	0.016	0.0014	0.026	0.050	0.010	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0027	0.080	0.10
M15-GU	04/13/2026	Primary	< 0.013	0.71	< 0.000039	--	0.016	0.0016	0.026	0.050	0.0039	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	--	0.040	0.0012	0.080	0.10
M22-O	04/16/2026	Primary	< 0.013	0.71	< 0.000020	--	0.016	0.00011 J	0.026	0.050	0.0023 J	1.6	2.0	0.000027 J	0.0032	0.0040	< 0.000050	--	0.040	0.00079	0.080	0.10
M22-O	04/16/2026	Duplicate	< 0.013	0.71	< 0.000020	--	0.016	0.00012 J	0.026	0.050	0.0024 J	1.6	2.0	0.000028 J	0.0032	0.0040	< 0.000050	--	0.040	0.00091	0.080	0.10
M23-UBF	04/15/2026	Primary	< 0.013	0.71	0.000053 J	0.0050	0.0060	0.0018	0.026	0.050	0.052	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	--	0.040	0.00044 J	0.080	0.10
M70-LBF	04/13/2026	Primary	0.055	0.20	< 0.00039	0.0048	0.0060	0.0011	0.0080	0.010	0.014	1.6	2.0	0.000032 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00088	0.080	0.10
M71-UBF	04/13/2026	Primary	< 0.013	0.131	< 0.000039	0.0048	0.0060	0.0018	0.0080	0.010	0.065	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00093	0.080	0.10
M6-GU	04/20/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0014	0.026	0.050	0.0040	1.6	2.0	0.000023 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0036	0.080	0.10
M7-GL	04/20/2026	Primary	< 0.013	0.71	0.000059 J	0.0050	0.0060	0.0018	0.026	0.050	0.0037	1.6	2.0	0.000022 J	0.0032	0.0040	< 0.000050	--	0.040	0.00018 J	0.080	0.10
M8-O	04/23/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00037 J	0.026	0.050	0.0013	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00029 J	0.080	0.10
M26-O	05/26/2026	Primary	0.016 J	0.71	0.000089 J	--	0.016	0.0015	0.026	0.050	0.0017	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0063	0.080	0.10
M27-LBF	04/21/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0019	0.026	0.050	0.033	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00065	0.080	0.10
M28-LBF	04/21/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00045 J	0.026	0.050	0.012	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00016 J	0.080	0.10
M29-UBF	04/21/2026	Primary	< 0.013	0.71	0.000040 J	0.0050	0.0060	0.0026	0.026	0.050	0.064	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00076	0.080	0.10
M62-LBF	04/16/2026	Primary	< 0.013	0.20	< 0.000039	0.0048	0.0060	0.00046 J	0.0080	0.010	0.015	1.6	2.0	0.000030 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0028	0.080	0.10
O19-GL	04/15/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.0010	0.026	0.050	0.028	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0025	0.080	0.10
P19-1-O	04/15/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00050	0.026	0.050	0.0015	1.6	2.0	< 0.000013	--	0.0053	< 0.000050	0.0040	0.0050	0.00053	0.080	0.10
M19-LBF	04/16/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00016 J	0.026	0.050	0.029	1.6	2.0	0.000017 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00010 J	0.080	0.10
M20-O(R)	04/22/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00051	0.026	0.050	0.0083	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	--	0.040	0.0014	0.080	0.10
M20-O(R)	04/22/2026	Duplicate	< 0.013	0.71	0.000053 J	0.0050	0.0060	0.00059	0.026	0.050	0.0082	1.6	2.0	0.000036 J	0.0032	0.0040	< 0.000050	--	0.040	0.0014	0.080	0.10
M21-UBF	04/16/2026	Primary	< 0.013	0.71	< 0.000020	--	0.016	0.0019	0.026	0.050	0.064	1.6	2.0	0.000024 J	0.0032	0.0040	< 0.000050	--	0.040	0.00044 J	0.080	0.10
M30-O	04/28/2026	Primary	< 0.013	0.71	< 0.000039	0.0050	0.0060	0.00084	0.026	0.050	0.018	1.6	2.0	< 0.000013	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.0019	0.080	0.10
M31-LBF	04/28/2026	Primary	< 0.013	0.71	0.000060 J	0.0050	0.0060	0.0024	0.026	0.050	0.059	1.6	2.0	0.000024 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00073	0.080	0.10
M63-LBF	04/22/2026	Primary	< 0.013	0.20	< 0.000078	0.0048	0.0060	0.0027	0.0080	0.010	0.11	1.6	2.0	0.000031 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00036 J	0.080	0.10
M63-LBF ⁽¹⁾	05/27/2026	Primary	--	0.20	--	0.0048	0.0060	--	0.0080	0.010	--	1.6	2.0	--	0.0032	0.0040	--	0.0040	0.0050	--	0.080	0.10
M64-LBF	04/27/2026	Primary	< 0.013	0.20	0.00012 J	0.0048	0.0060	0.0075	0.0080	0.010	0.048	1.6	2.0	0.000029 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00034 J	0.080	0.10
M64-LBF ⁽¹⁾	06/01/2026	Primary	--	0.20	--	0.0048	0.0060	--	0.0080	0.010	--	1.6	2.0	--	0.0032	0.0040	--	0.0040	0.0050	--	0.080	0.10
M74-O	04/27/2026	Primary	< 0.013	0.151	< 0.000039	0.0048	0.0060	0.0025	0.0080	0.010	0.074	1.6	2.0	0.000014 J	0.0032	0.0040	< 0.000050	0.0040	0.0050	0.00080	0.080	0.10
M74-O ⁽¹⁾	06/01/2026	Primary	--	0.151	--	0.0048	0.0060	--	0.0080	0.010	--	1.6	2.0	--	0.0032	0.0040	--	0.0040	0.0050	--	0.080	0.10
M75-UBF	04/27/2026	Primary	< 0.013	0.0839	0.000																	

TABLE 5C-6
Q2 2026 TRACE METALS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location	Sample Date	Sample Type	Dissolved Cobalt		Dissolved Copper		Dissolved Iron		Dissolved Lead			Dissolved Manganese		Dissolved Mercury			Dissolved Nickel		
			mg/L	AL	mg/L	AL	mg/L	AL	mg/L	AL	AQL	mg/L	AL	mg/L	AL	AQL	mg/L	AL	AQL
M1-GL	04/08/2026	Primary	0.00010 J	0.0050	0.0018	0.51	< 0.0031	2.2	< 0.000057	0.040	0.050	0.000098 J	0.22	< 0.00015	0.0016	0.0020	0.0010	--	0.13
P49-O	04/09/2026	Primary	0.000067 J	0.0050	0.0092	0.80	0.0054 J	2.2	0.00041 J	0.040	0.050	0.00084	0.22	< 0.00015	0.0016	0.0020	0.00045 J	0.080	0.10
P49-O	04/09/2026	Duplicate	0.000065 J	0.0050	0.0092	0.80	< 0.0031	2.2	0.00025 J	0.040	0.050	0.00094	0.22	< 0.00015	0.0016	0.0020	0.00036 J	0.080	0.10
O49-GL(R)	04/13/2026	Primary	0.00012 J	0.0050	0.0026	0.080	0.012 J	2.2	0.00021 J	0.040	0.050	0.00018 J	0.22	< 0.00015	0.0016	0.0020	0.0012	0.080	0.10
M67-LBFR1	04/09/2026	Primary	0.000070 J	0.0375	0.0014	0.00735	0.010 J	0.214	0.00030 J	0.040	0.050	0.019	0.10	< 0.00015	0.0016	0.0020	0.00040 J	0.080	0.10
M16-GU(R)	04/14/2026	Primary	0.00014 J	0.0050	0.0042	0.80	0.0051 J	2.2	0.00015 J	0.040	0.050	0.000093 J	0.22	< 0.00015	0.0016	0.0020	0.0015	0.080	0.10
M17-GL	04/14/2026	Primary	0.000044 J	0.0050	0.0014	0.80	0.018 J	2.2	0.00014 J	0.040	0.050	0.0054	0.22	< 0.00015	0.0016	0.0020	0.00025 J	0.080	0.10
M24-O	04/14/2026	Primary	0.00018 J	0.0050	0.0031	0.80	0.24 J	2.2	0.00013 J	0.040	0.050	0.011	0.22	< 0.00015	0.0016	0.0020	0.0014	0.080	0.10
M24-O	04/14/2026	Duplicate	0.00016 J	0.0050	0.0031	0.80	0.21 J	2.2	0.00013 J	0.040	0.050	0.011	0.22	< 0.00015	0.0016	0.0020	0.0013	0.080	0.10
M25-UBF	04/14/2026	Primary	0.00024 J	0.0050	0.0030	0.80	0.036 J	2.2	0.00012 J	0.040	0.050	0.0012	0.22	< 0.00015	0.0016	0.0020	0.0021	0.080	0.10
M14-GL	04/15/2026	Primary	0.000082 J	0.0050	0.0022	0.80	0.028 J	2.2	0.00025 J	0.040	0.050	0.0032	0.22	< 0.00015	0.0016	0.0020	0.0016	--	0.13
M15-GU	04/13/2026	Primary	0.00011 J	0.0050	0.0019	0.80	0.0076 J	2.2	0.00015 J	0.040	0.050	0.00016 J	0.22	< 0.00015	0.0016	0.0020	0.0011	--	0.13
M22-O	04/16/2026	Primary	< 0.000010	0.0050	0.00033 J	0.80	0.066 J	2.2	< 0.00029	0.040	0.050	0.013	0.22	< 0.00015	0.0016	0.0020	0.000030 J	0.080	0.10
M22-O	04/16/2026	Duplicate	< 0.000010	0.0050	0.00033 J	0.80	0.058 J	2.2	< 0.00029	0.040	0.050	0.011	0.22	< 0.00015	0.0016	0.0020	0.00019 J	0.080	0.10
M23-UBF	04/15/2026	Primary	0.00018 J	0.0050	0.0030	0.80	0.0050 J	2.2	0.00014 J	0.040	0.050	0.00021 J	0.22	< 0.00015	0.0016	0.0020	0.0017	0.080	0.10
M70-LBF	04/13/2026	Primary	0.000039 J	0.0375	0.0019	0.00735	0.032 J	0.214	< 0.00057	0.040	0.050	0.050	0.10	< 0.00015	0.0016	0.0020	0.00028 J	0.080	0.10
M71-UBF	04/13/2026	Primary	0.00015 J	0.040	0.0033	0.020	0.0069 J	0.13	0.00016 J	0.040	0.050	0.00017 J	0.017	< 0.00015	0.0016	0.0020	0.0018	0.080	0.10
M6-GU	04/20/2026	Primary	0.000023 J	0.0050	0.00034 J	0.51	0.0078 J	2.2	0.00012 J	0.026	0.050	0.00036	0.22	< 0.00015	0.0016	0.0020	0.0016	0.080	0.10
M7-GL	04/20/2026	Primary	0.000020 J	0.0050	0.0017	0.51	0.018 J	2.2	0.00013 J	0.026	0.050	0.0021	0.22	< 0.00015	0.0016	0.0020	< 0.000015	--	0.13
M8-O	04/23/2026	Primary	0.000015 J	0.0050	0.0022	0.80	0.020 J	2.2	0.00017 J	0.040	0.050	0.0054	0.22	< 0.00015	0.0016	0.0020	0.000041 J	0.080	0.10
M26-O	05/26/2026	Primary	0.000040 J	0.0050	0.00090	0.80	0.091 J	2.2	0.00011 J	0.040	0.050	0.0048	0.22	< 0.00015	0.0016	0.0020	< 0.000015	0.080	0.10
M27-LBF	04/21/2026	Primary	0.00025 J	0.0050	0.0029	0.80	0.0067 J	2.2	0.00016 J	0.040	0.050	0.0016	0.22	< 0.00015	0.0016	0.0020	0.0045	0.080	0.10
M28-LBF	04/21/2026	Primary	0.000039 J	0.0050	0.0021	0.80	0.13 J	2.2	0.00015 J	0.040	0.050	0.12	0.22	< 0.00015	0.0016	0.0020	0.00019 J	0.080	0.10
M29-UBF	04/21/2026	Primary	0.00022 J	0.0050	0.0032	0.80	0.010 J	2.2	0.00018 J	0.040	0.050	0.00053	0.22	< 0.00015	0.0016	0.0020	0.0017	0.080	0.10
M62-LBF	04/16/2026	Primary	< 0.000010	0.0375	0.00071	0.00735	0.0084 J	0.214	0.00012 J	0.040	0.050	0.0019	0.10	< 0.00015	0.0016	0.0020	0.000086 J	0.080	0.10
O19-GL	04/15/2026	Primary	0.00016 J	0.0050	0.0018	0.080	0.037 J	2.2	0.00013 J	0.040	0.050	0.00082	0.22	< 0.00015	0.0016	0.0020	0.0077	--	0.13
P19-1-O	04/15/2026	Primary	0.000039 J	0.0050	0.0021	0.80	0.013 J	2.2	0.00013 J	0.040	0.050	0.00014 J	0.22	< 0.00015	0.0016	0.0020	0.00081	--	0.13
M19-LBF	04/16/2026	Primary	0.000024 J	0.0050	0.00071	0.80	0.056 J	2.2	0.00012 J	0.040	0.050	0.074	0.22	< 0.00015	0.0016	0.0020	0.00012 J	0.080	0.10
M20-O(R)	04/22/2026	Primary	0.000086 J	0.0050	0.0021	0.80	0.0097 J	2.2	0.00022 J	0.040	0.050	0.0037	0.22	< 0.00015	0.0016	0.0020	0.0013	0.080	0.10
M20-O(R)	04/22/2026	Duplicate	0.00010 J	0.0050	0.0021	0.80	0.013 J	2.2	0.00033 J	0.040	0.050	0.0038	0.22	< 0.00015	0.0016	0.0020	0.0014	0.080	0.10
M21-UBF	04/16/2026	Primary	0.000014 J	0.0050	0.00048 J	0.80	0.012 J	2.2	< 0.00029	0.040	0.050	0.011	0.22	< 0.00015	0.0016	0.0020	0.000092 J	0.080	0.10
M30-O	04/28/2026	Primary	0.00021 J	0.0050	0.0025	0.80	0.010 J	2.2	0.00018 J	0.040	0.050	0.00065	0.22	< 0.00015	0.0016	0.0020	0.0098	0.080	0.10
M31-LBF	04/28/2026	Primary	0.00021 J	0.0050	0.0032	0.80	0.0095 J	2.2	0.00019 J	0.040	0.050	0.0010	0.22	< 0.00015	0.0016	0.0020	0.0016	0.080	0.10
M63-LBF	04/22/2026	Primary	0.00012 J	0.0491	0.0022	0.0208	0.10 J	0.214	0.00024 J	0.040	0.050	0.53	0.10	< 0.00015	0.0016	0.0020	0.00084	0.080	0.10
M63-LBF ⁽¹⁾	05/27/2026	Primary	--	0.0491	--	0.0208	--	0.214	--	0.040	0.050	0.48	0.10	--	0.0016	0.0020	--	0.080	0.10
M64-LBF	04/27/2026	Primary	0.00027	0.0491	0.0025	0.0208	0.036 J	0.214	0.000074 J	0.040	0.050	0.27	0.10	< 0.00015	0.0016	0.0020	0.0011	0.080	0.10
M64-LBF ⁽¹⁾	06/01/2026	Primary	--	0.0491	--	0.0208	--	0.214	--	0.040	0.050	0.17	0.10	--	0.0016	0.0020	--	0.080	0.10
M74-O	04/27/2026	Primary	0.0015	0.00936	0.0075	0.0191	0.30 J	0.512	< 0.000057	0.040	0.050	0.35	0.0643	< 0.00015	0.0016	0.0020	0.0040	0.080	0.10
M74-O ⁽¹⁾	06/01/2026	Primary	--	0.00936	--	0.0191	--	0.512	--	0.040	0.050	0.10	0.0643	--	0.0016	0.0020	--	0.080	0.10
M75-UBF	04/27/2026	Primary	0.00042	0.040	0.0045	0.020	0.018 J	0.133	0.00020 J	0.040	0.050	0.0011	0.016	< 0.00015	0.0016	0.0020	0.0082	0.080	0.10
M2-GU	04/07/2026	Primary	0.00015 J	0.0050	0.0026	0.51	0.0055 J	2.2	0.00015 J	0.040	0.050	0.00010 J	0.22	< 0.00015	0.0016	0.0020	0.0015	--	0.13
M3-GL	04/07/2026	Primary	0.00015 J	0.0050	0.0027	0.51	0.0046 J	2.2	0.00015 J	0.040	0.050	0.00012 J	0.22	< 0.00015	0.0016	0.0020	0.0019	--	0.13
M4-O	04/07/2026	Primary	0.000036 J	0.0050	0.0018	0.51	0.0065 J	2.2	0.00013 J	0.026	0.050	0.0011	0.22	< 0.00015	0.0016	0.0020	0.00055	0.080	0.10
M4-O	04/07/2026	Duplicate	0.000032 J	0.0050	0.0018	0.51	< 0.0031	2.2	< 0.000057	0.026	0.050	0.0010	0.22	< 0.00015	0.0016	0.0020	0.00052	0.080	0.10
M65-LBF	04/08/2026	Primary	0.00069	0.0375	0.0018	0.00735	0.17 J	0.214	< 0.000057	0.040	0.050	0.32	0.10	< 0.00015	0.0016	0.0020	0.0031	0.080	0.10
M65-LBF ⁽¹⁾	05/06/2026	Primary	--	0.0375	--	0.00735	--	0.214	--	0.040	0.050	0.36	0.10	--	0.0016	0.0020	--	0.080	0.10
M76-O	04/08/2026	Primary	0.00099	0.00936	0.0030	0.0191	0.0037 J	0.512	< 0.000057	0.040	0.050	0.0050	0.0643	< 0.00015	0.0016	0.0020	0.032	0.080	0.10
M77-UBF	04/13/2026	Primary	0.00022 J	0.040	0.0049	0.020	0.0071 J	0.133	0.00016 J	0.040	0.050	0.00046	0.016	< 0.00015	0.0016	0.0020	0.0043	0.080	0.10
M73-LBF	04/14/2026	Primary	0.00015 J	0.0375	0.0030	0.00735	0.0071 J	0.214	0.00015 J	0.040	0.050	0.00023 J	0.10	< 0.00015	0.0016	0.0020	0.0018	0.080	0.10
Arizona Aquifer Water Quality Standard ⁽²⁾			--		--		--		0.05			--		0.002			0.1		

</

TABLE 5C-6
Q2 2026 TRACE METALS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Location	Sample Date	Sample Type	Dissolved Selenium			Dissolved Thallium			Total Uranium	Dissolved Zinc	
			mg/L	AL	AQL	mg/L	AL	AQL		mg/L	AL
M1-GL	04/08/2026	Primary	0.0013 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0041	< 0.0023	2.5
P49-O	04/09/2026	Primary	0.0022 J	0.040	0.050	0.000030 J	0.0016	0.0020	0.00024 J	0.0039 J	4.0
P49-O	04/09/2026	Duplicate	0.0022 J	0.040	0.050	0.000026 J	0.0016	0.0020	0.00023 J	0.014 J	4.0
O49-GL(R)	04/13/2026	Primary	0.0021 J	0.040	0.050	< 0.000023	--	0.024	0.0047	0.0026 J	4.0
M67-LBFR1	04/09/2026	Primary	0.0012 J	0.040	0.050	0.000060 J	0.0016	0.0020	0.0011	< 0.0023	0.050
M16-GU(R)	04/14/2026	Primary	0.0015 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0068	< 0.0023	4.0
M17-GL	04/14/2026	Primary	0.00043 J	0.040	0.050	< 0.000023	--	0.024	0.00026 J	< 0.0023	4.0
M24-O	04/14/2026	Primary	0.0072	0.040	0.050	< 0.000023	0.0016	0.0020	0.0011	< 0.0023	4.0
M24-O	04/14/2026	Duplicate	0.0064	0.040	0.050	< 0.000023	0.0016	0.0020	0.00097	< 0.0023	4.0
M25-UBF	04/14/2026	Primary	0.0022 J	0.040	0.050	< 0.000023	--	0.024	0.0073	< 0.0023	4.0
M14-GL	04/15/2026	Primary	0.0012 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0026	0.0084 J	4.0
M15-GU	04/13/2026	Primary	0.0016 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0037	< 0.0023	4.0
M22-O	04/16/2026	Primary	0.0016 J	0.040	0.050	< 0.00012	--	0.024	0.0038	< 0.0023	4.0
M22-O	04/16/2026	Duplicate	0.0029 J	0.040	0.050	< 0.00012	--	0.024	0.0029	< 0.0023	4.0
M23-UBF	04/15/2026	Primary	0.0018 J	0.040	0.050	< 0.000023	--	0.024	0.0064	< 0.0023	4.0
M70-LBF	04/13/2026	Primary	0.00061 J	0.040	0.050	< 0.00023	0.0016	0.0020	0.0022	0.0069 J	0.050
M71-UBF	04/13/2026	Primary	0.0019 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0050	< 0.0023	0.050
M6-GU	04/20/2026	Primary	0.00073 J	0.027	0.050	< 0.000023	0.0016	0.0020	0.00042 J	< 0.0023	2.5
M7-GL	04/20/2026	Primary	0.00083 J	0.027	0.050	0.000030 J	0.0016	0.0020	0.00060	< 0.0023	2.5
M8-O	04/23/2026	Primary	< 0.00025	0.040	0.050	< 0.000023	0.0016	0.0020	0.0018	< 0.0023	4.0
M26-O	05/26/2026	Primary	0.0030	0.040	0.050	< 0.000023	0.0016	0.0020	0.013	0.0028 J	4.0
M27-LBF	04/21/2026	Primary	0.0024 J	0.040	0.050	< 0.000023	--	0.024	0.0030	< 0.0023	4.0
M28-LBF	04/21/2026	Primary	0.00068 J	0.040	0.050	< 0.000023	--	0.024	0.00069	< 0.0023	4.0
M29-UBF	04/21/2026	Primary	0.0020 J	0.040	0.050	< 0.000023	--	0.024	0.0046	< 0.0023	4.0
M62-LBF	04/16/2026	Primary	0.0017 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0027	0.0044 J	0.050
O19-GL	04/15/2026	Primary	0.0013 J	0.040	0.050	< 0.000023	--	0.024	0.0045	< 0.0023	4.0
P19-1-O	04/15/2026	Primary	0.0023 J	0.040	0.050	< 0.000023	--	0.024	0.0025	< 0.0023	4.0
M19-LBF	04/16/2026	Primary	0.00074 J	0.040	0.050	< 0.000023	--	0.024	0.0029	< 0.0023	4.0
M20-O(R)	04/22/2026	Primary	0.0028	0.040	0.050	< 0.000023	--	0.024	0.0030	< 0.0023	4.0
M20-O(R)	04/22/2026	Duplicate	0.0028	0.040	0.050	< 0.000023	--	0.024	0.0029	< 0.0023	4.0
M21-UBF	04/16/2026	Primary	0.0012 J	0.040	0.050	< 0.00012	--	0.024	0.0046	< 0.0023	4.0
M30-O	04/28/2026	Primary	0.0016 J	0.040	0.050	< 0.000023	--	0.024	0.0055	< 0.0023	4.0
M31-LBF	04/28/2026	Primary	0.0019 J	0.040	0.050	0.000035 J	--	0.024	0.0038	< 0.0023	4.0
M63-LBF	04/22/2026	Primary	0.00065 J	0.040	0.050	< 0.000047	0.0016	0.0020	0.0050	< 0.0023	0.050
M63-LBF ⁽¹⁾	05/27/2026	Primary	--	0.040	0.050	--	0.0016	0.0020	--	--	0.050
M64-LBF	04/27/2026	Primary	0.00060 J	0.040	0.050	0.000061 J	0.0016	0.0020	0.0021	< 0.0023	0.050
M64-LBF ⁽¹⁾	06/01/2026	Primary	--	0.040	0.050	--	0.0016	0.0020	--	--	0.050
M74-O	04/27/2026	Primary	0.00037 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0013	0.0060 J	0.050
M74-O ⁽¹⁾	06/01/2026	Primary	--	0.040	0.050	--	0.0016	0.0020	--	--	0.050
M75-UBF	04/27/2026	Primary	0.0022 J	0.040	0.050	0.000043 J	0.0016	0.0020	0.0047	< 0.0023	0.050
M2-GU	04/07/2026	Primary	0.0019 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0052	< 0.0023	2.5
M3-GL	04/07/2026	Primary	0.0012 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0056	0.0024 J	2.5
M4-O	04/07/2026	Primary	0.0016 J	0.027	0.050	< 0.000023	0.0016	0.0020	0.0015	< 0.0023	2.5
M4-O	04/07/2026	Duplicate	0.0014 J	0.027	0.050	< 0.000023	0.0016	0.0020	0.0015	< 0.0023	2.5
M65-LBF	04/08/2026	Primary	0.00031 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0065	0.0024 J	0.050
M65-LBF ⁽¹⁾	05/06/2026	Primary	--	0.040	0.050	--	0.0016	0.0020	--	--	0.050
M76-O	04/08/2026	Primary	0.00050 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0046	< 0.0023	0.050
M77-UBF	04/13/2026	Primary	0.0012 J	0.040	0.050	0.000026 J	0.0016	0.0020	0.0053	0.0037 J	0.050
M73-LBF	04/14/2026	Primary	0.0014 J	0.040	0.050	< 0.000023	0.0016	0.0020	0.0087	< 0.0023	0.050
Arizona Aquifer Water Quality Standard ⁽²⁾			0.05			0.002			--	--	

Notes:
(1) Verification sample.
(2) Arizona Aquifer Water Quality Standard (AWQS),
Drinking Water Standard, Aug 4, 2025.
(3) Total (i.e., non-speciated) dissolved chromium
Detects are **bolded**.
All wells are permitted under both the APP and UIC Permit
with the exception of M52-UBF, which is only permitted
under the APP.
Non-detects are reported to the laboratory method
detection limit (< MDL).
AL = Alert level
AQL = Aquifer Quality Limit
J = estimated value
mg/L = milligrams per liter
Indicates an exceedance of an alert level.

APPENDIX 5C-A
Data Quality Assurance/Quality
Control Summary Memorandum



HALEY & ALDRICH, INC.
201 East Washington Street
Suite 1795
Phoenix, AZ 85004
602.760.2450

MEMORANDUM

July 30, 2026
File No. 133887-021

PREPARED BY: Haley & Aldrich, Inc.
Alexis Rainery, P.E. Technical Specialist
Hannah Cherry, Project Scientist
Laura Menken, R.G., Project Manager

SUBJECT: Appendix 5C-A – Data Quality Assurance/Quality Control Summary

Analytical results for environmental samples collected during the second quarter 2026 compliance monitoring event were verified in accordance with guidance provided by the U.S. Environmental Protection Agency (USEPA; 2012¹). For each laboratory data package, the following quality assurance/quality control criteria from the analysis of the project samples were reviewed:

- Completeness with the chain of custody (COC);
- Comparison of reporting limits to alert levels (AL) and aquifer quality limits (AQL);
- Holding times/preservation;
- Blank sample analysis;
- Surrogate recovery compliance;
- Laboratory control samples;
- Matrix spike samples;
- Laboratory and field duplicate sample analysis; and
- Verification of laboratory report data.

Sample data were qualified by the laboratory in accordance with laboratory standard operating procedures (SOPs). Based on a check of the data qualifiers assigned to the project sample results, these flags were applied to the reported results in accordance with the laboratory-specific SOP.

¹ USEPA, 2012. USEPA Region 9 Guidance for Quality Assurance Program Plans, R9QA/03.2. March.

COMPLETENESS WITH CHAIN OF CUSTODY

Samples were collected, preserved, and shipped following standard COC protocol. Samples were also received appropriately, identified correctly, and analyzed according to the COC. COCs were appropriately signed and dated by the field and/or laboratory personnel with the following exceptions:

- For laboratory reports 26D0232, 26D0324, 26D0478, 26D0519, 26D0557, 26D0592, and 26D0632, the laboratory did not document the presence of a custody seal; however, a custody seal is present in photographic documentation of the cooler before it was transported to the laboratory. Samples were accepted by the laboratory and the data are usable.
- Laboratory reports 26D0291, 26D0232, 26D0632, 26D0324, and 26D0432 were revised by Eurofins to remove analytes that were not requested.
- On April 8, 2026, laboratory report 26D0291 was revised by Turner Laboratories to report reanalysis of manganese for M65-LBF-040826.
- On April 28, 2026, laboratory report 26D0732 was revised by Turner Laboratories to remove duplicate dissolved manganese results for M31-LBF-042826 and M30-O-042826 analyzed using USEPA Method 200.7. Dissolved manganese is still reported based on analysis using USEPA 200.8, consistent with previous reporting.
- On May 6, 2026, laboratory report 26E0201 was revised by Turner Laboratories to add dissolved manganese for M65-LBF-050626E.
- For laboratory reports 26D0324 and 26D0659, a trip blank was listed on the COC with requested organics analysis; however, a trip blank was not documented on the work order sample summary, and no analytical results were provided.

REPORTING LIMITS

The reporting limits and/or method detection limits were at or below the applicable ALs and AQLs.

HOLDING TIMES/PRESERVATION

The samples arrived at the laboratory at the proper temperature and were prepared and analyzed within the holding time and preservation criteria specified as in accordance with each method protocol with the following exceptions:

- All samples analyzed for pH by method SM 4500-H+B were analyzed outside the hold time by the laboratory per client request.
- For laboratory report 26D0232, samples M4-O-040726, M3-GL-040726, and M2-GU-040726 were properly preserved for volatile organic compounds (VOC), but the pH was outside the required criteria for method 8015D. However, sample preparation was within the seven-day timeframe appropriate for unpreserved samples.

- Coolers associated with laboratory reports 26D0232, 26D0432, 26D0478, 26D0519, 26D0592, 26D0659, 26D0701, and 26D0732 were received warm at temperatures between 6.4 and 10.3 degrees Celsius (°C). Each cooler was delivered to the laboratory on the day of sample collection, within approximately three hours after field staff relinquished custody. Field staff placed the samples on ice immediately after collection; however, the samples remained above 6 °C at laboratory receipt due to warm conditions at the facility and the short timeframe between collection and delivery.

Laboratory Report	Method	Matrix	Holding Time	Preservation	Sample ID, Violation, Qualification
26D0232	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 6.5°C: M4-O-040726, M4-O-040726-Dup, M3-GL-040726, M2-GU-040726, Trip Blank
26D0432	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 10.3°C: M24-O-041426, M24-O-041426-DUP, M25-UBF-041426, M17-GL-041426, M73-LBF-041426, M16-GU(R)-041426, Trip
26D0478	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 8.2°C: M14-GL-041526, M23-UBF-041526, O19-GL-041526, P19-1-O-041526, Trip Blank
26D0519	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 7.0°C: M22-O-041626, M22-O-041626-Dup, M62-LBF-041626, M21-UBF-041626, M19-LBF-041626, Trip Blank
26D0592	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 8.9°C: M29-UBF-042126, M27-LBF-042126, M28-LBF-042126, Trip Blank
26D0659	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following sample was received warm at 7.0°C: M8-O-042326
26D0701	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 8.1°C: M74-O-042726, M64-LBF-042726 M75-UBF-042726, Trip Blank
26D0732	All	Water	Various	Cool to ≤ 6 °C	The cooler containing the following samples were received warm at 6.4°C: M31-LBF-042826, M30-O-042826, Trip Blank
26D0519	USEPA 300.0	Water	48 hours	Cool to ≤ 6 °C	The following sample was reanalyzed for nitrate past the holding time due to required dilution:

Laboratory Report	Method	Matrix	Holding Time	Preservation	Sample ID, Violation, Qualification
26D0592	USEPA 300.0	Water	48 hours	Cool to ≤ 6 °C	The following sample was reanalyzed for nitrate past the holding time due to required dilution: M27-LBF-042126
26D0232	USEPA 300.0	Water	48 hours	Cool to ≤ 6 °C	The following sample was reanalyzed for nitrate past the holding time due to required dilution: M2-GU-040726
26D0389	SW8260B	Water	14 days	Cool to 6 °C	The following samples were analyzed past the holding time for confirmation analysis: M70-LBF-041326, O49-GL(R)-041326 M77-UBF-041326
Notes: °C = degrees Celsius USEPA = U.S. Environmental Protection Agency					

BLANK SAMPLE ANALYSIS

Method blank samples had no detections, with the following exceptions:

Laboratory Report	Associated Sample ID(s)	Batch ID	Analyte Detected in Method Blank	Concentration (mg/L)
26D0232	M4-O-040726 M4-O-040726-Dup M3-GL-040726 M2-GU-040726 Trip Blank	2604116	Iron	0.013 J
			Sodium	1.0 J
		2604092	Benzene	0.090 J
			Toluene	0.074 J
26D0291	M1-GL-040826 M65-LBF-040826 M76-O-040826 Trip Blank	2604116	Iron	0.013 J
			Sodium	1.0 J
		2604178	Benzene	0.079 J
			Toluene	0.061 J
26D0324	P49-O-040926 P49-O-040926-DUP M67-LBFR1-040926	2604116	Iron	0.013 J
			Sodium	1.0 J
		2604178	Benzene	0.079 J
			Toluene	0.061 J
26D0389	M15-GU-041326 M71-UBF-041326 M70-LBF-041326 O49-GL(R)-041326 M77-UBF-041326 Trip Blank	2604163	Iron	0.018 J
			Sodium	1.1 J
		2604178	Benzene	0.079 J
			Toluene	0.061 J

Laboratory Report	Associated Sample ID(s)	Batch ID	Analyte Detected in Method Blank	Concentration (mg/L)
26D0432	M24-O-041426 M24-O-041426-DUP M25-UBF-041426 M17-GL-041426 M73-LBF-041426 M16-GU(R)-041426 Trip Blank	2604163	Iron	0.018 J
			Sodium	1.1 J
		2604234	Iron	0.026 J
			Sodium	1.1 J
		2604247	Benzene	0.081 J
			Toluene	0.062 J
26D0478	M14-GL-041526 M23-UBF-041526 O19-GL-041526 P19-1-O-041526 Trip Blank	2604234	Iron	0.026 J
			Sodium	1.0 J
		2604262	Benzene	0.18 J
			Ethylbenzene	0.27 J
			Naphthalene	0.96 J
		2604241	Uranium	0.000041 J
26D0519	M22-O-041626 M22-O-041626-Dup M62-LBF-041626 M21-UBF-041626 M19-LBF-041626 Trip Blank	2604220	Arsenic	0.00011 J
			Beryllium	0.000015 J
		2604235	Iron	0.023 J
			Sodium	1.3 J
		2604241	Uranium	0.000041 J
		2604262	Benzene	0.18 J
			Ethylbenzene	0.27 J
			Naphthalene	0.96 J
26D0557	M6-GU-042026 M7-GL-042026 Trip Blank	2604220	Arsenic	0.00011 J
			Beryllium	0.000015 J
		2604235	Iron	0.023 J
			Sodium	1.3 J
		2604241	Uranium	0.000041 J
		2604262	Benzene	0.18 J
			Ethylbenzene	0.27 J
			Naphthalene	0.96 J
26D0592	M29-UBF-042126 M27-LBF-042126 M28-LBF-042126 Trip Blank	2605033	Sodium	1.1 J
		2605074	Beryllium	0.000017 J
			Cobalt	0.000019 J
			Thallium	0.000031 J
		2604283	Benzene	0.17 J
			Ethylbenzene	0.26 J
			Naphthalene	0.95 J

Laboratory Report	Associated Sample ID(s)	Batch ID	Analyte Detected in Method Blank	Concentration (mg/L)
26D0632	M20-O(R)-042226 M20-O(R)-042226-Dup M52-UBF-042226 M63-LBF-042226 Trip Blank	2605033	Sodium	1.1 J
		2605074	Beryllium	0.000017 J
			Cobalt	0.000019 J
			Thallium	0.000031 J
		2604283	Benzene	0.17 J
			Ethylbenzene	0.26 J
			Naphthalene	0.95 J
26D0659	M8-O-042326	2605033	Sodium	1.1 J
		2605074	Beryllium	0.000017 J
			Cobalt	0.000019 J
			Thallium	0.000031 J
		2604283	Benzene	0.17 J
			Ethylbenzene	0.26 J
			Naphthalene	0.95 J
26D0701	M74-O-042726 M64-LBF-042726 M75-UBF-042726 Trip Blank	2605034	Iron	0.0054 J
			Sodium	0.89 J
		2605074	Beryllium	0.000017 J
			Cobalt	0.000019 J
			Thallium	0.000031 J
		2605075	Beryllium	0.000022 J
			Chromium	0.000026 J
			Cobalt	0.000016 J
			Thallium	0.000054 J
26D0732	M31-LBF-042826 M30-O-042826 Trip Blank	2605034	Benzene	0.075 J
			Toluene	0.063 J
		2605075	Iron	0.0054 J
			Sodium	0.89 J
			Beryllium	0.000022 J
			Chromium	0.000026 J
			Cobalt	0.000016 J
			Thallium	0.000054 J
		2605096	Benzene	0.075 J
			Toluene	0.063 J

Laboratory Report	Associated Sample ID(s)	Batch ID	Analyte Detected in Method Blank	Concentration (mg/L)
26E0657	M26-O-052626 Trip Blank	2605183	Iron	0.0050 J
			Sodium	0.97 J
		2605198	Beryllium	0.000026 J
			Cobalt	0.000023 J
			Molybdenum	0.000034
			Nickel	0.000033 J
			Thallium	0.000028 J
		2605255	Benzene	0.41 J
			Toluene	0.37 J
Notes: mg/L = milligrams per liter Metals are reported as dissolved unless otherwise noted.				

Trip blank samples had no detections, indicating that no contamination occurred during shipping with the following exception:

- For laboratory report 26E0657, toluene was reported with an estimated value of 0.15 micrograms per liter for the trip blank.

SURROGATE RECOVERY COMPLIANCE

Surrogates, also known as system monitoring compounds, are compounds added to each sample analyzed for VOCs prior to preparing samples for determining the efficiency of the extraction procedure by evaluating the percent recovery (%R) of the compounds. The %R for each surrogate compound added to each project sample was determined to be within the laboratory specified quality control limits with the following exceptions:

Laboratory Report	Associated Sample ID(s)	Analyte	%R	Acceptable %R
26D0291	M1-GL-040826	4-Bromofluorobenzene	134%	70-130%
	M65-LBF-040826	4-Bromofluorobenzene	132%	70-130%
	Trip Blank	4-Bromofluorobenzene	135%	70-130%
26D0324	P49-O-040926	4-Bromofluorobenzene	137%	70-130%
	P49-O-040926-DUP	4-Bromofluorobenzene	133%	70-130%
	M67-LBFR1-040926	4-Bromofluorobenzene	136%	70-130%
26D0389	M15-GU-041326	4-Bromofluorobenzene	137%	70-130%
	M71-UBF-041326	4-Bromofluorobenzene	136%	70-130%
26D0432	M24-O-041426	4-Bromofluorobenzene	139%	70-130%
	M24-O-041426-DUP	4-Bromofluorobenzene	138%	70-130%
	M25-UBF-041426	4-Bromofluorobenzene	136%	70-130%
	M17-GL-041426	4-Bromofluorobenzene	138%	70-130%
	M73-LBF-041426	4-Bromofluorobenzene	141%	70-130%
	M16-GU(R)-041426	4-Bromofluorobenzene	142%	70-130%

Laboratory Report	Associated Sample ID(s)	Analyte	%R	Acceptable %R
	Trip Blank	4-Bromofluorobenzene	144%	70-130%
26D0592	M29-UBF-042126	Dibromofluoromethane	136%	70-130%
	M27-LBF-042126	Dibromofluoromethane	131%	70-130%
26D0632	M63-LBF-042226	Dibromofluoromethane	134%	70-130%
26D0659	M8-O-042326	Dibromofluoromethane	141%	70-130%
Notes: % = percent %R = percent recovery				

LABORATORY CONTROL AND MATRIX SPIKE SAMPLES

The laboratory control sample/laboratory control sample duplicate analyses are used to assess the precision and accuracy of the analytical method independent of matrix interferences. Matrix spike/matrix spike duplicate data are used to assess the precision and accuracy of the analytical method and evaluate the effects of the sample matrix on the sample preparation procedures and measurement methodologies. Compounds associated with the laboratory control sample, laboratory control duplicate sample, matrix spike, and matrix spike duplicate analyses exhibited recoveries and relative percent differences (RPDs) within the specified limits with the following exceptions:

Laboratory Report	Associated Sample ID(s)	Sample Type	Method	Batch ID	Analyte	%R, RPD	Acceptable %R, RPD
26D0389	M70-LBF-041326	MS	USEPA E200.8	2604160	Total Uranium	140%	70–130%
	O49-GL(R)-041326					144%	70–130%
26D0432	M25-UBF-041426	MS	USEPA E200.7	2604234	Calcium	64%	70–130%
					Sodium	69%	70–130%
	Potassium				134%	70–130%	
	M17-GL-041426				Potassium	132%	70–130%
Notes: % = percent %R = percent recovery MS = matrix spike RPD = relative percent difference USEPA = U.S. Environmental Protection Agency							

LABORATORY AND FIELD DUPLICATE SAMPLES

The RPDs for laboratory duplicate analysis were all below 20 percent for water (or the absolute difference rule was satisfied if detects were less than 5 times the reporting limit).

The field duplicate sample analysis is used to assess the precision of the field sampling procedures and analytical method. The samples collected for field duplicate analysis and the RPDs were all below 35 percent for water (or the absolute difference rule was satisfied if detects were less than 5 times the

reporting limit) unless noted below. For radiological isotopes, the normalized absolute difference for each sample pair was less than 1.96.

Primary Sample ID	Duplicate Sample ID	Methods for Which Field Duplicates Were Analyzed
M20-O(R)-042226	M20-O(R)-042226-DUP	pH by SM 4500H+ Anions by USEPA 300.0 Total Dissolved Solids by SM2540C Alkalinity by SM2320B Mercury by E245.1 Silica by SM4500-SIO2-C Metals by USEPA 200.7 and USEPA 200.8 Gross Alpha by 600/00-02 Gross Beta by E900 Radium 226 + 228 by 903/Gamma Ray HPGE Radon-222 by SM7500-RN Uranium Isotopes (Activity) by ASTM 6239 Extractable Fuel Hydrocarbons by USEPA 8015D Volatile Organic Compounds by USEPA 8260B
P49-O-040926	P49-O-040926-DUP	
M22-O-041626	M22-O-041626-DUP	
M24-O-041426	M24-O-041426-DUP	
M4-O-040726	M4-O-040726-DUP	
Notes: SM = Standard Method USEPA = U.S. Environmental Protection Agency		

VERIFICATION OF LABORATORY REPORT DATA

A minimum of 10 percent of the data reported by the laboratory were verified against the electronic data deliverables.

\\haleyaldrich.com\share\phx_common\Projects\Florence Copper\133887 Quarterly Monitoring\Deliverables\2Q 2026 Reports\Attachments\UIC 5C - Quarterly Compliance Monitoring Report\Appendix A UIC QA_QC Summary Q2 2026_D5.docx

ATTACHMENT 6

6A. Results of Monthly Injectate Organic Analysis

6B. Results of Monitoring Required if Injection Fluid is Modified

ATTACHMENT 6A

Results of Monthly Injectate Organic Analysis

Q2 2026 MONTHLY INJECTATE RESULTS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 6A-1. Q2 2026 Monthly Injectate Monitoring Results

Analyte	Units	Sample Date		
		4/8/2026	5/11/2026	6/1/2026
Benzene	mg/L	< 0.00050	< 0.00050	< 0.00050
Ethylbenzene	mg/L	0.0027	0.0016	0.0013
Napthalene	mg/L	0.11	0.087	0.085
n-Octane	mg/L	< 0.00050	< 0.00050	< 0.00050
Toluene	mg/L	0.0017	0.00056	0.00037
Xylenes, Total	mg/L	0.011	0.0089	0.00013
TPH-Diesel	mg/L	2.2	1.7	1.6
Total Organics	mg/L	2.31	1.80	1.69
Maximum Allowable Average Total Organics	mg/L	10	10	10

Notes:*J = estimated**mg/L = milligrams per liter**TPH = total petroleum hydrocarbons*

ATTACHMENT 6B

Results of Monitoring Required if Injection Fluid is Modified

(Placeholder – Not Applicable for this Monitoring Period)

ATTACHMENT 7

Results of Mechanical Integrity Testing

(Placeholder – Not Applicable for this Monitoring Period)

ATTACHMENT 8

Analytical Results for Monthly Treated Water Samples

(Placeholder - Not Applicable for this Monitoring Period)

ATTACHMENT 9

Block Monitoring Well Conductivity Results

Q2 2026 BLOCK MONITORING WELL CONDUCTIVITY RESULTS

FLORENCE COPPER LLC

FLORENCE, ARIZONA

Table 9-1. Block Monitoring Well Conductivity Results

Analyte	Date	Conductivity (μ S/cm)
BMW-36L	6/30/2026	1582.17
BMW-37L	6/30/2026	913.11
BMW-46F	6/30/2026	785.97
BMW-46U	6/30/2026	1315.68
BMW-53L	6/30/2026	1706.12
BMW-54L	6/30/2026	708.26
BMW-62U	6/30/2026	1415.53
BMW-63U	6/30/2026	1432.20
M72-UBF	6/30/2026	NA
Alert Level		18,119

Notes: *μ S/cm = microSiemens per centimeter**BMW = Block Monitoring Well**M72-UBF acts as a BMW in resource block 045*

ATTACHMENT 10

Summary of Plugging and Abandonment Activity

(Placeholder – Not Applicable for this Monitoring Period)

ATTACHMENT 11

Summary of Rinsing and Closure Operations

(Placeholder - Not Applicable for this Monitoring Period)

ATTACHMENT 12

Table of Monthly Casing Annulus and Injection Pressures

Table 13-1. Skid 1 - April Daily Injection Pressures

Date	140141			142139			142141R			142143			144137			144139			144141			146137			146139			146141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
4/1/2026	NA	NA	NA	NA	NA	NA	116.38	116.00	116.75	84.74	0.52	108.19	NA	NA	NA	0.77	0.76	0.79	NA	NA	NA	NA	NA	NA	116.38	116.00	116.75	NA	NA	NA
4/2/2026	1.99	0.00	92.68	NA	NA	NA	116.37	115.91	116.86	NA	NA	NA	NA	NA	NA	1.71	0.76	78.82	NA	NA	NA	NA	NA	NA	116.37	115.91	116.86	NA	NA	NA
4/3/2026	NA	NA	NA	NA	NA	NA	116.38	115.98	116.73	NA	NA	NA	NA	NA	NA	28.32	0.75	94.07	NA	NA	NA	NA	NA	NA	116.38	115.98	116.73	NA	NA	NA
4/4/2026	NA	NA	NA	NA	NA	NA	116.37	115.86	117.01	NA	NA	NA	NA	NA	NA	81.06	70.50	85.73	NA	NA	NA	NA	NA	NA	116.37	115.86	117.01	NA	NA	NA
4/5/2026	NA	NA	NA	NA	NA	NA	116.38	115.81	117.03	NA	NA	NA	NA	NA	NA	71.43	70.30	74.23	NA	NA	NA	NA	NA	NA	116.38	115.81	117.03	NA	NA	NA
4/6/2026	NA	NA	NA	NA	NA	NA	116.38	115.78	116.98	NA	NA	NA	NA	NA	NA	73.31	71.75	74.59	NA	NA	NA	NA	NA	NA	116.38	115.78	116.98	NA	NA	NA
4/7/2026	NA	NA	NA	NA	NA	NA	116.40	115.83	117.16	NA	NA	NA	NA	NA	NA	73.86	71.78	75.44	NA	NA	NA	NA	NA	NA	116.40	115.83	117.16	NA	NA	NA
4/8/2026	NA	NA	NA	NA	NA	NA	116.35	115.69	117.05	NA	NA	NA	NA	NA	NA	98.05	71.49	117.46	NA	NA	NA	NA	NA	NA	116.35	115.69	117.05	NA	NA	NA
4/9/2026	NA	NA	NA	NA	NA	NA	105.70	1.09	117.11	NA	NA	NA	NA	NA	NA	104.58	0.77	117.95	NA	NA	NA	NA	NA	NA	105.70	1.09	117.11	NA	NA	NA
4/10/2026	NA	NA	NA	NA	NA	NA	116.18	62.53	116.85	91.29	0.77	125.49	NA	NA	NA	100.39	0.78	121.46	NA	NA	NA	NA	NA	NA	116.18	62.53	116.85	NA	NA	NA
4/11/2026	NA	NA	NA	NA	NA	NA	116.38	115.85	116.87	NA	NA	NA	NA	NA	NA	76.37	0.76	123.83	NA	NA	NA	NA	NA	NA	116.38	115.85	116.87	NA	NA	NA
4/12/2026	NA	NA	NA	NA	NA	NA	116.37	115.89	116.99	NA	NA	NA	37.87	21.73	111.78	24.55	0.76	124.48	NA	NA	NA	NA	NA	NA	116.37	115.89	116.99	NA	NA	NA
4/13/2026	NA	NA	NA	NA	NA	NA	116.38	115.66	116.92	NA	NA	NA	35.01	23.60	44.11	107.76	105.44	114.43	NA	NA	NA	NA	NA	NA	116.38	115.66	116.92	NA	NA	NA
4/14/2026	NA	NA	NA	NA	NA	NA	116.38	115.78	117.05	NA	NA	NA	34.93	21.41	58.76	105.82	103.93	107.65	NA	NA	NA	NA	NA	NA	116.38	115.78	117.05	NA	NA	NA
4/15/2026	NA	NA	NA	NA	NA	NA	116.37	115.58	117.19	120.30	0.76	132.81	46.28	3.05	68.04	112.74	0.75	123.02	NA	NA	NA	NA	NA	NA	116.37	115.58	117.19	NA	NA	NA
4/16/2026	NA	NA	NA	NA	NA	NA	116.39	115.60	117.22	124.57	124.07	124.85	NA	NA	NA	121.62	121.02	121.97	NA	NA	NA	NA	NA	NA	116.39	115.60	117.22	NA	NA	NA
4/17/2026	NA	NA	NA	NA	NA	NA	92.39	1.10	117.02	60.63	0.72	124.90	NA	NA	NA	37.24	0.77	121.29	NA	NA	NA	NA	NA	NA	92.39	1.10	117.02	NA	NA	NA
4/18/2026	NA	NA	NA	NA	NA	NA	103.15	101.10	104.59	103.84	103.03	104.76	NA	NA	NA	0.78	0.77	0.80	NA	NA	NA	NA	NA	NA	103.15	101.10	104.59	NA	NA	NA
4/19/2026	NA	NA	NA	NA	NA	NA	107.26	104.28	109.74	104.53	103.80	105.31	NA	NA	NA	4.88	0.77	11.67	NA	NA	NA	NA	NA	NA	107.26	104.28	109.74	NA	NA	NA
4/20/2026	NA	NA	NA	NA	NA	NA	103.52	1.10	110.31	96.85	0.93	109.13	NA	NA	NA	9.42	0.78	17.19	NA	NA	NA	NA	NA	NA	103.52	1.10	110.31	NA	NA	NA
4/21/2026	NA	NA	NA	NA	NA	NA	100.04	1.10	112.48	50.25	0.74	126.35	NA	NA	NA	18.10	17.19	18.75	NA	NA	NA	NA	NA	NA	100.04	1.10	112.48	NA	NA	NA
4/22/2026	NA	NA	NA	NA	NA	NA	100.11	1.08	115.70	75.68	0.71	127.67	NA	NA	NA	108.64	0.75	123.42	NA	NA	NA	NA	NA	NA	100.11	1.08	115.70	NA	NA	NA
4/23/2026	NA	NA	NA	NA	NA	NA	98.16	82.83	107.88	5.60	0.55	84.64	NA	NA	NA	99.78	72.26	120.06	NA	NA	NA	NA	NA	NA	98.16	82.83	107.88	NA	NA	NA
4/24/2026	NA	NA	NA	NA	NA	NA	99.95	80.90	111.20	102.33	72.12	125.29	NA	NA	NA	98.17	67.29	120.34	NA	NA	NA	NA	NA	NA	99.95	80.90	111.20	NA	NA	NA
4/25/2026	NA	NA	NA	NA	NA	NA	110.29	107.35	114.78	123.83	14.05	126.27	NA	NA	NA	119.12	67.16	120.40	NA	NA	NA	NA	NA	NA	110.29	107.35	114.78	NA	NA	NA
4/26/2026	NA	NA	NA	NA	NA	NA	113.96	111.06	115.64	124.14	123.47	124.74	NA	NA	NA	117.46	116.98	118.11	NA	NA	NA	NA	NA	NA	113.96	111.06	115.64	NA	NA	NA
4/27/2026	NA	NA	NA	NA	NA	NA	103.16	81.57	115.52	6.41	0.73	124.13	NA	NA	NA	116.34	70.31	125.82	NA	NA	NA	NA	NA	NA	103.16	81.57	115.52	NA	NA	NA
4/28/2026	NA	NA	NA	NA	NA	NA	114.29	110.52	116.99	NA	NA	NA	NA	NA	NA	103.22	101.40	104.84	NA	NA	NA	NA	NA	NA	114.29	110.52	116.99	NA	NA	NA
4/29/2026	NA	NA	NA	NA	NA	NA	108.69	1.11	119.31	NA	NA	NA	NA	NA	NA	102.57	11.55	104.79	NA	NA	NA	NA	NA	NA	108.69	1.11	119.31	NA	NA	NA
4/30/2026	NA	NA	NA	NA	NA	NA	116.60	4.34	118.28	NA	NA	NA	NA	NA	NA	105.84	103.56	107.24	NA	NA	NA	NA	NA	NA	116.60	4.34	118.28	NA	NA	NA
Alert Level	116.5	116.5	116.5	137.5	137.5	137.5	127.5	127.5	127.5	134.7	134.7	134.7	133.5	133.5	133.5	138.5	138.5	138.5	140.5	140.5	140.5	119.9	119.9	119.9	130.3	130.3	130.3	131.5	131.5	131.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-2. Skid 1 - May Daily Injection Pressures																														
Date	140141			142139			142141R			142143			144137			144139			144141			146137			146139			146141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	86.40	19.69	110.95	NA	NA	NA	NA	NA	NA	107.76	106.92	108.07	NA	NA	NA	NA	NA	NA	86.40	19.69	110.95	NA	NA	NA
5/2/2026	NA	NA	NA	NA	NA	NA	63.70	19.22	65.67	NA	NA	NA	NA	NA	NA	108.22	107.19	108.69	NA	NA	NA	NA	NA	NA	63.70	19.22	65.67	NA	NA	NA
5/3/2026	NA	NA	NA	NA	NA	NA	65.96	65.23	66.41	NA	NA	NA	NA	NA	NA	108.95	108.50	109.61	NA	NA	NA	NA	NA	NA	65.96	65.23	66.41	NA	NA	NA
5/4/2026	63.04	1.32	109.86	NA	NA	NA	89.14	63.50	104.94	NA	NA	NA	NA	NA	NA	122.25	109.56	125.61	NA	NA	NA	NA	NA	NA	89.14	63.50	104.94	NA	NA	NA
5/5/2026	NA	NA	NA	13.75	0.00	129.35	103.72	102.86	105.01	NA	NA	NA	NA	NA	NA	124.27	123.35	125.00	NA	NA	NA	NA	NA	NA	103.72	102.86	105.01	NA	NA	NA
5/6/2026	NA	NA	NA	0.97	0.00	5.87	104.31	103.43	105.47	NA	NA	NA	NA	NA	NA	125.12	123.62	125.82	NA	NA	NA	NA	NA	NA	104.31	103.43	105.47	NA	NA	NA
5/7/2026	NA	NA	NA	0.00	0.00	2.40	113.59	104.98	113.89	NA	NA	NA	NA	NA	NA	125.68	124.99	126.04	NA	NA	NA	NA	NA	NA	113.59	104.98	113.89	NA	NA	NA
5/8/2026	NA	NA	NA	NA	NA	NA	113.77	113.54	113.97	NA	NA	NA	NA	NA	NA	124.59	124.19	125.13	NA	NA	NA	NA	NA	NA	113.77	113.54	113.97	NA	NA	NA
5/9/2026	NA	NA	NA	NA	NA	NA	113.94	113.71	114.19	NA	NA	NA	NA	NA	NA	124.23	124.09	124.36	NA	NA	NA	NA	NA	NA	113.94	113.71	114.19	NA	NA	NA
5/10/2026	NA	NA	NA	NA	NA	NA	114.18	113.38	114.87	NA	NA	NA	NA	NA	NA	124.27	124.10	124.41	NA	NA	NA	NA	NA	NA	114.18	113.38	114.87	NA	NA	NA
5/11/2026	NA	NA	NA	NA	NA	NA	113.42	113.11	113.71	NA	NA	NA	NA	NA	NA	124.22	124.09	124.37	NA	NA	NA	NA	NA	NA	113.42	113.11	113.71	NA	NA	NA
5/12/2026	NA	NA	NA	NA	NA	NA	111.96	85.52	114.19	NA	NA	NA	NA	NA	NA	124.28	123.62	124.73	NA	NA	NA	NA	NA	NA	111.96	85.52	114.19	NA	NA	NA
5/13/2026	NA	NA	NA	NA	NA	NA	110.09	108.97	113.05	NA	NA	NA	NA	NA	NA	67.84	0.76	126.66	NA	NA	NA	NA	NA	NA	110.09	108.97	113.05	NA	NA	NA
5/14/2026	NA	NA	NA	NA	NA	NA	110.36	108.39	112.14	NA	NA	NA	NA	NA	NA	0.78	0.76	0.80	NA	NA	NA	NA	NA	NA	110.36	108.39	112.14	NA	NA	NA
5/15/2026	NA	NA	NA	NA	NA	NA	112.40	109.46	118.08	NA	NA	NA	NA	NA	NA	0.78	0.76	0.80	NA	NA	NA	NA	NA	NA	112.40	109.46	118.08	NA	NA	NA
5/16/2026	NA	NA	NA	NA	NA	NA	88.23	1.08	121.06	NA	NA	NA	NA	NA	NA	0.77	0.74	0.79	NA	NA	NA	NA	NA	NA	88.23	1.08	121.06	NA	NA	NA
5/17/2026	NA	NA	NA	NA	NA	NA	100.24	98.51	101.63	NA	NA	NA	NA	NA	NA	0.76	0.75	0.78	NA	NA	NA	NA	NA	NA	100.24	98.51	101.63	NA	NA	NA
5/18/2026	NA	NA	NA	NA	NA	NA	101.04	100.73	101.25	NA	NA	NA	NA	NA	NA	0.76	0.75	0.78	NA	NA	NA	NA	NA	NA	101.04	100.73	101.25	NA	NA	NA
5/19/2026	NA	NA	NA	NA	NA	NA	102.04	101.04	103.07	NA	NA	NA	NA	NA	NA	0.76	0.75	0.78	NA	NA	NA	NA	NA	NA	102.04	101.04	103.07	NA	NA	NA
5/20/2026	NA	NA	NA	NA	NA	NA	102.94	102.45	103.19	NA	NA	NA	NA	NA	NA	0.76	0.75	0.78	NA	NA	NA	NA	NA	NA	102.94	102.45	103.19	NA	NA	NA
5/21/2026	NA	NA	NA	NA	NA	NA	97.87	1.08	103.21	NA	NA	NA	NA	NA	NA	0.75	0.73	0.77	NA	NA	NA	NA	NA	NA	97.87	1.08	103.21	NA	NA	NA
5/22/2026	NA	NA	NA	NA	NA	NA	103.67	102.52	104.09	NA	NA	NA	NA	NA	NA	0.75	0.74	0.77	NA	NA	NA	NA	NA	NA	103.67	102.52	104.09	NA	NA	NA
5/23/2026	NA	NA	NA	NA	NA	NA	75.91	1.12	104.21	NA	NA	NA	NA	NA	NA	0.75	0.73	0.78	NA	NA	NA	NA	NA	NA	75.91	1.12	104.21	NA	NA	NA
5/24/2026	NA	NA	NA	NA	NA	NA	70.00	39.73	113.80	NA	NA	NA	NA	NA	NA	0.74	0.73	0.77	NA	NA	NA	NA	NA	NA	70.00	39.73	113.80	NA	NA	NA
5/25/2026	NA	NA	NA	NA	NA	NA	112.93	111.90	114.17	NA	NA	NA	NA	NA	NA	0.74	0.73	0.76	NA	NA	NA	NA	NA	NA	112.93	111.90	114.17	NA	NA	NA
5/26/2026	NA	NA	NA	NA	NA	NA	111.59	108.54	113.83	NA	NA	NA	NA	NA	NA	0.73	0.72	0.75	NA	NA	NA	NA	NA	NA	111.59	108.54	113.83	NA	NA	NA
5/27/2026	NA	NA	NA	NA	NA	NA	107.98	106.45	109.57	NA	NA	NA	NA	NA	NA	0.73	0.72	0.74	NA	NA	NA	NA	NA	NA	107.98	106.45	109.57	NA	NA	NA
5/28/2026	NA	NA	NA	NA	NA	NA	109.30	107.35	112.60	NA	NA	NA	NA	NA	NA	0.72	0.71	0.74	NA	NA	NA	NA	NA	NA	109.30	107.35	112.60	NA	NA	NA
5/29/2026	NA	NA	NA	NA	NA	NA	113.10	111.93	114.41	NA	NA	NA	NA	NA	NA	0.72	0.71	0.73	NA	NA	NA	NA	NA	NA	113.10	111.93	114.41	NA	NA	NA
5/30/2026	NA	NA	NA	NA	NA	NA	114.76	112.78	115.51	NA	NA	NA	NA	NA	NA	0.72	0.71	0.73	NA	NA	NA	NA	NA	NA	114.76	112.78	115.51	NA	NA	NA
5/31/2026	NA	NA	NA	NA	NA	NA	114.45	27.58	116.62	NA	NA	NA	NA	NA	NA	0.72	0.71	0.74	NA	NA	NA	NA	NA	NA	114.45	27.58	116.62	NA	NA	NA
Alert Level	116.5	116.5	116.5	137.5	137.5	137.5	127.5	127.5	127.5	134.7	134.7	134.7	133.5	133.5	133.5	138.5	138.5	138.5	140.5	140.5	140.5	119.9	119.9	119.9	130.3	130.3	130.3	131.5	131.5	131.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-3. Skid 1 - June Daily Injection Pressures

Date	140141			142139			142141R			142143			144137			144139			144141			146137			146139			146141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	114.64	111.17	116.49	108.76	0.74	124.62	NA	NA	NA	0.72	0.70	0.75	NA	NA	NA	NA	NA	NA	114.64	111.17	116.49	NA	NA	NA
6/2/2026	NA	NA	NA	NA	NA	NA	116.88	115.87	117.31	120.64	116.42	121.23	NA	NA	NA	0.73	0.71	0.74	NA	NA	NA	NA	NA	NA	116.88	115.87	117.31	NA	NA	NA
6/3/2026	NA	NA	NA	NA	NA	NA	105.49	1.11	117.74	110.29	0.74	121.54	NA	NA	NA	0.72	0.68	0.74	NA	NA	NA	NA	NA	NA	105.49	1.11	117.74	NA	NA	NA
6/4/2026	NA	NA	NA	NA	NA	NA	111.17	110.80	111.61	117.64	117.01	118.60	NA	NA	NA	0.71	0.70	0.73	NA	NA	NA	NA	NA	NA	111.17	110.80	111.61	NA	NA	NA
6/5/2026	NA	NA	NA	NA	NA	NA	111.60	108.18	114.91	109.89	55.64	119.62	NA	NA	NA	0.70	0.68	0.72	NA	NA	NA	NA	NA	NA	111.60	108.18	114.91	NA	NA	NA
6/6/2026	NA	NA	NA	NA	NA	NA	102.57	1.10	115.39	53.29	18.26	56.48	NA	NA	NA	0.68	0.67	0.71	NA	NA	NA	NA	NA	NA	102.57	1.10	115.39	NA	NA	NA
6/7/2026	NA	NA	NA	NA	NA	NA	117.37	114.43	118.34	57.09	55.00	59.52	NA	NA	NA	0.68	0.67	0.70	NA	NA	NA	NA	NA	NA	117.37	114.43	118.34	NA	NA	NA
6/8/2026	NA	NA	NA	NA	NA	NA	117.47	116.55	118.46	60.49	59.47	61.22	NA	NA	NA	0.67	0.66	0.69	NA	NA	NA	NA	NA	NA	117.47	116.55	118.46	NA	NA	NA
6/9/2026	NA	NA	NA	NA	NA	NA	116.69	105.97	118.58	97.16	60.92	125.61	NA	NA	NA	0.67	0.65	0.70	NA	NA	NA	NA	NA	NA	116.69	105.97	118.58	NA	NA	NA
6/10/2026	NA	NA	NA	NA	NA	NA	117.51	116.60	118.37	124.14	123.15	125.05	NA	NA	NA	0.68	0.66	0.70	NA	NA	NA	NA	NA	NA	117.51	116.60	118.37	NA	NA	NA
6/11/2026	NA	NA	NA	NA	NA	NA	111.51	22.09	119.48	123.70	56.30	126.41	NA	NA	NA	17.05	0.66	126.89	NA	NA	NA	NA	NA	NA	111.51	22.09	119.48	NA	NA	NA
6/12/2026	NA	NA	NA	NA	NA	NA	84.62	1.11	106.70	101.79	0.72	125.20	NA	NA	NA	27.64	0.75	118.87	NA	NA	NA	NA	NA	NA	84.62	1.11	106.70	NA	NA	NA
6/13/2026	NA	NA	NA	NA	NA	NA	104.09	103.85	104.33	124.14	123.18	125.22	NA	NA	NA	0.76	0.69	0.82	NA	NA	NA	NA	NA	NA	104.09	103.85	104.33	NA	NA	NA
6/14/2026	NA	NA	NA	NA	NA	NA	94.81	1.10	104.60	115.45	0.73	127.48	NA	NA	NA	0.72	0.64	0.82	NA	NA	NA	NA	NA	NA	94.81	1.10	104.60	NA	NA	NA
6/15/2026	NA	NA	NA	NA	NA	NA	90.46	1.10	107.06	74.58	0.73	127.44	NA	NA	NA	8.81	0.64	56.31	NA	NA	NA	NA	NA	NA	90.46	1.10	107.06	NA	NA	NA
6/16/2026	NA	NA	NA	NA	NA	NA	65.58	1.10	105.67	49.62	0.73	82.29	NA	NA	NA	33.41	0.72	59.98	NA	NA	NA	NA	NA	NA	65.58	1.10	105.67	NA	NA	NA
6/17/2026	NA	NA	NA	NA	NA	NA	1.10	1.08	1.13	0.71	0.67	0.76	NA	NA	NA	0.72	0.62	0.79	NA	NA	NA	NA	NA	NA	1.10	1.08	1.13	NA	NA	NA
6/18/2026	NA	NA	NA	NA	NA	NA	1.10	1.08	1.12	0.69	0.62	0.72	NA	NA	NA	0.68	0.61	0.78	NA	NA	NA	NA	NA	NA	1.10	1.08	1.12	NA	NA	NA
6/19/2026	NA	NA	NA	NA	NA	NA	1.10	1.08	1.12	0.68	0.60	0.72	NA	NA	NA	0.67	0.59	0.77	NA	NA	NA	NA	NA	NA	1.10	1.08	1.12	NA	NA	NA
6/20/2026	NA	NA	NA	NA	NA	NA	1.09	1.08	1.12	0.67	0.60	0.72	NA	NA	NA	0.66	0.58	0.76	NA	NA	NA	NA	NA	NA	1.09	1.08	1.12	NA	NA	NA
6/21/2026	NA	NA	NA	NA	NA	NA	1.09	1.07	1.12	0.67	0.58	0.71	NA	NA	NA	0.65	0.57	0.77	NA	NA	NA	NA	NA	NA	1.09	1.07	1.12	NA	NA	NA
6/22/2026	NA	NA	NA	NA	NA	NA	1.09	1.07	1.12	5.47	0.59	109.86	NA	NA	NA	0.65	0.56	0.76	NA	NA	NA	NA	NA	NA	1.09	1.07	1.12	NA	NA	NA
6/23/2026	NA	NA	NA	NA	NA	NA	36.25	1.09	57.84	54.03	0.76	109.86	NA	NA	NA	0.66	0.58	0.76	NA	NA	NA	NA	NA	NA	36.25	1.09	57.84	NA	NA	NA
6/24/2026	NA	NA	NA	NA	NA	NA	29.69	1.11	57.54	31.30	0.75	51.83	NA	NA	NA	0.65	0.59	0.75	NA	NA	NA	NA	NA	NA	29.69	1.11	57.54	NA	NA	NA
6/25/2026	NA	NA	NA	NA	NA	NA	8.34	7.11	9.24	24.40	23.48	24.96	NA	NA	NA	0.63	0.58	0.74	NA	NA	NA	NA	NA	NA	8.34	7.11	9.24	NA	NA	NA
6/26/2026	NA	NA	NA	NA	NA	NA	8.33	7.81	8.73	24.82	24.34	25.34	NA	NA	NA	0.63	0.57	0.72	NA	NA	NA	NA	NA	NA	8.33	7.81	8.73	NA	NA	NA
6/27/2026	NA	NA	NA	NA	NA	NA	11.98	8.51	14.71	26.40	24.87	27.38	NA	NA	NA	0.61	0.55	0.70	NA	NA	NA	NA	NA	NA	11.98	8.51	14.71	NA	NA	NA
6/28/2026	NA	NA	NA	NA	NA	NA	14.05	1.78	16.83	27.54	24.85	28.79	NA	NA	NA	0.59	0.53	0.68	NA	NA	NA	NA	NA	NA	14.05	1.78	16.83	NA	NA	NA
6/29/2026	NA	NA	NA	NA	NA	NA	7.92	1.10	16.97	15.01	0.72	29.46	NA	NA	NA	0.58	0.53	0.66	NA	NA	NA	NA	NA	NA	7.92	1.10	16.97	NA	NA	NA
6/30/2026	3.39	2.09	36.93	NA	NA	NA	79.51	1.09	117.93	64.97	0.72	127.37	NA	NA	NA	0.58	0.50	0.68	NA	NA	NA	NA	NA	NA	79.51	1.09	117.93	NA	NA	NA
Alert Level	116.5	116.5	116.5	137.5	137.5	137.5	127.5	127.5	127.5	134.7	134.7	134.7	133.5	133.5	133.5	138.5	138.5	138.5	140.5	140.5	140.5	119.9	119.9	119.9	130.3	130.3	130.3	131.5	131.5	131.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-4. Skid 2 - April Daily Injection Pressures

Date	134147			134149			136145			136147			136149			138143			138145			138147			138149			140143			140145			142145		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
4/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.52	0.00	82.57	NA	NA	NA	NA	NA	NA	92.26	0.36	96.55	102.46	0.00	115.16	NA	NA	NA	109.47	0.00	120.20	76.71	0.00	108.63	NA	NA	NA
4/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.16	81.69	82.88	NA	NA	NA	NA	NA	NA	96.13	95.79	96.54	106.71	105.65	108.56	NA	NA	NA	112.71	112.07	113.35	77.29	75.85	78.61	NA	NA	NA
4/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.16	81.39	82.91	NA	NA	NA	NA	NA	NA	96.14	95.74	96.55	107.82	106.33	115.27	NA	NA	NA	112.70	112.10	113.31	79.30	78.21	80.25	NA	NA	NA
4/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.15	81.62	82.73	NA	NA	NA	NA	NA	NA	96.14	95.75	96.57	115.01	114.55	115.56	NA	NA	NA	112.71	112.01	113.28	80.47	79.80	81.87	NA	NA	NA
4/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.17	81.50	82.78	NA	NA	NA	NA	NA	NA	96.14	95.74	96.69	114.99	114.50	115.44	NA	NA	NA	112.70	112.01	113.41	81.41	80.37	82.41	NA	NA	NA
4/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.17	81.54	82.84	NA	NA	NA	NA	NA	NA	96.14	95.61	96.61	115.00	114.37	115.48	NA	NA	NA	112.69	112.23	113.13	82.44	81.81	83.03	NA	NA	NA
4/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.17	81.41	82.93	NA	NA	NA	NA	NA	NA	96.14	95.67	96.56	115.00	114.45	115.61	NA	NA	NA	112.72	112.14	113.44	83.38	82.61	83.86	NA	NA	NA
4/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.15	81.40	82.83	NA	NA	NA	NA	NA	NA	96.14	95.79	96.57	114.99	114.44	115.44	NA	NA	NA	112.70	112.09	113.09	84.42	83.09	85.27	NA	NA	NA
4/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.71	1.45	82.80	NA	NA	NA	NA	NA	NA	87.59	0.00	96.76	102.46	0.00	124.07	NA	NA	NA	102.79	0.00	113.28	83.20	0.00	108.30	NA	NA	NA
4/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.85	33.98	82.96	22.27	0.00	64.59	NA	NA	NA	95.99	55.63	96.50	113.22	0.00	118.95	NA	NA	NA	112.62	0.00	113.31	42.49	0.00	104.48	NA	NA	NA
4/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.52	78.59	82.72	NA	NA	NA	NA	NA	NA	96.12	95.70	96.48	NA	NA	NA	NA	NA	NA	112.70	112.10	113.22	0.00	0.00	0.00	NA	NA	NA
4/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.08	77.13	80.56	NA	NA	NA	NA	NA	NA	96.15	95.70	96.50	NA	NA	NA	NA	NA	NA	112.70	112.23	113.22	0.12	0.00	99.16	NA	NA	NA
4/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.01	78.54	82.44	NA	NA	NA	NA	NA	NA	96.13	95.57	96.63	NA	NA	NA	NA	NA	NA	112.71	112.12	113.30	2.88	0.00	25.41	NA	NA	NA
4/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.78	77.67	81.62	NA	NA	NA	NA	NA	NA	96.13	95.62	96.51	NA	NA	NA	NA	NA	NA	112.71	111.90	113.30	11.88	10.82	12.47	NA	NA	NA
4/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.54	78.26	82.38	74.43	0.00	77.08	NA	NA	NA	96.15	95.75	96.62	NA	NA	NA	NA	NA	NA	112.69	111.99	113.32	11.03	9.78	12.35	NA	NA	NA
4/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.42	81.15	81.74	76.15	75.37	76.59	NA	NA	NA	96.14	95.75	96.53	NA	NA	NA	NA	NA	NA	112.69	112.13	113.21	10.37	9.19	10.86	NA	NA	NA
4/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.78	81.06	82.59	75.94	67.47	77.37	NA	NA	NA	96.13	95.77	96.56	NA	NA	NA	NA	NA	NA	112.69	112.03	113.33	10.25	8.95	10.87	NA	NA	NA
4/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.72	81.37	82.17	75.64	64.23	83.03	NA	NA	NA	96.13	95.68	96.54	NA	NA	NA	NA	NA	NA	116.42	112.23	120.14	10.03	9.05	10.44	NA	NA	NA
4/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.66	81.38	82.63	46.85	0.00	83.53	NA	NA	NA	96.13	95.73	96.66	NA	NA	NA	NA	NA	NA	120.22	119.49	121.24	10.10	9.29	10.46	NA	NA	NA
4/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.41	1.51	82.58	0.00	0.00	0.00	NA	NA	NA	93.07	0.00	96.56	NA	NA	NA	NA	NA	NA	116.48	40.37	132.42	10.19	9.25	12.42	NA	NA	NA
4/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.09	79.03	83.04	0.00	0.00	0.00	NA	NA	NA	96.62	92.84	97.90	NA	NA	NA	NA	NA	NA	93.15	0.00	129.59	10.25	9.52	10.50	NA	NA	NA
4/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.58	1.37	83.39	0.00	0.00	0.00	NA	NA	NA	90.66	0.00	98.15	NA	NA	NA	NA	NA	NA	77.57	0.00	88.10	10.27	0.00	18.68	NA	NA	NA
4/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	70.71	55.45	82.74	NA	NA	NA	NA	NA	NA	95.87	84.34	97.85	NA	NA	NA	NA	NA	NA	73.19	61.30	86.23	10.84	10.00	11.97	NA	NA	NA
4/24/2026	NA	NA	NA	8.16	0.00	85.13	NA	NA	NA	70.19	52.56	83.32	NA	NA	NA	NA	NA	NA	95.13	80.16	97.86	NA	NA	NA	NA	NA	NA	77.93	57.23	118.34	11.36	10.04	12.86	NA	NA	NA
4/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.06	80.78	82.99	NA	NA	NA	NA	NA	NA	97.59	97.13	97.94	NA	NA	NA	NA	NA	NA	113.63	33.09	117.82	12.17	11.20	13.08	NA	NA	NA
4/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.80	82.54	83.09	NA	NA	NA	NA	NA	NA	97.57	97.12	97.93	NA	NA	NA	NA	NA	NA	113.81	113.12	114.51	12.70	12.33	12.85	NA	NA	NA
4/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.78	81.72	83.76	NA	NA	NA	NA	NA	NA	97.58	97.10	98.06	NA	NA	NA	NA	NA	NA	108.58	102.99	114.25	12.44	11.58	13.98	NA	NA	NA
4/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	83.12	82.61	83.70	NA	NA	NA	NA	NA	NA	97.58	97.26	97.99	NA	NA	NA	NA	NA	NA	110.72	108.03	112.63	14.34	11.06	27.73	NA	NA	NA
4/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.24	12.67	83.77	NA	NA	NA	NA	NA	NA	97.03	16.05	98.01	NA	NA	NA	NA	NA	NA	107.48	55.38	114.74	10.17	8.27	27.37	NA	NA	NA
4/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	83.19	82.61	83.81	NA	NA	NA	NA	NA	NA	97.58	97.10	98.04	NA	NA	NA	NA	NA	NA	113.81	113.19	114.51	14.90	7.15	28.53	NA	NA	NA
Alert Level	88.5	88.5	88.5	89.5	89.5	89.5	96.5	96.5	96.5	90.3	90.3	90.3	105.5	105.5	105.5	107.5	107.5	107.5	105.9	105.9	105.9	103.5	103.5	103.5	105.5	105.5	105.5	123.5	123.5	123.5	122.3	122.3	122.3	135.5	135.5	135.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-5. Skid 2- May Daily Injection Pressures

Date	134147			134149			136145			136147			136149			138143			138145			138147			138149			140143			140145			142145		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.85	49.94	83.80	NA	NA	NA	NA	NA	NA	97.59	97.22	98.01	NA	NA	NA	NA	NA	NA	113.66	112.03	114.27	25.57	13.10	33.95	NA	NA	NA
5/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.63	55.16	63.86	NA	NA	NA	NA	NA	NA	97.59	97.19	98.07	NA	NA	NA	NA	NA	NA	113.67	111.12	114.59	13.75	13.28	14.45	NA	NA	NA
5/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.44	63.12	64.00	NA	NA	NA	NA	NA	NA	97.59	97.19	97.92	NA	NA	NA	NA	NA	NA	113.82	113.02	114.61	12.84	12.31	13.77	NA	NA	NA
5/4/2026	63.95	0.58	69.89	NA	NA	NA	NA	NA	NA	63.14	60.33	67.84	NA	NA	NA	NA	NA	NA	97.59	97.07	98.14	NA	NA	NA	NA	NA	NA	113.82	113.17	114.48	12.66	11.66	13.55	NA	NA	NA
5/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	61.49	60.45	63.45	NA	NA	NA	NA	NA	NA	97.58	97.10	98.07	NA	NA	NA	NA	NA	NA	113.82	113.23	114.54	12.78	10.65	13.35	NA	NA	NA
5/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.70	62.61	65.52	NA	NA	NA	NA	NA	NA	97.58	97.13	98.07	NA	NA	NA	NA	NA	NA	113.82	113.12	114.73	13.17	12.51	14.55	NA	NA	NA
5/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.76	64.47	67.01	NA	NA	NA	0.00	0.00	0.00	97.56	97.31	97.98	NA	NA	NA	NA	NA	NA	113.76	113.05	114.56	13.89	13.27	14.61	NA	NA	NA
5/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.31	66.99	67.57	NA	NA	NA	0.00	0.00	0.00	97.58	97.21	98.04	NA	NA	NA	NA	NA	NA	113.81	113.05	114.67	14.73	14.25	15.30	NA	NA	NA
5/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.71	67.25	68.21	NA	NA	NA	0.03	0.00	1.63	97.57	97.25	98.02	NA	NA	NA	NA	NA	NA	113.79	113.03	114.50	15.14	14.70	15.27	NA	NA	NA
5/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.92	65.70	67.57	NA	NA	NA	0.00	0.00	1.66	97.57	97.24	98.09	NA	NA	NA	NA	NA	NA	113.81	112.95	114.54	14.72	13.22	15.65	NA	NA	NA
5/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.77	65.39	66.25	NA	NA	NA	NA	NA	NA	97.60	96.96	98.04	NA	NA	NA	NA	NA	NA	113.81	113.00	114.58	14.07	13.76	14.29	NA	NA	NA
5/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.72	65.46	66.25	NA	NA	NA	NA	NA	NA	97.57	97.05	97.98	NA	NA	NA	NA	NA	NA	113.80	112.97	114.52	14.24	13.81	14.84	NA	NA	NA
5/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.06	59.58	67.91	NA	NA	NA	12.33	0.02	86.83	97.59	97.27	98.05	NA	NA	NA	NA	NA	NA	113.79	112.91	114.47	14.67	13.11	15.05	NA	NA	NA
5/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.52	60.48	69.11	NA	NA	NA	NA	NA	NA	97.59	97.09	98.12	NA	NA	NA	NA	NA	NA	113.79	112.92	114.74	7.47	0.00	15.91	NA	NA	NA
5/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.79	65.53	71.95	NA	NA	NA	NA	NA	NA	97.57	97.07	98.20	NA	NA	NA	NA	NA	NA	113.81	112.97	114.58	14.62	14.39	15.16	NA	NA	NA
5/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.64	71.25	71.97	NA	NA	NA	NA	NA	NA	97.59	97.12	97.99	NA	NA	NA	NA	NA	NA	113.82	112.92	114.50	14.74	14.66	14.84	NA	NA	NA
5/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.43	71.41	74.32	NA	NA	NA	NA	NA	NA	97.59	97.28	97.91	NA	NA	NA	NA	NA	NA	113.80	113.00	114.77	12.06	11.10	14.81	NA	NA	NA
5/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.25	74.04	74.51	NA	NA	NA	NA	NA	NA	97.58	97.22	98.07	NA	NA	NA	NA	NA	NA	113.80	112.92	114.67	11.18	11.00	11.35	NA	NA	NA
5/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.09	71.93	74.44	NA	NA	NA	NA	NA	NA	97.58	97.20	98.09	NA	NA	NA	NA	NA	NA	113.81	113.18	114.48	12.84	10.95	14.37	NA	NA	NA
5/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.01	61.90	73.28	NA	NA	NA	NA	NA	NA	89.13	0.06	98.46	NA	NA	NA	NA	NA	NA	113.79	113.02	114.68	13.32	0.00	16.03	NA	NA	NA
5/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.34	0.15	79.38	NA	NA	NA	NA	NA	NA	94.31	0.18	97.90	NA	NA	NA	NA	NA	NA	14.60	0.00	117.01	13.65	7.63	13.98	NA	NA	NA
5/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.95	76.59	77.30	NA	NA	NA	NA	NA	NA	97.58	97.18	98.08	NA	NA	NA	NA	NA	NA	107.86	9.64	117.25	13.45	13.08	13.59	NA	NA	NA
5/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.56	76.94	80.16	NA	NA	NA	NA	NA	NA	97.57	97.21	97.96	NA	NA	NA	NA	NA	NA	111.24	110.15	112.16	0.00	0.00	13.45	NA	NA	NA
5/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.78	79.32	80.08	NA	NA	NA	NA	NA	NA	97.59	97.12	98.03	NA	NA	NA	NA	NA	NA	112.31	110.43	114.87	0.00	0.00	0.00	NA	NA	NA
5/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.46	77.85	79.52	NA	NA	NA	NA	NA	NA	97.58	97.17	97.99	NA	NA	NA	NA	NA	NA	114.22	113.69	115.28	0.00	0.00	0.00	NA	NA	NA
5/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.59	76.59	78.75	NA	NA	NA	NA	NA	NA	97.57	97.02	98.04	NA	NA	NA	NA	NA	NA	111.13	104.37	115.07	0.00	0.00	0.00	NA	NA	NA
5/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.12	75.14	77.59	NA	NA	NA	NA	NA	NA	97.59	97.13	98.13	NA	NA	NA	NA	NA	NA	92.33	0.00	116.53	0.00	0.00	0.00	NA	NA	NA
5/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.70	75.00	79.37	NA	NA	NA	NA	NA	NA	97.59	97.24	98.14	NA	NA	NA	NA	NA	NA	102.19	98.35	108.06	0.00	0.00	0.00	NA	NA	NA
5/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.98	79.18	80.69	NA	NA	NA	NA	NA	NA	97.59	97.13	98.00	NA	NA	NA	NA	NA	NA	111.13	107.81	116.78	0.00	0.00	0.00	NA	NA	NA
5/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.15	80.50	81.85	NA	NA	NA	NA	NA	NA	97.58	97.21	98.05	NA	NA	NA	NA	NA	NA	112.92	58.71	117.27	0.00	0.00	0.00	NA	NA	NA
5/31/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.97	34.66	82.18	NA	NA	NA	NA	NA	NA	94.41	49.28	99.95	NA	NA	NA	NA	NA	NA	110.09	60.39	113.55	0.00	0.00	0.00	NA	NA	NA
Alert Level	88.5	88.5	88.5	89.5	89.5	89.5	96.5	96.5	96.5	90.3	90.3	90.3	105.5	105.5	105.5	107.5	107.5	107.5	105.9	105.9	105.9	103.5	103.5	103.5	105.5	105.5	105.5	123.5	123.5	123.5	122.3	122.3	122.3	135.5	135.5	135.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-6. Skid 2 - June Daily Injection Pressures

Date	134147			134149			136145			136147			136149			138143			138145			138147			138149			140143			140145			142145		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	72.69	0.08	80.63	NA	NA	NA	NA	NA	NA	81.46	76.21	85.07	NA	NA	NA	NA	NA	NA	93.07	83.50	98.67	86.31	0.00	91.79	NA	NA	NA	107.94	106.17	110.29	31.76	0.00	114.21	NA	NA	NA
6/2/2026	64.57	59.83	75.63	NA	NA	NA	NA	NA	NA	80.46	16.92	85.74	NA	NA	NA	NA	NA	NA	97.58	97.26	97.95	93.02	85.44	96.18	NA	NA	NA	110.33	109.37	111.42	77.68	0.00	104.69	NA	NA	NA
6/3/2026	50.54	0.09	61.36	NA	NA	NA	NA	NA	NA	74.73	1.59	102.01	NA	NA	NA	NA	NA	NA	93.52	0.00	98.95	86.32	0.00	96.31	NA	NA	NA	97.37	20.21	110.14	78.90	0.00	89.36	NA	NA	NA
6/4/2026	66.02	55.40	80.94	NA	NA	NA	NA	NA	NA	85.70	84.46	87.25	NA	NA	NA	NA	NA	NA	97.58	97.31	98.00	96.62	95.90	97.80	NA	NA	NA	99.53	98.61	100.46	68.40	0.00	116.11	NA	NA	NA
6/5/2026	77.94	0.07	81.09	NA	NA	NA	NA	NA	NA	87.01	86.15	87.78	NA	NA	NA	NA	NA	NA	97.58	97.23	97.92	94.83	0.00	97.84	NA	NA	NA	98.98	86.21	105.78	42.32	36.90	45.63	NA	NA	NA
6/6/2026	74.11	12.16	78.41	NA	NA	NA	NA	NA	NA	86.39	45.09	89.84	NA	NA	NA	NA	NA	NA	95.53	61.08	98.55	88.17	0.00	97.31	NA	NA	NA	81.73	73.13	87.42	38.34	0.00	41.91	NA	NA	NA
6/7/2026	55.56	38.13	74.56	NA	NA	NA	NA	NA	NA	84.69	80.00	86.38	29.03	0.00	70.22	NA	NA	NA	93.40	85.32	96.47	69.23	0.00	98.33	NA	NA	NA	89.21	82.73	114.72	70.99	32.63	86.58	NA	NA	NA
6/8/2026	65.04	0.00	83.31	NA	NA	NA	NA	NA	NA	85.59	84.47	86.34	NA	NA	NA	NA	NA	NA	96.94	95.43	97.97	92.76	88.57	95.27	NA	NA	NA	113.81	113.13	114.60	104.63	83.26	114.04	NA	NA	NA
6/9/2026	74.06	0.00	83.36	NA	NA	NA	NA	NA	NA	86.38	85.70	87.08	NA	NA	NA	NA	NA	NA	97.59	97.17	97.92	95.16	94.66	96.04	NA	NA	NA	113.62	110.78	114.73	113.94	113.35	114.90	NA	NA	NA
6/10/2026	82.81	82.16	83.70	NA	NA	NA	NA	NA	NA	88.10	86.60	89.61	NA	NA	NA	NA	NA	NA	97.58	97.14	97.97	96.03	95.46	96.61	NA	NA	NA	113.82	113.08	114.45	114.85	114.21	115.31	NA	NA	NA
6/11/2026	74.91	0.00	83.75	NA	NA	NA	NA	NA	NA	50.42	1.65	94.89	NA	NA	NA	NA	NA	NA	91.08	31.97	100.09	71.79	0.00	96.73	NA	NA	NA	113.68	82.95	114.61	105.23	0.00	115.94	NA	NA	NA
6/12/2026	70.13	0.95	77.54	NA	NA	NA	NA	NA	NA	61.60	1.52	95.50	NA	NA	NA	NA	NA	NA	94.63	33.90	97.99	73.49	0.00	95.64	NA	NA	NA	111.19	61.82	114.49	101.37	8.45	109.62	NA	NA	NA
6/13/2026	74.59	74.19	75.26	NA	NA	NA	NA	NA	NA	82.96	82.31	83.38	NA	NA	NA	NA	NA	NA	97.58	97.17	97.94	63.11	62.43	63.57	NA	NA	NA	113.82	113.27	114.45	102.99	102.50	103.56	NA	NA	NA
6/14/2026	67.33	0.08	74.66	NA	NA	NA	NA	NA	NA	75.89	1.50	83.92	NA	NA	NA	NA	NA	NA	88.87	0.00	98.82	60.65	0.00	96.18	NA	NA	NA	104.69	0.00	114.53	95.80	0.00	106.59	NA	NA	NA
6/15/2026	63.39	0.22	74.46	NA	NA	NA	NA	NA	NA	72.20	1.49	84.50	NA	NA	NA	NA	NA	NA	83.43	0.34	98.07	79.56	0.00	96.94	NA	NA	NA	89.76	0.00	106.12	94.02	0.00	110.10	NA	NA	NA
6/16/2026	75.41	64.53	79.43	NA	NA	NA	NA	NA	NA	72.45	1.60	85.49	NA	NA	NA	NA	NA	NA	82.30	0.37	100.39	75.08	0.00	97.22	NA	NA	NA	44.27	0.05	115.95	98.29	0.00	112.82	NA	NA	NA
6/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.83	9.01	78.77	NA	NA	NA	NA	NA	NA	95.31	17.83	98.72	80.75	0.00	94.64	NA	NA	NA	94.14	0.00	117.20	107.90	0.00	115.61	NA	NA	NA
6/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.92	77.70	82.36	NA	NA	NA	NA	NA	NA	97.57	97.25	98.07	86.23	81.38	90.87	NA	NA	NA	108.02	107.29	109.15	109.56	0.00	112.44	NA	NA	NA
6/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.08	73.26	82.88	NA	NA	NA	NA	NA	NA	97.58	97.19	98.00	90.45	68.91	94.25	NA	NA	NA	109.77	108.58	116.86	104.75	11.26	112.28	NA	NA	NA
6/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.65	1.40	80.40	NA	NA	NA	NA	NA	NA	92.68	0.33	99.49	82.95	0.00	97.66	NA	NA	NA	104.36	0.51	114.86	90.87	0.00	104.16	NA	NA	NA
6/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.93	77.81	85.70	NA	NA	NA	NA	NA	NA	97.57	97.19	98.00	90.02	0.00	95.92	NA	NA	NA	113.80	113.20	114.42	95.85	86.62	98.98	NA	NA	NA
6/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.37	1.64	85.90	NA	NA	NA	NA	NA	NA	95.04	0.44	98.14	88.94	0.00	96.32	NA	NA	NA	105.48	0.00	116.90	85.03	0.00	101.90	NA	NA	NA
6/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.06	1.61	81.76	NA	NA	NA	NA	NA	NA	85.04	0.43	98.55	76.26	0.00	94.42	NA	NA	NA	65.21	0.00	81.75	64.38	0.00	81.88	NA	NA	NA
6/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.12	1.55	79.23	78.09	76.28	82.47	NA	NA	NA	86.47	0.40	98.35	76.08	0.00	96.63	NA	NA	NA	75.40	0.00	117.18	78.31	0.00	108.67	NA	NA	NA
6/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.81	77.87	79.35	65.65	0.00	76.99	NA	NA	NA	97.57	97.20	97.97	93.57	42.21	97.96	NA	NA	NA	113.81	113.05	114.47	103.98	98.13	107.77	NA	NA	NA
6/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.55	76.18	80.22	NA	NA	NA	NA	NA	NA	97.57	97.15	97.95	85.56	0.00	97.72	NA	NA	NA	113.80	113.07	114.49	104.05	90.49	109.21	NA	NA	NA
6/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.24	77.63	78.77	NA	NA	NA	NA	NA	NA	97.58	97.24	97.99	93.52	91.80	94.50	NA	NA	NA	113.80	113.14	114.46	107.68	80.20	112.67	NA	NA	NA
6/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.02	78.43	79.48	NA	NA	NA	NA	NA	NA	97.59	97.15	97.97	94.01	92.77	95.02	NA	NA	NA	113.79	112.95	114.55	108.02	106.67	108.90	NA	NA	NA
6/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.43	1.53	80.14	NA	NA	NA	NA	NA	NA	92.77	0.43	99.78	66.64	0.00	94.47	NA	NA	NA	52.42	0.00	114.79	80.96	0.00	127.82	NA	NA	NA
6/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.42	79.19	83.68	NA	NA	NA	NA	NA	NA	97.60	97.13	98.03	66.64	0.00	94.95	NA	NA	NA	21.38	6.29	40.25	94.45	90.99	98.72	NA	NA	NA
Alert Level	88.5	88.5	88.5	89.5	89.5	89.5	96.5	96.5	96.5	90.3	90.3	90.3	105.5	105.5	105.5	107.5	107.5	107.5	105.9	105.9	105.9	103.5	103.5	103.5	105.5	105.5	105.5	123.5	123.5	123.5	122.3	122.3	122.3	135.5	135.5	135.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-7. Skid 3 - April Daily Injection Pressures

Date	136137			138135			138137			138139			140133			140135			140137			140139			142133			142135			142137		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
4/1/2026	NA	NA	NA	NA	NA	NA	95.03	94.63	95.36	NA	NA	NA	NA	NA	NA	113.63	110.52	114.76	NA	NA	NA	112.68	111.60	113.46	NA	NA	NA	NA	NA	NA	119.14	117.66	120.35
4/2/2026	NA	NA	NA	NA	NA	NA	95.02	94.54	95.44	NA	NA	NA	NA	NA	NA	113.62	112.87	114.06	36.87	0.95	96.31	112.72	111.54	113.52	NA	NA	NA	NA	NA	NA	119.14	117.76	120.86
4/3/2026	NA	NA	NA	NA	NA	NA	94.91	84.76	96.30	NA	NA	NA	NA	NA	NA	113.57	107.56	116.35	31.41	19.67	47.04	112.68	111.62	113.84	NA	NA	NA	NA	NA	NA	119.11	117.74	120.72
4/4/2026	NA	NA	NA	NA	NA	NA	95.03	94.47	95.76	NA	NA	NA	NA	NA	NA	113.65	113.14	116.54	29.33	16.63	44.44	112.70	111.69	114.12	NA	NA	NA	NA	NA	NA	119.21	117.69	120.82
4/5/2026	NA	NA	NA	NA	NA	NA	95.03	94.61	95.52	NA	NA	NA	NA	NA	NA	113.60	112.02	113.86	26.83	20.18	33.40	112.71	111.64	113.69	NA	NA	NA	NA	NA	NA	119.14	117.48	121.15
4/6/2026	NA	NA	NA	NA	NA	NA	95.03	94.63	95.64	NA	NA	NA	NA	NA	NA	113.60	105.82	115.27	28.39	23.98	45.10	112.69	111.79	113.65	NA	NA	NA	NA	NA	NA	116.04	0.12	120.86
4/7/2026	NA	NA	NA	NA	NA	NA	95.04	94.54	95.57	NA	NA	NA	NA	NA	NA	113.60	111.99	114.33	NA	NA	NA	112.70	111.67	113.83	NA	NA	NA	NA	NA	NA	0.11	0.10	0.12
4/8/2026	NA	NA	NA	NA	NA	NA	95.03	94.46	95.45	NA	NA	NA	NA	NA	NA	113.64	112.57	121.91	NA	NA	NA	112.70	111.44	113.66	NA	NA	NA	NA	NA	NA	0.11	0.09	0.12
4/9/2026	NA	NA	NA	NA	NA	NA	83.75	0.39	95.51	NA	NA	NA	NA	NA	NA	99.54	1.02	114.40	NA	NA	NA	88.53	0.25	114.45	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/10/2026	NA	NA	NA	NA	NA	NA	94.73	9.16	95.46	NA	NA	NA	NA	NA	NA	110.36	30.53	113.93	NA	NA	NA	112.41	32.62	116.51	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/11/2026	NA	NA	NA	NA	NA	NA	95.04	94.61	95.63	NA	NA	NA	NA	NA	NA	113.37	110.91	114.71	NA	NA	NA	112.68	111.62	113.69	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/12/2026	NA	NA	NA	NA	NA	NA	95.02	94.38	95.55	NA	NA	NA	NA	NA	NA	110.23	1.05	122.61	NA	NA	NA	112.75	111.56	120.70	NA	NA	NA	NA	NA	NA	0.11	0.10	0.11
4/13/2026	NA	NA	NA	NA	NA	NA	95.44	0.64	101.46	NA	NA	NA	NA	NA	NA	110.46	1.03	122.60	NA	NA	NA	112.01	0.00	120.70	NA	NA	NA	NA	NA	NA	0.11	0.10	0.12
4/14/2026	NA	NA	NA	NA	NA	NA	99.49	97.32	101.43	NA	NA	NA	NA	NA	NA	113.61	110.92	114.10	NA	NA	NA	112.68	111.60	113.81	NA	NA	NA	NA	NA	NA	0.11	0.10	0.12
4/15/2026	NA	NA	NA	NA	NA	NA	96.17	0.49	106.75	NA	NA	NA	NA	NA	NA	113.44	100.03	119.24	NA	NA	NA	112.75	111.78	113.64	NA	NA	NA	NA	NA	NA	0.11	0.09	0.12
4/16/2026	NA	NA	NA	NA	NA	NA	95.03	94.55	95.45	NA	NA	NA	NA	NA	NA	113.76	112.14	114.43	NA	NA	NA	112.69	111.52	113.72	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/17/2026	NA	NA	NA	NA	NA	NA	95.03	94.56	95.53	NA	NA	NA	NA	NA	NA	114.06	110.96	114.60	NA	NA	NA	112.72	111.57	113.92	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/18/2026	NA	NA	NA	NA	NA	NA	95.02	94.45	95.39	NA	NA	NA	NA	NA	NA	114.06	111.61	114.76	NA	NA	NA	112.73	111.82	113.87	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/19/2026	NA	NA	NA	NA	NA	NA	95.03	94.47	95.51	NA	NA	NA	NA	NA	NA	117.30	87.46	122.35	NA	NA	NA	112.69	111.63	113.54	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
4/20/2026	7.17	0.53	86.32	NA	NA	NA	91.40	0.37	95.59	NA	NA	NA	NA	NA	NA	109.44	1.02	122.35	NA	NA	NA	105.92	0.28	113.95	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
4/21/2026	1.17	0.37	2.29	NA	NA	NA	95.04	94.64	95.61	NA	NA	NA	NA	NA	NA	90.25	17.47	123.75	NA	NA	NA	112.67	111.65	113.61	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
4/22/2026	1.10	0.38	2.06	NA	NA	NA	84.93	0.62	95.43	NA	NA	NA	NA	NA	NA	76.60	1.00	122.98	NA	NA	NA	103.35	0.21	113.85	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
4/23/2026	NA	NA	NA	NA	NA	NA	87.84	73.32	95.76	NA	NA	NA	NA	NA	NA	88.51	1.06	123.87	NA	NA	NA	101.06	80.39	113.60	NA	NA	NA	NA	NA	NA	0.10	0.09	0.12
4/24/2026	NA	NA	NA	NA	NA	NA	88.63	70.14	96.56	NA	NA	NA	NA	NA	NA	51.25	1.06	116.07	NA	NA	NA	80.07	0.00	109.26	NA	NA	NA	NA	NA	NA	42.97	0.09	131.20
4/25/2026	10.30	0.54	41.81	NA	NA	NA	96.12	95.51	96.56	NA	NA	NA	NA	NA	NA	47.27	35.31	57.32	NA	NA	NA	49.78	6.03	70.78	NA	NA	NA	NA	NA	NA	6.56	0.10	130.88
4/26/2026	NA	NA	NA	NA	NA	NA	96.12	95.65	96.76	NA	NA	NA	NA	NA	NA	66.05	56.25	81.43	NA	NA	NA	52.46	51.25	53.19	NA	NA	NA	NA	NA	NA	0.11	0.10	0.12
4/27/2026	76.16	1.03	101.35	NA	NA	NA	96.13	95.67	96.66	NA	NA	NA	NA	NA	NA	90.79	81.40	100.64	NA	NA	NA	34.42	0.00	96.52	NA	NA	NA	NA	NA	NA	55.95	0.10	121.48
4/28/2026	NA	NA	NA	NA	NA	NA	96.12	95.61	96.78	NA	NA	NA	NA	NA	NA	97.81	95.02	101.55	NA	NA	NA	62.68	47.24	68.04	NA	NA	NA	NA	NA	NA	120.24	119.04	121.52
4/29/2026	NA	NA	NA	NA	NA	NA	93.96	0.42	101.97	NA	NA	NA	NA	NA	NA	103.03	1.02	116.88	NA	NA	NA	62.75	0.00	96.44	NA	NA	NA	NA	NA	NA	109.24	0.10	129.62
4/30/2026	NA	NA	NA	NA	NA	NA	96.10	95.64	96.61	NA	NA	NA	NA	NA	NA	115.66	114.86	116.48	NA	NA	NA	82.86	80.74	83.31	NA	NA	NA	NA	NA	NA	120.23	119.22	121.25
Alert Level	109.5	109.5	109.5	111.5	111.5	111.5	104.3	104.3	104.3	105.1	105.1	105.1	121.5	121.5	121.5	128.5	128.5	128.5	125.5	125.5	125.5	123.5	123.5	123.5	127.9	127.9	127.9	131.5	131.5	131.5	130.5	130.5	130.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-8. Skid 3 - May Daily Injection Pressures

Date	136137			138135			138137			138139			140133			140135			140137			140139			142133			142135			142137		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	96.11	95.63	96.52	NA	NA	NA	NA	NA	NA	115.63	114.81	116.52	NA	NA	NA	80.99	76.11	84.00	NA	NA	NA	NA	NA	NA	120.24	119.13	121.28
5/2/2026	85.64	75.35	88.40	NA	NA	NA	96.11	95.67	96.71	NA	NA	NA	NA	NA	NA	115.63	114.83	116.41	NA	NA	NA	79.20	76.21	80.40	NA	NA	NA	NA	NA	NA	120.28	118.96	121.61
5/3/2026	NA	NA	NA	NA	NA	NA	96.12	95.58	96.69	NA	NA	NA	NA	NA	NA	115.67	114.92	116.33	NA	NA	NA	80.31	79.77	80.60	NA	NA	NA	NA	NA	NA	120.28	119.16	121.45
5/4/2026	NA	NA	NA	NA	NA	NA	96.10	95.53	96.50	NA	NA	NA	NA	NA	NA	115.65	114.77	116.50	NA	NA	NA	82.62	0.00	95.73	NA	NA	NA	NA	NA	NA	120.23	119.00	121.45
5/5/2026	NA	NA	NA	NA	NA	NA	96.12	95.42	96.74	NA	NA	NA	NA	NA	NA	115.67	114.79	116.36	NA	NA	NA	86.02	84.33	87.42	NA	NA	NA	6.54	0.00	121.58	120.28	119.18	121.44
5/6/2026	NA	NA	NA	NA	NA	NA	96.10	95.54	96.86	NA	NA	NA	NA	NA	NA	115.63	114.68	116.50	NA	NA	NA	88.01	86.70	88.76	NA	NA	NA	0.00	0.00	0.00	120.23	118.92	121.39
5/7/2026	NA	NA	NA	NA	NA	NA	96.12	95.62	96.49	NA	NA	NA	NA	NA	NA	115.60	114.83	116.42	NA	NA	NA	88.40	87.04	88.82	NA	NA	NA	0.00	0.00	0.02	120.38	118.89	121.45
5/8/2026	NA	NA	NA	NA	NA	NA	96.12	95.65	96.58	NA	NA	NA	NA	NA	NA	115.69	114.70	116.50	NA	NA	NA	88.83	88.49	89.07	NA	NA	NA	NA	NA	NA	120.21	118.99	121.63
5/9/2026	NA	NA	NA	NA	NA	NA	96.12	95.54	96.67	NA	NA	NA	NA	NA	NA	115.66	114.75	116.49	NA	NA	NA	89.35	88.80	89.65	NA	NA	NA	NA	NA	NA	120.24	119.28	121.31
5/10/2026	NA	NA	NA	NA	NA	NA	96.12	95.65	96.62	NA	NA	NA	NA	NA	NA	115.65	114.76	116.46	NA	NA	NA	89.48	88.15	90.19	NA	NA	NA	NA	NA	NA	101.74	0.09	121.44
5/11/2026	NA	NA	NA	NA	NA	NA	96.10	95.48	96.65	NA	NA	NA	NA	NA	NA	115.66	114.65	116.29	NA	NA	NA	88.27	87.95	88.70	NA	NA	NA	NA	NA	NA	0.09	0.08	0.11
5/12/2026	NA	NA	NA	NA	NA	NA	96.12	95.69	96.64	NA	NA	NA	NA	NA	NA	115.65	114.70	116.36	NA	NA	NA	89.15	88.13	89.96	NA	NA	NA	NA	NA	NA	0.09	0.08	0.11
5/13/2026	NA	NA	NA	NA	NA	NA	96.11	95.49	96.48	NA	NA	NA	NA	NA	NA	115.61	114.76	116.33	NA	NA	NA	90.25	89.47	92.67	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/14/2026	NA	NA	NA	NA	NA	NA	96.12	95.58	96.79	NA	NA	NA	NA	NA	NA	84.51	75.89	116.15	NA	NA	NA	91.45	89.05	94.16	NA	NA	NA	NA	NA	NA	0.09	0.00	0.11
5/15/2026	NA	NA	NA	NA	NA	NA	96.11	95.33	96.86	NA	NA	NA	NA	NA	NA	94.90	69.36	114.81	NA	NA	NA	82.44	0.00	96.46	NA	NA	NA	NA	NA	NA	3.01	0.08	117.65
5/16/2026	NA	NA	NA	NA	NA	NA	96.12	95.64	96.81	NA	NA	NA	NA	NA	NA	114.38	113.66	114.90	NA	NA	NA	81.20	59.47	85.17	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/17/2026	NA	NA	NA	NA	NA	NA	96.11	95.62	96.77	NA	NA	NA	NA	NA	NA	113.56	108.87	116.20	NA	NA	NA	80.49	75.03	97.57	NA	NA	NA	NA	NA	NA	14.68	0.09	122.00
5/18/2026	NA	NA	NA	NA	NA	NA	96.11	95.58	96.77	NA	NA	NA	NA	NA	NA	113.71	113.53	113.95	NA	NA	NA	76.10	75.44	76.45	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
5/19/2026	NA	NA	NA	NA	NA	NA	96.11	95.43	96.58	NA	NA	NA	NA	NA	NA	114.55	113.35	115.39	NA	NA	NA	77.98	76.38	79.34	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
5/20/2026	NA	NA	NA	NA	NA	NA	96.12	95.22	96.90	NA	NA	NA	NA	NA	NA	115.13	114.65	115.47	NA	NA	NA	78.90	78.53	79.33	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/21/2026	NA	NA	NA	NA	NA	NA	76.29	0.48	98.34	NA	NA	NA	NA	NA	NA	110.81	1.00	115.38	NA	NA	NA	78.20	0.00	90.68	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/22/2026	NA	NA	NA	NA	NA	NA	95.27	93.91	96.32	NA	NA	NA	NA	NA	NA	115.53	114.95	116.18	NA	NA	NA	92.25	90.87	92.82	NA	NA	NA	NA	NA	NA	0.09	0.08	0.11
5/23/2026	NA	NA	NA	NA	NA	NA	95.77	95.27	96.23	NA	NA	NA	NA	NA	NA	115.83	115.27	116.04	NA	NA	NA	90.36	86.93	93.06	NA	NA	NA	NA	NA	NA	0.09	0.08	0.11
5/24/2026	NA	NA	NA	NA	NA	NA	95.62	94.98	96.17	NA	NA	NA	NA	NA	NA	115.81	115.42	116.14	NA	NA	NA	90.93	61.55	95.88	NA	NA	NA	NA	NA	NA	0.09	0.08	0.11
5/25/2026	NA	NA	NA	NA	NA	NA	94.31	92.69	95.46	NA	NA	NA	NA	NA	NA	109.50	46.26	116.13	NA	NA	NA	93.02	91.84	95.48	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/26/2026	NA	NA	NA	NA	NA	NA	95.39	93.73	97.45	NA	NA	NA	NA	NA	NA	103.88	102.98	105.40	NA	NA	NA	91.38	87.99	93.61	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/27/2026	NA	NA	NA	NA	NA	NA	96.02	93.05	98.71	NA	NA	NA	NA	NA	NA	104.74	102.23	107.27	NA	NA	NA	87.95	87.41	89.14	NA	NA	NA	NA	NA	NA	0.10	0.08	0.11
5/28/2026	NA	NA	NA	NA	NA	NA	92.11	0.72	98.58	NA	NA	NA	NA	NA	NA	107.59	99.66	117.26	NA	NA	NA	89.15	85.65	92.18	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
5/29/2026	NA	NA	NA	NA	NA	NA	95.83	8.05	98.95	NA	NA	NA	NA	NA	NA	117.21	115.48	117.69	NA	NA	NA	91.27	0.00	96.48	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
5/30/2026	NA	NA	NA	NA	NA	NA	95.00	91.07	96.28	NA	NA	NA	NA	NA	NA	108.28	1.05	118.07	NA	NA	NA	86.54	0.00	96.02	NA	NA	NA	NA	NA	NA	0.10	0.09	0.11
5/31/2026	NA	NA	NA	NA	NA	NA	93.92	13.55	97.45	NA	NA	NA	NA	NA	NA	107.82	41.89	119.82	NA	NA	NA	92.11	8.06	96.57	NA	NA	NA	NA	NA	NA	0.76	0.08	117.26
Alert Level	109.5	109.5	109.5	111.5	111.5	111.5	104.3	104.3	104.3	105.1	105.1	105.1	121.5	121.5	121.5	128.5	128.5	128.5	125.5	125.5	125.5	123.5	123.5	123.5	127.9	127.9	127.9	131.5	131.5	131.5	130.5	130.5	130.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-9. Skid 3 - June Daily Injection Pressures

Date	136137			138135			138137			138139			140133			140135			140137			140139			142133			142135			142137		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	95.93	93.76	96.73	NA	NA	NA	NA	NA	NA	117.20	115.83	118.08	NA	NA	NA	90.37	0.00	95.06	NA	NA	NA	110.78	0.00	117.72	0.10	0.08	0.11
6/2/2026	NA	NA	NA	NA	NA	NA	96.11	95.48	96.50	NA	NA	NA	NA	NA	NA	118.42	117.66	118.96	NA	NA	NA	96.03	94.73	96.59	NA	NA	NA	122.15	117.83	124.56	0.10	0.09	0.11
6/3/2026	NA	NA	NA	NA	NA	NA	86.62	0.44	96.42	NA	NA	NA	NA	NA	NA	104.78	1.03	118.96	NA	NA	NA	76.11	0.00	96.59	NA	NA	NA	72.88	0.64	124.80	0.10	0.08	0.11
6/4/2026	NA	NA	NA	NA	NA	NA	89.23	81.80	97.86	NA	NA	NA	NA	NA	NA	45.98	1.05	118.72	NA	NA	NA	81.07	80.49	81.88	NA	NA	NA	85.75	79.91	94.21	0.10	0.08	0.11
6/5/2026	NA	NA	NA	NA	NA	NA	91.92	84.12	96.08	NA	NA	NA	NA	NA	NA	59.23	1.05	86.47	NA	NA	NA	82.22	80.94	83.25	NA	NA	NA	98.92	94.29	111.81	0.10	0.08	0.11
6/6/2026	NA	NA	NA	NA	NA	NA	91.86	17.01	97.03	NA	NA	NA	NA	NA	NA	99.24	47.81	107.45	NA	NA	NA	81.67	14.68	84.92	NA	NA	NA	114.13	35.03	119.80	0.10	0.08	0.11
6/7/2026	NA	NA	NA	NA	NA	NA	96.12	95.75	96.67	NA	NA	NA	NA	NA	NA	109.38	107.29	110.16	NA	NA	NA	88.69	83.37	94.65	NA	NA	NA	121.12	119.42	121.89	6.39	0.09	133.25
6/8/2026	NA	NA	NA	NA	NA	NA	96.12	95.71	96.60	NA	NA	NA	NA	NA	NA	110.50	109.48	110.90	NA	NA	NA	94.87	93.86	95.12	NA	NA	NA	121.21	120.65	121.92	120.16	118.29	121.08
6/9/2026	NA	NA	NA	NA	NA	NA	96.11	95.53	96.57	NA	NA	NA	NA	NA	NA	109.41	94.82	118.15	NA	NA	NA	76.88	0.00	96.35	NA	NA	NA	114.32	86.87	123.71	57.55	0.09	121.52
6/10/2026	NA	NA	NA	NA	NA	NA	96.11	95.58	96.50	NA	NA	NA	NA	NA	NA	115.66	114.77	116.66	NA	NA	NA	92.40	91.00	92.80	NA	NA	NA	120.61	120.23	121.07	0.10	0.09	0.12
6/11/2026	NA	NA	NA	NA	NA	NA	95.72	5.15	98.42	NA	NA	NA	NA	NA	NA	115.38	47.68	117.02	NA	NA	NA	57.75	0.00	93.59	NA	NA	NA	78.21	0.63	122.98	3.93	0.00	123.78
6/12/2026	NA	NA	NA	NA	NA	NA	87.91	0.73	98.70	NA	NA	NA	NA	NA	NA	105.77	1.03	120.05	NA	NA	NA	62.86	0.00	92.72	NA	NA	NA	51.75	0.64	63.51	77.36	0.08	93.84
6/13/2026	NA	NA	NA	NA	NA	NA	96.11	95.68	96.57	NA	NA	NA	NA	NA	NA	111.46	1.06	118.07	NA	NA	NA	53.64	52.33	54.90	NA	NA	NA	66.41	62.40	68.48	68.85	0.08	89.93
6/14/2026	NA	NA	NA	NA	NA	NA	88.08	0.51	98.00	NA	NA	NA	NA	NA	NA	94.28	1.00	122.40	NA	NA	NA	45.94	0.00	55.75	NA	NA	NA	63.15	0.65	70.03	0.09	0.08	0.10
6/15/2026	NA	NA	NA	NA	NA	NA	82.10	0.36	96.67	NA	NA	NA	NA	NA	NA	85.31	1.02	116.30	NA	NA	NA	50.59	0.31	96.18	NA	NA	NA	83.92	0.65	121.90	2.19	0.08	122.74
6/16/2026	NA	NA	NA	NA	NA	NA	79.41	0.39	96.54	NA	NA	NA	NA	NA	NA	99.28	1.02	117.65	NA	NA	NA	79.22	0.15	92.68	NA	NA	NA	108.67	0.65	125.81	50.13	0.08	113.73
6/17/2026	NA	NA	NA	NA	NA	NA	92.35	2.15	97.14	NA	NA	NA	NA	NA	NA	113.11	1.05	117.75	NA	NA	NA	86.45	0.00	96.52	NA	NA	NA	85.21	0.66	127.67	NA	NA	NA
6/18/2026	NA	NA	NA	NA	NA	NA	96.11	95.61	96.55	NA	NA	NA	NA	NA	NA	115.66	114.91	116.68	NA	NA	NA	81.96	0.00	95.69	NA	NA	NA	68.08	35.17	105.79	NA	NA	NA
6/19/2026	NA	NA	NA	NA	NA	NA	94.18	27.59	98.93	NA	NA	NA	NA	NA	NA	104.69	76.74	116.44	NA	NA	NA	64.40	0.00	96.53	NA	NA	NA	111.48	0.65	121.01	NA	NA	NA
6/20/2026	NA	NA	NA	NA	NA	NA	88.51	0.41	97.64	NA	NA	NA	NA	NA	NA	91.87	1.02	109.39	NA	NA	NA	71.14	0.00	95.76	NA	NA	NA	101.84	0.62	119.01	NA	NA	NA
6/21/2026	NA	NA	NA	NA	NA	NA	96.11	95.72	96.51	NA	NA	NA	NA	NA	NA	111.63	100.15	117.36	NA	NA	NA	87.26	0.00	95.02	NA	NA	NA	88.22	80.67	99.20	NA	NA	NA
6/22/2026	NA	NA	NA	NA	NA	NA	84.53	0.41	96.25	NA	NA	NA	NA	NA	NA	103.70	1.05	115.81	NA	NA	NA	81.42	0.00	94.45	NA	NA	NA	72.77	0.65	89.60	NA	NA	NA
6/23/2026	NA	NA	NA	71.15	0.91	104.15	82.97	1.51	97.06	NA	NA	NA	NA	NA	NA	97.59	1.51	118.12	NA	NA	NA	75.69	0.00	94.98	NA	NA	NA	67.56	0.65	90.59	NA	NA	NA
6/24/2026	NA	NA	NA	NA	NA	NA	78.89	0.51	97.79	NA	NA	NA	NA	NA	NA	81.76	1.05	116.15	NA	NA	NA	77.83	0.24	92.51	NA	NA	NA	78.92	0.65	95.24	NA	NA	NA
6/25/2026	NA	NA	NA	NA	NA	NA	95.82	85.79	97.79	NA	NA	NA	NA	NA	NA	113.44	60.42	117.60	NA	NA	NA	88.60	62.75	95.55	NA	NA	NA	109.45	69.75	116.70	NA	NA	NA
6/26/2026	NA	NA	NA	NA	NA	NA	95.51	52.95	98.17	NA	NA	NA	NA	NA	NA	114.60	78.11	117.05	NA	NA	NA	84.95	20.17	96.19	NA	NA	NA	114.48	0.66	120.35	NA	NA	NA
6/27/2026	NA	NA	NA	NA	NA	NA	89.43	10.10	98.98	NA	NA	NA	NA	NA	NA	108.34	13.15	125.45	NA	NA	NA	83.21	0.00	96.61	NA	NA	NA	113.06	0.64	124.38	NA	NA	NA
6/28/2026	NA	NA	NA	NA	NA	NA	84.40	0.80	98.98	NA	NA	NA	NA	NA	NA	106.80	37.47	117.37	NA	NA	NA	78.47	0.00	96.32	NA	NA	NA	118.73	0.71	122.70	NA	NA	NA
6/29/2026	NA	NA	NA	NA	NA	NA	51.99	0.57	97.10	50.54	0.00	91.40	1.50	1.48	1.50	101.83	1.04	125.92	NA	NA	NA	65.17	0.00	95.76	NA	NA	NA	108.71	0.65	123.25	NA	NA	NA
6/30/2026	NA	NA	NA	16.52	0.68	101.61	60.45	13.17	74.34	67.16	62.03	70.72	1.50	1.49	1.50	115.30	109.19	116.67	34.80	0.93	109.40	66.51	0.00	96.48	NA	NA	NA	117.12	108.89	123.52	NA	NA	NA
Alert Level	109.5	109.5	109.5	111.5	111.5	111.5	104.3	104.3	104.3	105.1	105.1	105.1	121.5	121.5	121.5	128.5	128.5	128.5	125.5	125.5	125.5	123.5	123.5	123.5	127.9	127.9	127.9	131.5	131.5	131.5	130.5	130.5	130.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-10. Skid 4 - April Daily Injection Pressures

Date	R-05			130145			R-04			132143			132145			R-03			O-03			134143			134145			136139			136141			136143			138141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX			
4/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.61	3.53	52.29	NA	NA	NA	95.90	1.31	110.06	NA	NA	NA	NA	NA	NA	84.17	72.52	86.71	1.42	1.14	1.46	NA	NA	NA	89.72	88.46	91.14	109.96	108.76	111.03
4/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.15	41.59	48.83	NA	NA	NA	93.04	1.30	109.81	NA	NA	NA	NA	NA	NA	85.10	84.35	85.68	0.00	0.00	1.38	NA	NA	NA	0.00	0.00	90.33	0.00	0.00	110.92
4/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.44	43.96	52.80	NA	NA	NA	53.41	1.27	109.29	NA	NA	NA	NA	NA	NA	85.09	84.04	85.87	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00
4/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.14	2.76	54.30	NA	NA	NA	90.11	78.39	109.87	NA	NA	NA	NA	NA	NA	85.09	84.34	85.72	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00
4/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.04	20.22	99.93	NA	NA	NA	104.14	103.81	108.63	NA	NA	NA	NA	NA	NA	85.11	84.43	86.03	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00
4/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.94	0.55	58.16	NA	NA	NA	75.85	54.83	108.03	NA	NA	NA	NA	NA	NA	85.10	84.33	85.78	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00
4/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.99	54.28	59.28	NA	NA	NA	76.94	1.31	118.50	NA	NA	NA	NA	NA	NA	85.09	84.40	85.66	8.29	0.00	91.14	NA	NA	NA	15.13	0.00	92.19	0.00	0.00	0.00
4/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	60.27	55.12	63.91	NA	NA	NA	105.13	102.82	106.43	NA	NA	NA	NA	NA	NA	85.09	84.48	85.64	90.64	89.77	91.50	NA	NA	NA	88.72	0.00	91.53	107.46	0.00	111.11
4/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.06	0.00	64.69	NA	NA	NA	66.54	0.00	108.39	NA	NA	NA	NA	NA	NA	60.89	0.00	92.16	81.11	0.00	92.00	NA	NA	NA	80.00	0.00	91.01	100.24	0.00	111.15
4/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	47.33	0.00	66.72	NA	NA	NA	87.93	1.29	117.24	NA	NA	NA	NA	NA	NA	79.87	0.00	86.65	90.40	26.95	93.74	NA	NA	NA	89.41	4.92	92.25	109.64	17.63	110.88
4/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	61.66	0.00	67.03	NA	NA	NA	104.37	59.09	122.17	NA	NA	NA	NA	NA	NA	85.08	83.84	85.72	90.63	89.69	91.52	NA	NA	NA	89.72	88.30	91.00	109.94	108.57	111.07
4/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	61.31	56.41	67.93	NA	NA	NA	88.67	1.29	118.64	NA	NA	NA	NA	NA	NA	85.10	84.46	85.65	90.63	89.18	91.71	NA	NA	NA	90.61	88.63	94.50	109.94	108.31	111.33
4/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.51	0.00	67.58	NA	NA	NA	76.75	1.28	115.59	NA	NA	NA	NA	NA	NA	85.10	83.99	85.69	90.63	89.46	91.47	NA	NA	NA	89.00	0.00	94.17	109.91	108.26	111.11
4/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.16	0.00	65.49	NA	NA	NA	80.25	68.85	103.01	NA	NA	NA	NA	NA	NA	78.73	51.53	85.79	90.62	88.29	91.53	NA	NA	NA	89.68	88.23	91.05	109.92	106.67	111.19
4/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.53	19.87	79.32	NA	NA	NA	104.98	1.31	111.81	NA	NA	NA	NA	NA	NA	85.12	84.35	86.35	90.64	89.74	92.69	NA	NA	NA	86.58	0.00	90.77	109.95	108.96	112.41
4/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.81	76.67	79.58	NA	NA	NA	109.49	108.27	110.11	67.77	10.14	69.92	NA	NA	NA	85.11	84.28	86.00	90.66	89.76	91.62	NA	NA	NA	89.71	88.27	91.06	109.93	108.39	111.04
4/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.76	78.53	81.23	NA	NA	NA	80.93	1.29	109.27	68.50	66.66	69.93	NA	NA	NA	85.10	84.35	85.70	90.61	89.59	91.75	NA	NA	NA	89.71	88.52	91.03	109.92	108.50	111.04
4/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.38	79.49	82.41	NA	NA	NA	85.52	74.10	94.64	72.29	56.68	75.71	NA	NA	NA	85.09	84.14	85.79	90.63	89.82	91.76	NA	NA	NA	89.67	88.26	91.02	109.96	108.81	111.30
4/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.92	82.11	83.95	NA	NA	NA	99.49	93.77	106.95	75.48	74.96	76.19	NA	NA	NA	85.11	84.32	85.84	90.63	89.46	91.62	NA	NA	NA	89.69	88.29	91.12	109.94	108.79	111.11
4/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.30	0.00	84.08	NA	NA	NA	96.55	0.31	122.70	57.56	0.00	83.78	NA	NA	NA	82.27	0.00	85.78	86.73	0.00	91.68	NA	NA	NA	86.84	0.00	91.25	102.68	0.00	111.63
4/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	78.56	74.93	81.90	NA	NA	NA	84.19	1.30	119.81	74.77	68.44	81.17	NA	NA	NA	85.13	84.36	85.78	90.63	89.50	91.57	NA	NA	NA	89.72	88.33	91.14	109.92	108.56	111.30
4/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.47	0.00	81.79	NA	NA	NA	98.23	97.15	101.24	43.59	0.00	87.05	NA	NA	NA	72.32	0.00	85.75	83.60	0.00	91.67	NA	NA	NA	83.10	0.00	91.23	101.72	0.00	111.75
4/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.37	0.00	34.58	NA	NA	NA	NA	NA	NA	41.75	23.53	58.56	NA	NA	NA	20.79	0.00	32.85	86.00	72.81	91.39	NA	NA	NA	87.55	76.30	90.84	97.62	76.64	110.94
4/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.70	0.00	85.96	NA	NA	NA	NA	NA	NA	43.30	0.00	78.39	NA	NA	NA	58.32	14.54	86.72	85.32	67.10	92.62	NA	NA	NA	87.44	71.14	92.81	94.94	1.77	115.05
4/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.31	0.00	87.93	NA	NA	NA	NA	NA	NA	20.82	0.00	82.23	NA	NA	NA	86.16	84.88	86.77	91.70	90.73	92.64	NA	NA	NA	91.65	90.47	92.91	111.41	108.62	115.26
4/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.27	63.10	78.05	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	86.16	85.30	86.79	91.69	90.61	92.82	NA	NA	NA	91.70	90.36	92.83	112.80	112.41	113.07
4/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.39	74.71	81.46	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	86.18	85.50	86.85	90.55	0.00	92.62	NA	NA	NA	84.69	0.00	92.82	102.05	0.00	113.28
4/28/2026	73.66	68.97	75.25	NA	NA	NA	54.76	0.00	84.10	80.70	76.30	81.75	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	86.16	85.41	86.69	87.81	81.71	92.63	NA	NA	NA	71.01	66.00	72.40	104.81	1.06	112.75
4/29/2026	68.50	0.00	73.86	NA	NA	NA	61.23	0.00	83.99	46.68	0.00	84.13	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	70.64	0.00	88.59	84.19	0.00	92.50	NA	NA	NA	71.19	0.00	95.36	96.56	1.23	115.29
4/30/2026	70.50	69.96	71.18	NA	NA	NA	74.27	73.67	75.36	49.06	47.98	49.90	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	88.02	87.06	88.65	91.69	90.68	92.78	NA	NA	NA	83.42	83.16	83.72	110.42	109.87	110.81
Alert Level	112.89	112.89	112.89	90.7	90.7	90.7	112.89	112.89	112.89	93.5	93.5	93.5	89.5	89.5	89.5	112.89	112.89	112.89	112.89	112.89	112.89	93.5	93.5	93.5	93.5	93.5	93.5	99.5	99.5	99.5	103.5	103.5	103.5	99.5	99.5	99.5	121.5	121.5	121.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-11. Skid 4 - May Daily Injection Pressures

Date	R-05			130145			R-04			132143			132145			R-03			O-03			134143			134145			136139			136141			136143			138141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	70.66	69.93	71.94	NA	NA	NA	74.43	73.77	75.42	45.05	16.47	73.20	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	86.94	85.99	87.89	91.73	90.59	92.72	NA	NA	NA	83.28	82.83	83.96	109.82	109.24	110.52
5/2/2026	71.63	71.11	72.38	NA	NA	NA	74.59	73.60	75.05	42.06	40.96	43.29	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	87.05	86.58	88.16	91.70	90.61	92.73	NA	NA	NA	83.90	83.26	84.92	109.30	108.81	109.80
5/3/2026	73.24	71.78	73.92	NA	NA	NA	74.33	73.66	74.94	73.45	43.04	81.72	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	88.18	87.67	88.43	91.70	90.64	92.82	NA	NA	NA	87.48	84.43	90.37	108.33	107.75	109.03
5/4/2026	73.34	68.13	79.83	NA	NA	NA	76.39	71.15	82.33	72.74	0.00	84.93	NA	NA	NA	NA	NA	NA	27.33	0.00	86.30	NA	NA	NA	69.96	0.00	88.49	91.68	90.66	93.46	NA	NA	NA	84.78	0.00	94.49	104.44	0.00	110.81
5/5/2026	73.41	72.56	74.63	NA	NA	NA	31.68	0.00	79.06	70.19	51.17	84.78	NA	NA	NA	NA	NA	NA	62.03	41.44	77.76	NA	NA	NA	72.55	70.13	85.61	91.71	90.53	92.78	NA	NA	NA	85.29	81.28	88.17	104.80	103.16	106.30
5/6/2026	71.57	69.25	75.63	NA	NA	NA	0.00	0.00	0.91	73.49	68.31	78.74	NA	NA	NA	NA	NA	NA	70.19	58.04	85.98	NA	NA	NA	84.60	83.51	86.42	91.68	90.70	92.74	NA	NA	NA	87.95	86.63	91.32	105.07	103.89	107.38
5/7/2026	83.84	69.55	84.80	NA	NA	NA	NA	NA	NA	80.22	79.14	81.12	NA	NA	NA	NA	NA	NA	82.98	76.21	86.69	NA	NA	NA	85.35	84.33	86.18	91.57	90.79	92.73	NA	NA	NA	91.44	90.37	93.10	108.34	107.27	108.96
5/8/2026	85.25	84.69	85.78	NA	NA	NA	NA	NA	NA	80.58	80.08	81.22	NA	NA	NA	NA	NA	NA	86.16	85.34	86.86	NA	NA	NA	86.62	86.09	87.10	91.67	90.72	92.65	NA	NA	NA	91.64	90.18	93.26	109.29	108.66	109.76
5/9/2026	85.56	84.55	86.19	NA	NA	NA	NA	NA	NA	81.28	80.33	81.80	NA	NA	NA	NA	NA	NA	86.16	85.49	86.82	NA	NA	NA	87.30	86.80	87.64	91.69	90.69	92.88	NA	NA	NA	91.71	90.13	93.20	109.97	109.26	110.39
5/10/2026	86.35	85.93	86.76	NA	NA	NA	NA	NA	NA	81.68	81.15	82.16	NA	NA	NA	NA	NA	NA	86.16	85.26	87.06	NA	NA	NA	87.20	85.89	87.92	91.71	90.63	92.82	NA	NA	NA	91.02	88.97	93.41	109.36	106.13	110.97
5/11/2026	86.36	85.88	86.76	NA	NA	NA	NA	NA	NA	81.42	80.86	81.83	NA	NA	NA	NA	NA	NA	86.17	85.55	87.07	NA	NA	NA	86.15	85.87	86.43	91.67	90.90	92.64	NA	NA	NA	89.39	88.96	89.69	106.41	106.03	106.70
5/12/2026	24.40	0.00	86.80	NA	NA	NA	NA	NA	NA	80.26	78.98	81.88	NA	NA	NA	NA	NA	NA	86.15	85.47	87.06	NA	NA	NA	86.92	86.26	87.57	91.69	90.55	92.79	NA	NA	NA	90.84	89.56	92.73	109.22	106.33	111.48
5/13/2026	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	80.02	79.07	83.62	NA	NA	NA	NA	NA	NA	86.17	85.46	87.18	NA	NA	NA	46.57	0.00	88.35	86.87	0.00	94.41	NA	NA	NA	91.14	87.22	93.24	96.75	0.00	112.87
5/14/2026	33.40	0.00	104.50	NA	NA	NA	NA	NA	NA	51.00	0.00	81.17	NA	NA	NA	NA	NA	NA	82.22	26.08	87.11	NA	NA	NA	44.38	0.00	83.62	77.22	0.00	94.46	NA	NA	NA	90.92	0.00	93.41	107.21	0.00	113.38
5/15/2026	21.07	0.00	84.26	NA	NA	NA	NA	NA	NA	66.12	0.00	83.01	NA	NA	NA	NA	NA	NA	85.92	79.63	86.94	NA	NA	NA	78.26	0.00	87.25	83.06	0.00	93.74	NA	NA	NA	91.68	90.39	93.41	106.49	0.00	114.83
5/16/2026	0.45	0.30	0.58	NA	NA	NA	NA	NA	NA	81.56	80.20	83.52	NA	NA	NA	NA	NA	NA	86.09	79.59	86.96	NA	NA	NA	86.14	85.35	86.83	85.44	83.86	86.76	NA	NA	NA	91.69	90.20	93.16	109.19	106.54	111.87
5/17/2026	0.00	0.00	0.49	NA	NA	NA	NA	NA	NA	53.76	0.00	83.14	NA	NA	NA	NA	NA	NA	11.99	0.52	78.86	NA	NA	NA	86.17	85.47	86.99	87.54	83.56	93.06	NA	NA	NA	91.68	90.24	93.29	83.26	1.46	113.21
5/18/2026	0.35	0.26	0.45	NA	NA	NA	NA	NA	NA	52.85	49.43	55.78	NA	NA	NA	NA	NA	NA	0.57	0.56	0.59	NA	NA	NA	86.14	85.49	86.94	90.03	89.44	90.58	NA	NA	NA	91.69	89.94	93.35	104.96	100.83	109.14
5/19/2026	41.57	0.00	86.62	NA	NA	NA	NA	NA	NA	65.79	52.33	76.29	NA	NA	NA	NA	NA	NA	49.58	0.09	87.01	NA	NA	NA	86.17	85.42	86.89	86.49	0.00	94.45	NA	NA	NA	91.64	90.27	93.42	111.06	105.42	113.36
5/20/2026	80.31	79.27	81.73	NA	NA	NA	NA	NA	NA	76.03	73.00	78.32	NA	NA	NA	NA	NA	NA	86.17	85.59	86.97	NA	NA	NA	86.13	85.23	86.67	73.33	0.00	93.25	NA	NA	NA	91.65	90.03	92.87	111.98	110.57	112.99
5/21/2026	76.03	0.00	81.12	NA	NA	NA	NA	NA	NA	71.54	0.00	84.69	NA	NA	NA	NA	NA	NA	81.16	0.21	87.08	NA	NA	NA	81.55	0.00	87.18	71.71	0.00	87.33	NA	NA	NA	82.53	0.00	93.01	109.65	0.36	113.85
5/22/2026	77.98	76.92	78.69	NA	NA	NA	NA	NA	NA	72.95	68.79	76.93	NA	NA	NA	NA	NA	NA	86.14	78.16	87.46	NA	NA	NA	86.15	85.29	86.76	88.26	87.42	88.84	NA	NA	NA	86.34	85.10	87.20	112.00	110.67	113.42
5/23/2026	78.83	77.96	81.02	NA	NA	NA	NA	NA	NA	77.34	75.78	79.01	NA	NA	NA	NA	NA	NA	80.86	0.60	87.37	NA	NA	NA	86.15	85.61	86.88	88.14	87.08	89.75	NA	NA	NA	87.83	84.89	89.23	111.93	110.69	113.21
5/24/2026	78.84	78.14	79.42	NA	NA	NA	NA	NA	NA	78.70	77.62	80.22	NA	NA	NA	NA	NA	NA	79.14	77.95	79.74	NA	NA	NA	86.15	85.41	87.12	87.82	87.04	88.57	NA	NA	NA	88.58	88.07	89.07	111.97	110.41	113.24
5/25/2026	78.91	78.35	79.48	NA	NA	NA	NA	NA	NA	79.88	79.29	80.40	NA	NA	NA	NA	NA	NA	79.99	79.29	80.48	NA	NA	NA	86.15	85.59	86.98	85.86	85.24	87.22	NA	NA	NA	89.28	87.76	92.53	111.99	110.49	113.35
5/26/2026	77.43	72.10	80.85	NA	NA	NA	NA	NA	NA	78.05	71.73	81.42	NA	NA	NA	NA	NA	NA	73.61	0.00	88.56	NA	NA	NA	86.18	85.43	87.18	82.92	75.86	87.15	NA	NA	NA	78.04	47.46	92.43	102.81	73.83	113.51
5/27/2026	72.79	70.08	77.24	NA	NA	NA	NA	NA	NA	72.75	69.89	77.08	NA	NA	NA	NA	NA	NA	78.39	0.00	88.62	NA	NA	NA	86.18	85.33	87.24	78.49	76.42	81.68	NA	NA	NA	52.37	47.22	59.88	77.58	73.24	82.92
5/28/2026	46.05	0.00	94.24	NA	NA	NA	NA	NA	NA	72.01	68.13	80.79	NA	NA	NA	NA	NA	NA	86.17	84.98	87.36	NA	NA	NA	86.17	85.52	87.06	84.26	58.08	92.94	NA	NA	NA	73.62	46.65	92.97	97.06	74.43	113.45
5/29/2026	0.31	0.01	0.49	NA	NA	NA	NA	NA	NA	80.50	75.58	84.32	NA	NA	NA	NA	NA	NA	85.74	0.00	87.97	NA	NA	NA	86.16	85.19	87.05	87.00	0.00	93.95	42.69	0.07	90.72	90.26	84.48	91.86	111.51	27.50	113.34
5/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.95	0.00	84.69	NA	NA	NA	NA	NA	NA	81.53	0.78	86.98	NA	NA	NA	86.16	85.18	86.80	79.58	0.00	94.49	NA	NA	NA	88.03	0.00	94.41	111.45	9.19	114.73
5/31/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.53	0.00	84.79	NA	NA	NA	NA	NA	NA	81.88	0.75	88.56	NA	NA	NA	84.28	3.69	86.84	87.21	0.00	93.89	NA	NA	NA	91.14	8.73	92.94	108.96	47.41	113.64
Alert Level	112.89	112.89	112.89	90.7	90.7	90.7	112.89	112.89	112.89	93.5	93.5	93.5	89.5	89.5	89.5	112.89	112.89	112.89	112.89	112.89	112.89	93.5	93.5	93.5	93.5	93.5	93.5	99.5	99.5	99.5	103.5	103.5	103.5	99.5	99.5	99.5	121.5	121.5	121.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.
- Operations switched from the following wells to their re-drill equivalents on the following dates:

Original Well ID	Re-Drill Well ID	Switch Date
R-03	134139	5/26/2026
R-04	132141	5/27/2026
R-05	130143	5/29/2026
O-03	134141	5/26/2026

Table 13-12. Skid 4 - June Daily Injection Pressures

Date	130143			130145			132141			132143			132145			134139			134141			134143			134145			136139			136141			136143			138141		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.91	0.00	83.34	NA	NA	NA	NA	NA	NA	83.57	29.67	87.69	64.06	0.00	85.14	79.19	0.00	87.16	84.99	74.97	91.47	2.55	0.35	64.48	83.62	5.03	93.06	106.85	0.00	113.30
6/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.97	73.60	81.45	NA	NA	NA	NA	NA	NA	82.57	74.01	86.76	NA	NA	NA	83.45	80.33	86.88	89.94	86.06	92.64	NA	NA	NA	86.63	74.76	91.58	111.95	110.44	113.26
6/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.76	0.00	82.37	NA	NA	NA	NA	NA	NA	67.59	0.00	87.63	NA	NA	NA	73.07	0.00	84.64	75.02	0.00	91.47	NA	NA	NA	76.94	0.00	92.31	91.76	0.00	112.94
6/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.87	75.43	80.09	NA	NA	NA	NA	NA	NA	79.06	70.89	87.39	NA	NA	NA	78.20	74.29	82.03	74.81	71.68	77.55	NA	NA	NA	82.38	80.56	84.18	77.53	72.55	82.29
6/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.31	0.00	82.46	NA	NA	NA	NA	NA	NA	80.81	0.00	87.48	36.19	0.48	52.72	83.19	81.52	85.53	77.81	73.55	81.42	NA	NA	NA	84.61	82.72	86.79	84.87	78.09	113.28
6/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.38	0.00	84.98	NA	NA	NA	NA	NA	NA	76.03	0.00	87.76	NA	NA	NA	78.64	37.18	86.88	77.17	37.78	93.12	NA	NA	NA	83.20	7.32	91.31	110.95	61.24	114.00
6/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.21	75.59	83.48	NA	NA	NA	NA	NA	NA	83.42	78.94	87.92	NA	NA	NA	77.35	71.32	87.86	86.24	79.94	92.38	NA	NA	NA	82.21	65.71	92.86	111.96	110.81	113.37
6/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.44	81.22	83.32	NA	NA	NA	NA	NA	NA	83.23	0.78	88.42	NA	NA	NA	86.16	85.39	86.99	92.55	90.61	93.32	NA	NA	NA	88.54	57.31	94.51	112.01	110.85	113.43
6/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.47	81.53	83.22	NA	NA	NA	NA	NA	NA	83.13	0.79	87.56	NA	NA	NA	86.15	85.34	87.10	91.51	0.00	93.91	NA	NA	NA	90.45	0.00	94.31	111.95	110.63	113.34
6/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.45	81.52	83.29	NA	NA	NA	NA	NA	NA	85.54	0.00	88.74	NA	NA	NA	86.16	85.34	86.87	91.66	88.23	92.80	NA	NA	NA	92.17	7.87	94.42	111.95	110.65	113.44
6/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.77	0.00	83.08	NA	NA	NA	NA	NA	NA	58.06	0.00	88.41	NA	NA	NA	84.23	7.83	87.28	84.13	3.98	92.68	NA	NA	NA	85.40	7.04	94.51	110.83	28.74	113.16
6/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.12	0.00	80.54	NA	NA	NA	NA	NA	NA	26.76	0.00	87.94	NA	NA	NA	72.67	0.00	86.89	71.82	0.00	88.68	NA	NA	NA	78.19	0.00	93.19	94.81	0.00	113.12
6/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.88	69.84	76.56	NA	NA	NA	NA	NA	NA	79.70	0.00	87.40	NA	NA	NA	86.16	85.55	86.95	85.32	84.35	86.14	NA	NA	NA	91.68	90.28	93.27	111.96	110.51	113.30
6/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.68	0.00	83.61	NA	NA	NA	NA	NA	NA	74.02	0.00	87.63	NA	NA	NA	77.29	0.00	87.47	78.64	0.00	86.78	NA	NA	NA	81.87	0.00	93.10	103.06	0.00	113.90
6/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.46	0.00	82.73	NA	NA	NA	NA	NA	NA	66.17	0.00	88.13	NA	NA	NA	74.21	0.00	86.90	76.47	0.00	90.97	NA	NA	NA	78.93	0.00	93.08	96.46	0.00	113.51
6/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.22	0.00	84.68	NA	NA	NA	NA	NA	NA	66.23	0.00	87.08	NA	NA	NA	75.96	0.00	88.04	73.85	0.00	93.91	NA	NA	NA	75.69	0.00	93.82	96.99	0.00	115.00
6/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.24	0.00	83.72	NA	NA	NA	NA	NA	NA	82.80	0.00	87.25	NA	NA	NA	82.33	0.00	88.15	71.64	0.00	94.46	NA	NA	NA	85.03	0.00	94.00	102.59	10.32	114.72
6/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.79	0.00	83.68	NA	NA	NA	NA	NA	NA	74.66	0.77	88.79	NA	NA	NA	86.17	84.87	86.99	69.32	0.00	94.41	NA	NA	NA	88.24	0.00	93.40	111.60	107.24	114.41
6/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.15	0.00	84.27	NA	NA	NA	NA	NA	NA	72.62	0.00	88.62	NA	NA	NA	81.74	0.00	87.04	89.86	0.00	94.21	NA	NA	NA	86.97	0.00	93.05	106.55	0.00	114.13
6/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.73	0.00	83.70	NA	NA	NA	NA	NA	NA	69.32	0.00	87.30	NA	NA	NA	80.89	0.00	86.84	85.27	0.00	92.32	NA	NA	NA	86.46	0.00	93.13	104.10	0.74	115.75
6/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.45	81.53	83.36	NA	NA	NA	NA	NA	NA	76.38	0.00	87.25	NA	NA	NA	86.16	85.23	86.82	91.33	88.50	92.62	NA	NA	NA	82.49	78.13	91.20	106.79	0.00	114.79
6/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.44	0.00	83.47	NA	NA	NA	NA	NA	NA	83.29	0.00	87.04	NA	NA	NA	84.09	0.00	87.01	89.13	0.00	93.80	NA	NA	NA	76.63	0.00	86.57	107.67	1.25	113.17
6/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.37	0.00	83.30	NA	NA	NA	NA	NA	NA	58.01	0.00	86.15	NA	NA	NA	62.49	0.00	85.86	78.77	0.00	92.69	NA	NA	NA	53.74	0.00	77.37	85.59	0.00	109.96
6/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.93	0.00	83.57	NA	NA	NA	NA	NA	NA	61.37	0.00	88.11	NA	NA	NA	62.50	0.00	85.40	77.91	0.00	93.12	NA	NA	NA	61.94	0.00	93.56	88.72	0.00	114.49
6/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.66	79.58	83.25	NA	NA	NA	NA	NA	NA	79.91	0.00	88.75	54.44	0.47	81.41	84.27	81.51	88.03	89.68	25.10	94.62	NA	NA	NA	91.70	90.01	93.28	112.00	110.38	113.79
6/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.04	77.93	84.21	NA	NA	NA	NA	NA	NA	78.12	73.64	81.07	NA	NA	NA	84.82	81.93	86.90	90.00	85.64	92.75	NA	NA	NA	91.69	90.04	93.37	111.97	110.27	113.62
6/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.46	81.07	83.52	NA	NA	NA	NA	NA	NA	82.05	79.46	83.64	NA	NA	NA	85.98	85.23	86.59	91.69	90.35	93.02	NA	NA	NA	91.66	89.94	93.40	111.96	110.18	113.80
6/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.49	81.06	83.81	NA	NA	NA	NA	NA	NA	84.05	81.86	88.18	NA	NA	NA	86.05	85.62	86.63	91.65	90.16	92.76	NA	NA	NA	91.67	89.79	93.42	111.95	110.30	113.66
6/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.08	0.00	83.56	NA	NA	NA	NA	NA	NA	65.53	0.00	88.46	NA	NA	NA	62.42	0.00	87.30	77.89	0.00	93.68	NA	NA	NA	80.61	0.00	93.92	95.22	4.98	132.68
6/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.64	0.00	83.70	NA	NA	NA	NA	NA	NA	81.80	0.00	87.72	39.05	0.46	88.46	70.82	0.00	88.38	72.70	65.31	93.55	0.57	0.35	2.54	83.30	72.54	92.31	86.35	82.64	94.57
Alert Level	112.89	112.89	112.89	90.7	90.7	90.7	112.89	112.89	112.89	93.5	93.5	93.5	89.5	89.5	89.5	112.89	112.89	112.89	112.89	112.89	112.89	93.5	93.5	93.5	93.5	93.5	93.5	99.5	99.5	99.5	103.5	103.5	103.5	99.5	99.5	99.5	121.5	121.5	121.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-13. Skid 5 - April Daily Injection Pressures																																	
Date	132133			134131			134133			134135			136129			136131			136133			136135			138129			138131			138133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX			
4/1/2026	NA	NA	NA	NA	NA	NA	100.19	99.60	100.71	NA	NA	NA	97.88	96.57	99.24	109.06	108.52	109.73	NA	NA	NA	70.31	67.56	71.57	NA	NA	NA	NA	NA	NA	111.60	111.06	112.44
4/2/2026	NA	NA	NA	NA	NA	NA	100.19	99.70	100.73	NA	NA	NA	97.89	96.49	99.14	109.02	108.42	109.64	NA	NA	NA	69.72	68.30	70.33	NA	NA	NA	NA	NA	NA	111.58	110.81	112.23
4/3/2026	NA	NA	NA	NA	NA	NA	100.20	99.66	100.74	NA	NA	NA	46.57	1.19	99.46	109.02	108.42	109.65	NA	NA	NA	68.99	0.20	71.76	NA	NA	NA	NA	NA	NA	111.59	110.81	112.36
4/4/2026	NA	NA	NA	NA	NA	NA	100.20	99.73	100.89	NA	NA	NA	38.39	35.84	45.37	109.01	108.26	109.79	NA	NA	NA	71.06	70.39	72.15	NA	NA	NA	NA	NA	NA	111.58	110.85	112.36
4/5/2026	NA	NA	NA	NA	NA	NA	100.18	99.62	100.93	NA	NA	NA	39.47	38.70	40.80	109.00	108.25	109.62	NA	NA	NA	71.68	71.35	72.12	NA	NA	NA	NA	NA	NA	111.61	111.04	112.36
4/6/2026	NA	NA	NA	NA	NA	NA	100.18	99.64	100.75	NA	NA	NA	13.70	1.97	40.74	109.04	108.41	109.67	NA	NA	NA	61.53	27.75	72.24	NA	NA	NA	NA	NA	NA	111.60	110.89	112.51
4/7/2026	NA	NA	NA	NA	NA	NA	100.19	99.56	100.81	NA	NA	NA	44.65	2.00	98.98	109.01	108.41	109.74	NA	NA	NA	69.33	65.12	71.61	NA	NA	NA	NA	NA	NA	111.58	110.86	112.44
4/8/2026	NA	NA	NA	NA	NA	NA	100.18	99.60	100.75	NA	NA	NA	97.90	97.00	99.08	109.01	108.23	109.61	NA	NA	NA	71.06	69.36	72.09	NA	NA	NA	NA	NA	NA	111.61	110.75	112.50
4/9/2026	NA	NA	NA	NA	NA	NA	90.90	0.00	100.84	NA	NA	NA	76.13	0.79	115.90	94.85	1.21	109.72	NA	NA	NA	63.08	0.28	73.51	NA	NA	NA	NA	NA	NA	100.92	0.00	112.33
4/10/2026	NA	NA	NA	NA	NA	NA	100.01	50.72	101.28	NA	NA	NA	84.40	1.21	98.50	108.78	42.89	109.84	NA	NA	NA	71.16	1.66	75.06	NA	NA	NA	NA	NA	NA	111.29	23.78	112.25
4/11/2026	NA	NA	NA	NA	NA	NA	100.19	99.47	100.87	NA	NA	NA	NA	NA	NA	109.03	108.36	109.64	NA	NA	NA	73.22	72.12	75.90	NA	NA	NA	NA	NA	NA	111.58	110.81	112.31
4/12/2026	NA	NA	NA	NA	NA	NA	101.42	99.50	106.75	NA	NA	NA	NA	NA	NA	109.68	108.23	113.04	NA	NA	NA	74.21	71.62	75.58	NA	NA	NA	NA	NA	NA	111.67	111.07	116.92
4/13/2026	NA	NA	NA	NA	NA	NA	100.10	71.37	106.56	NA	NA	NA	NA	NA	NA	108.89	75.33	112.38	NA	NA	NA	75.47	65.94	80.43	NA	NA	NA	NA	NA	NA	111.40	54.71	116.92
4/14/2026	NA	NA	NA	NA	NA	NA	100.19	99.29	100.84	NA	NA	NA	NA	NA	NA	109.02	107.71	109.66	NA	NA	NA	75.74	73.59	77.70	NA	NA	NA	NA	NA	NA	111.58	110.71	112.24
4/15/2026	NA	NA	NA	NA	NA	NA	97.71	0.00	100.84	NA	NA	NA	NA	NA	NA	105.77	1.04	109.68	NA	NA	NA	75.92	62.11	81.28	NA	NA	NA	NA	NA	NA	108.84	0.00	112.75
4/16/2026	NA	NA	NA	NA	NA	NA	100.20	99.64	100.87	NA	NA	NA	NA	NA	NA	109.01	108.28	109.71	NA	NA	NA	76.67	75.96	77.06	NA	NA	NA	NA	NA	NA	111.59	110.84	112.30
4/17/2026	NA	NA	NA	NA	NA	NA	100.18	99.45	100.96	NA	NA	NA	NA	NA	NA	109.02	108.47	109.76	NA	NA	NA	76.30	75.46	77.31	NA	NA	NA	NA	NA	NA	111.58	110.69	112.36
4/18/2026	NA	NA	NA	NA	NA	NA	100.19	99.39	101.02	NA	NA	NA	NA	NA	NA	109.01	108.25	109.75	NA	NA	NA	77.13	76.19	77.66	NA	NA	NA	NA	NA	NA	111.61	110.68	112.58
4/19/2026	NA	NA	NA	NA	NA	NA	100.20	99.44	100.97	NA	NA	NA	NA	NA	NA	109.02	108.29	109.74	NA	NA	NA	77.97	77.14	78.93	NA	NA	NA	NA	NA	NA	111.60	110.63	112.38
4/20/2026	NA	NA	NA	NA	NA	NA	95.86	11.98	100.98	NA	NA	NA	NA	NA	NA	102.67	1.25	109.80	NA	NA	NA	75.84	0.24	88.29	NA	NA	NA	NA	NA	NA	104.72	0.00	113.04
4/21/2026	NA	NA	NA	NA	NA	NA	100.19	99.40	100.94	NA	NA	NA	NA	NA	NA	109.01	108.35	109.74	NA	NA	NA	85.54	84.01	86.73	16.80	0.00	111.02	NA	NA	NA	111.61	110.80	112.26
4/22/2026	NA	NA	NA	NA	NA	NA	89.08	0.00	108.74	NA	NA	NA	NA	NA	NA	100.49	1.13	109.88	NA	NA	NA	71.52	0.10	88.65	18.71	0.00	28.14	NA	NA	NA	102.92	0.00	117.47
4/23/2026	NA	NA	NA	NA	NA	NA	75.73	53.10	85.08	NA	NA	NA	NA	NA	NA	72.14	1.23	109.80	NA	NA	NA	40.02	26.48	50.43	NA	NA	NA	NA	NA	NA	99.13	79.32	112.41
4/24/2026	NA	NA	NA	NA	NA	NA	93.46	72.33	120.82	NA	NA	NA	NA	NA	NA	92.98	72.94	102.83	NA	NA	NA	61.88	41.31	77.59	NA	NA	NA	NA	NA	NA	96.88	75.29	109.93
4/25/2026	NA	NA	NA	NA	NA	NA	101.28	100.70	101.94	NA	NA	NA	NA	NA	NA	102.07	101.21	102.83	NA	NA	NA	82.50	77.33	91.44	NA	NA	NA	NA	NA	NA	109.10	108.23	109.98
4/26/2026	NA	NA	NA	NA	NA	NA	101.27	100.58	101.85	NA	NA	NA	NA	NA	NA	102.09	101.21	103.19	NA	NA	NA	89.25	88.53	90.00	NA	NA	NA	NA	NA	NA	109.11	108.36	110.12
4/27/2026	NA	NA	NA	NA	NA	NA	101.26	100.57	101.87	NA	NA	NA	NA	NA	NA	102.09	101.29	103.01	NA	NA	NA	89.73	87.88	95.10	NA	NA	NA	NA	NA	NA	103.66	0.00	111.53
4/28/2026	NA	NA	NA	NA	NA	NA	101.26	100.57	102.09	NA	NA	NA	NA	NA	NA	102.08	101.23	102.92	NA	NA	NA	82.82	75.26	91.08	NA	NA	NA	105.45	0.39	114.96	89.50	87.05	93.23
4/29/2026	NA	NA	NA	NA	NA	NA	100.73	27.04	102.14	NA	NA	NA	NA	NA	NA	101.43	5.43	103.83	NA	NA	NA	78.78	0.26	87.14	NA	NA	NA	NA	NA	NA	88.66	0.00	94.78
4/30/2026	NA	NA	NA	NA	NA	NA	101.26	100.61	101.94	NA	NA	NA	NA	NA	NA	102.09	101.32	103.02	NA	NA	NA	79.12	78.85	79.42	NA	NA	NA	NA	NA	NA	92.03	91.36	92.35
Alert Level	113.5	113.5	113.5	115.5	115.5	115.5	109.9	109.9	109.9	104.9	104.9	104.9	119.5	119.5	119.5	119.5	119.5	119.5	112.3	112.3	112.3	108.5	108.5	108.5	129.5	129.5	129.5	128.5	128.5	128.5	122.3	122.3	122.3

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-14. Skid 5 - May Daily Injection Pressures																																	
Date	132133			134131			134133			134135			136129			136131			136133			136135			138129			138131			138133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	101.27	100.41	101.88	NA	NA	NA	NA	NA	NA	102.10	101.31	103.06	NA	NA	NA	85.05	79.41	87.72	NA	NA	NA	NA	NA	NA	98.98	92.54	102.71
5/2/2026	NA	NA	NA	NA	NA	NA	101.25	100.53	102.05	NA	NA	NA	NA	NA	NA	102.10	101.32	103.10	NA	NA	NA	88.00	87.03	94.44	NA	NA	NA	NA	NA	NA	102.53	101.84	105.48
5/3/2026	NA	NA	NA	NA	NA	NA	101.28	100.54	102.03	NA	NA	NA	NA	NA	NA	102.07	101.21	102.93	NA	NA	NA	87.78	87.19	88.26	NA	NA	NA	NA	NA	NA	102.95	102.43	103.32
5/4/2026	NA	NA	NA	NA	NA	NA	101.28	100.53	102.17	NA	NA	NA	NA	NA	NA	102.07	101.13	102.85	NA	NA	NA	85.92	78.10	89.86	NA	NA	NA	NA	NA	NA	102.62	99.46	104.62
5/5/2026	NA	NA	NA	NA	NA	NA	101.29	100.61	101.98	NA	NA	NA	NA	NA	NA	102.08	101.11	103.06	NA	NA	NA	83.49	77.99	90.16	NA	NA	NA	NA	NA	NA	101.84	99.11	104.83
5/6/2026	NA	NA	NA	NA	NA	NA	101.27	100.41	102.00	NA	NA	NA	NA	NA	NA	102.08	101.17	102.96	NA	NA	NA	84.95	80.27	91.14	NA	NA	NA	NA	NA	NA	103.16	101.50	105.71
5/7/2026	NA	NA	NA	NA	NA	NA	101.26	100.40	101.96	NA	NA	NA	NA	NA	NA	102.17	101.15	102.90	NA	NA	NA	81.55	80.28	82.66	NA	NA	NA	NA	NA	NA	100.72	81.85	112.31
5/8/2026	NA	NA	NA	NA	NA	NA	101.25	100.53	101.91	NA	NA	NA	NA	NA	NA	102.08	101.29	103.05	NA	NA	NA	82.76	82.34	83.09	NA	NA	NA	NA	NA	NA	101.29	99.99	102.01
5/9/2026	NA	NA	NA	NA	NA	NA	101.27	100.50	102.15	NA	NA	NA	NA	NA	NA	102.07	101.24	102.99	NA	NA	NA	83.59	82.80	84.48	NA	NA	NA	NA	NA	NA	103.03	101.91	104.30
5/10/2026	NA	NA	NA	NA	NA	NA	101.26	100.42	102.10	NA	NA	NA	NA	NA	NA	102.08	101.15	103.07	NA	NA	NA	85.27	84.45	86.03	NA	NA	NA	NA	NA	NA	104.77	102.64	105.73
5/11/2026	NA	NA	NA	NA	NA	NA	101.27	100.47	102.00	NA	NA	NA	NA	NA	NA	102.08	101.09	103.17	NA	NA	NA	84.87	83.37	87.64	NA	NA	NA	NA	NA	NA	104.46	102.57	107.93
5/12/2026	NA	NA	NA	NA	NA	NA	101.26	100.46	101.98	NA	NA	NA	NA	NA	NA	102.08	101.20	103.08	NA	NA	NA	83.64	82.91	83.87	NA	NA	NA	NA	NA	NA	103.05	102.35	103.39
5/13/2026	NA	NA	NA	NA	NA	NA	101.26	100.35	102.02	NA	NA	NA	NA	NA	NA	102.09	100.98	103.09	NA	NA	NA	84.36	83.21	85.70	NA	NA	NA	NA	NA	NA	108.27	103.19	111.91
5/14/2026	NA	NA	NA	NA	NA	NA	101.26	100.40	102.11	NA	NA	NA	NA	NA	NA	102.09	101.22	103.11	NA	NA	NA	84.26	82.69	85.39	NA	NA	NA	NA	NA	NA	109.97	108.54	111.65
5/15/2026	NA	NA	NA	NA	NA	NA	101.29	100.37	101.98	NA	NA	NA	NA	NA	NA	102.08	101.25	103.00	NA	NA	NA	84.77	79.16	87.15	NA	NA	NA	NA	NA	NA	93.27	0.00	112.71
5/16/2026	NA	NA	NA	NA	NA	NA	101.27	100.34	102.09	NA	NA	NA	NA	NA	NA	102.09	101.12	103.08	NA	NA	NA	86.63	86.20	87.04	NA	NA	NA	NA	NA	NA	110.30	108.59	112.34
5/17/2026	NA	NA	NA	NA	NA	NA	101.27	100.36	101.94	NA	NA	NA	NA	NA	NA	102.08	100.98	103.02	NA	NA	NA	85.47	82.66	88.00	NA	NA	NA	NA	NA	NA	86.32	0.00	112.42
5/18/2026	NA	NA	NA	NA	NA	NA	101.27	100.37	102.04	NA	NA	NA	NA	NA	NA	102.06	101.09	103.08	NA	NA	NA	85.31	84.96	85.68	NA	NA	NA	NA	NA	NA	87.82	86.42	88.68
5/19/2026	NA	NA	NA	NA	NA	NA	101.27	100.39	102.10	NA	NA	NA	NA	NA	NA	102.10	101.12	102.90	NA	NA	NA	87.39	85.38	88.90	NA	NA	NA	NA	NA	NA	90.22	88.58	91.34
5/20/2026	NA	NA	NA	NA	NA	NA	101.29	100.43	102.15	NA	NA	NA	NA	NA	NA	102.05	101.12	103.20	NA	NA	NA	88.83	88.16	89.31	NA	NA	NA	NA	NA	NA	91.89	91.13	92.35
5/21/2026	NA	NA	NA	NA	NA	NA	98.04	0.00	103.49	NA	NA	NA	NA	NA	NA	40.42	0.60	105.80	NA	NA	NA	84.88	0.35	89.12	NA	NA	NA	NA	NA	NA	87.69	0.00	108.77
5/22/2026	NA	NA	NA	NA	NA	NA	101.29	100.59	102.08	NA	NA	NA	NA	NA	NA	103.96	103.44	104.68	NA	NA	NA	86.94	86.31	87.89	NA	NA	NA	NA	NA	NA	109.77	108.77	110.97
5/23/2026	NA	NA	NA	NA	NA	NA	101.27	100.49	102.13	NA	NA	NA	NA	NA	NA	88.02	1.33	104.83	NA	NA	NA	87.41	86.72	88.05	NA	NA	NA	NA	NA	NA	110.56	109.86	111.47
5/24/2026	NA	NA	NA	NA	NA	NA	101.29	100.51	102.22	NA	NA	NA	NA	NA	NA	89.57	70.43	104.10	NA	NA	NA	87.21	86.29	88.19	NA	NA	NA	NA	NA	NA	110.79	110.45	111.46
5/25/2026	NA	NA	NA	NA	NA	NA	101.28	100.70	102.17	NA	NA	NA	NA	NA	NA	88.36	1.33	105.04	NA	NA	NA	86.35	85.15	86.97	NA	NA	NA	NA	NA	NA	108.09	97.01	111.41
5/26/2026	NA	NA	NA	NA	NA	NA	101.28	100.63	102.13	NA	NA	NA	NA	NA	NA	72.40	70.98	73.82	NA	NA	NA	85.71	83.29	87.50	NA	NA	NA	NA	NA	NA	105.70	103.34	108.42
5/27/2026	NA	NA	NA	NA	NA	NA	101.27	100.51	101.96	NA	NA	NA	NA	NA	NA	81.25	71.63	86.93	NA	NA	NA	87.68	82.62	92.65	NA	NA	NA	NA	NA	NA	106.79	102.64	110.25
5/28/2026	NA	NA	NA	NA	NA	NA	101.27	100.74	102.12	NA	NA	NA	NA	NA	NA	93.88	86.20	99.35	NA	NA	NA	92.87	85.97	94.37	NA	NA	NA	NA	NA	NA	109.06	105.22	110.95
5/29/2026	NA	NA	NA	NA	NA	NA	101.26	100.49	102.22	NA	NA	NA	NA	NA	NA	99.51	98.67	100.77	NA	NA	NA	94.26	91.95	94.86	NA	NA	NA	NA	NA	NA	109.13	108.12	110.37
5/30/2026	NA	NA	NA	NA	NA	NA	101.24	100.50	102.25	NA	NA	NA	NA	NA	NA	82.65	1.28	104.46	NA	NA	NA	95.16	92.57	95.88	NA	NA	NA	NA	NA	NA	109.08	104.62	111.69
5/31/2026	NA	NA	NA	NA	NA	NA	99.13	7.16	102.18	NA	NA	NA	NA	NA	NA	83.40	42.41	103.04	NA	NA	NA	94.31	6.53	96.78	NA	NA	NA	NA	NA	NA	108.59	28.88	110.36
Alert Level	113.5	113.5	113.5	115.5	115.5	115.5	109.9	109.9	109.9	104.9	104.9	104.9	119.5	119.5	119.5	119.5	119.5	119.5	112.3	112.3	112.3	108.5	108.5	108.5	129.5	129.5	129.5	128.5	128.5	128.5	122.3	122.3	122.3

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-15. Skid 5 - June Daily Injection Pressures

Date	132133			134131			134133			134135			136129			136131			136133			136135			138129			138131			138133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	100.75	97.32	102.16	NA	NA	NA	NA	NA	NA	102.08	101.25	103.14	NA	NA	NA	94.36	92.90	95.77	NA	NA	NA	NA	NA	NA	109.16	108.09	110.39
6/2/2026	NA	NA	NA	NA	NA	NA	98.78	96.52	100.76	NA	NA	NA	NA	NA	NA	102.09	101.12	103.02	NA	NA	NA	93.45	92.50	94.13	NA	NA	NA	NA	NA	NA	109.11	108.05	110.27
6/3/2026	NA	NA	NA	NA	NA	NA	88.73	1.65	100.24	NA	NA	NA	NA	NA	NA	95.46	1.20	102.92	NA	NA	NA	84.14	0.00	94.18	NA	NA	NA	NA	NA	NA	101.59	0.00	110.28
6/4/2026	NA	NA	NA	NA	NA	NA	96.65	93.57	100.87	NA	NA	NA	NA	NA	NA	100.45	96.29	102.93	NA	NA	NA	91.29	87.55	97.40	NA	NA	NA	NA	NA	NA	100.48	89.20	109.82
6/5/2026	NA	NA	NA	NA	NA	NA	98.40	93.99	100.86	NA	NA	NA	NA	NA	NA	100.33	96.40	102.80	NA	NA	NA	91.95	88.39	93.62	NA	NA	NA	NA	NA	NA	104.61	91.87	110.00
6/6/2026	6.14	0.00	47.87	NA	NA	NA	97.49	63.86	102.44	NA	NA	NA	NA	NA	NA	99.96	48.29	103.99	NA	NA	NA	89.78	37.33	97.56	NA	NA	NA	NA	NA	NA	107.00	56.85	110.15
6/7/2026	NA	NA	NA	NA	NA	NA	101.25	100.39	102.23	NA	NA	NA	NA	NA	NA	102.08	101.11	102.92	NA	NA	NA	94.30	93.15	95.01	NA	NA	NA	NA	NA	NA	109.11	108.07	110.38
6/8/2026	NA	NA	NA	NA	NA	NA	101.23	100.28	102.12	NA	NA	NA	NA	NA	NA	102.08	101.15	102.93	NA	NA	NA	95.42	94.41	95.98	NA	NA	NA	NA	NA	NA	109.11	108.12	109.82
6/9/2026	NA	NA	NA	NA	NA	NA	101.27	100.41	102.17	NA	NA	NA	NA	NA	NA	102.08	101.01	103.03	NA	NA	NA	96.01	95.47	96.45	NA	NA	NA	NA	NA	NA	109.11	107.99	110.05
6/10/2026	NA	NA	NA	NA	NA	NA	101.27	100.56	102.21	NA	NA	NA	NA	NA	NA	102.10	101.15	103.05	NA	NA	NA	96.23	95.52	96.89	NA	NA	NA	NA	NA	NA	109.10	108.20	110.30
6/11/2026	NA	NA	NA	NA	NA	NA	100.83	53.21	102.69	NA	NA	NA	NA	NA	NA	96.16	28.20	103.17	NA	NA	NA	95.47	6.96	99.83	NA	NA	NA	NA	NA	NA	107.07	23.28	111.96
6/12/2026	NA	NA	NA	NA	NA	NA	94.63	1.69	102.11	NA	NA	NA	NA	NA	NA	88.08	1.22	97.26	NA	NA	NA	80.59	0.52	100.30	NA	NA	NA	NA	NA	NA	99.49	0.18	110.32
6/13/2026	NA	NA	NA	NA	NA	NA	101.29	100.25	102.08	NA	NA	NA	NA	NA	NA	94.60	94.06	95.26	NA	NA	NA	96.17	94.29	97.13	NA	NA	NA	NA	NA	NA	105.45	99.86	106.16
6/14/2026	NA	NA	NA	NA	NA	NA	91.82	1.57	102.08	NA	NA	NA	NA	NA	NA	84.26	1.12	104.75	NA	NA	NA	87.82	0.46	98.41	NA	NA	NA	NA	NA	NA	96.22	0.00	106.95
6/15/2026	NA	NA	NA	NA	NA	NA	87.08	1.58	102.89	NA	NA	NA	NA	NA	NA	80.81	1.11	96.15	NA	NA	NA	82.10	0.46	98.28	NA	NA	NA	NA	NA	NA	92.80	0.00	110.62
6/16/2026	NA	NA	NA	NA	NA	NA	85.14	1.64	104.41	NA	NA	NA	NA	NA	NA	85.96	1.17	104.38	NA	NA	NA	86.04	0.50	100.71	NA	NA	NA	NA	NA	NA	85.48	0.00	112.41
6/17/2026	NA	NA	NA	NA	NA	NA	93.56	1.61	103.33	NA	NA	NA	NA	NA	NA	96.24	1.26	102.03	NA	NA	NA	93.25	0.53	99.17	NA	NA	NA	NA	NA	NA	102.44	0.00	112.19
6/18/2026	NA	NA	NA	NA	NA	NA	95.09	93.10	97.56	NA	NA	NA	NA	NA	NA	101.19	99.65	102.39	NA	NA	NA	99.23	97.06	100.58	NA	NA	NA	NA	NA	NA	99.30	96.87	101.90
6/19/2026	NA	NA	NA	NA	NA	NA	98.60	95.36	100.40	NA	NA	NA	NA	NA	NA	98.02	95.85	102.12	NA	NA	NA	98.25	96.13	100.52	NA	NA	NA	NA	NA	NA	108.10	29.46	112.04
6/20/2026	NA	NA	NA	NA	NA	NA	93.39	1.52	102.19	NA	NA	NA	NA	NA	NA	92.73	1.05	103.05	NA	NA	NA	89.96	0.44	97.58	NA	NA	NA	NA	NA	NA	100.94	0.00	110.29
6/21/2026	NA	NA	NA	NA	NA	NA	101.23	95.30	102.15	NA	NA	NA	NA	NA	NA	102.02	96.45	102.88	NA	NA	NA	97.65	96.38	100.08	NA	NA	NA	NA	NA	NA	108.82	98.73	110.44
6/22/2026	NA	NA	NA	NA	NA	NA	98.00	1.76	102.18	NA	NA	NA	NA	NA	NA	98.87	1.25	103.08	NA	NA	NA	87.80	0.55	110.27	NA	NA	NA	NA	NA	NA	104.91	0.47	110.46
6/23/2026	NA	NA	NA	NA	NA	NA	90.71	1.74	103.77	NA	NA	NA	NA	NA	NA	91.34	1.20	104.42	NA	NA	NA	81.44	0.51	103.21	NA	NA	NA	NA	NA	NA	97.07	0.00	110.44
6/24/2026	NA	NA	NA	NA	NA	NA	93.51	1.70	102.37	NA	NA	NA	NA	NA	NA	94.70	1.19	103.19	NA	NA	NA	84.31	0.53	95.13	NA	NA	NA	NA	NA	NA	98.58	0.00	112.36
6/25/2026	NA	NA	NA	NA	NA	NA	101.27	100.36	102.06	NA	NA	NA	NA	NA	NA	102.07	101.06	102.97	NA	NA	NA	97.15	88.01	105.08	NA	NA	NA	NA	NA	NA	109.14	107.91	110.34
6/26/2026	NA	NA	NA	NA	NA	NA	101.26	100.50	102.10	NA	NA	NA	NA	NA	NA	102.09	101.12	103.31	NA	NA	NA	100.36	100.00	102.90	NA	NA	NA	NA	NA	NA	109.16	107.93	110.41
6/27/2026	NA	NA	NA	NA	NA	NA	101.26	100.34	102.29	NA	NA	NA	NA	NA	NA	102.11	101.16	103.08	NA	NA	NA	100.00	100.00	100.00	NA	NA	NA	NA	NA	NA	109.10	107.95	110.34
6/28/2026	NA	NA	NA	NA	NA	NA	101.27	100.28	102.07	NA	NA	NA	NA	NA	NA	102.10	101.17	103.16	NA	NA	NA	100.00	100.00	100.00	NA	NA	NA	NA	NA	NA	109.08	107.83	110.18
6/29/2026	NA	NA	NA	NA	NA	NA	89.85	1.70	102.67	NA	NA	NA	NA	NA	NA	81.59	1.19	103.44	NA	NA	NA	100.00	100.00	100.00	NA	NA	NA	NA	NA	NA	93.12	0.00	112.22
6/30/2026	NA	NA	NA	NA	NA	NA	85.27	82.77	89.68	NA	NA	NA	NA	NA	NA	61.60	59.52	66.21	0.69	0.69	0.70	100.00	100.00	100.00	NA	NA	NA	NA	NA	NA	86.85	82.18	91.37
Alert Level	113.5	113.5	113.5	115.5	115.5	115.5	109.9	109.9	109.9	104.9	104.9	104.9	119.5	119.5	119.5	119.5	119.5	119.5	112.3	112.3	112.3	108.5	108.5	108.5	129.5	129.5	129.5	128.5	128.5	128.5	122.3	122.3	122.3

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-16. Skid 6 - April Daily Injection Pressures

Date	R-07			O-05			R-08			I-04			R-06			R-01			I-01			R-09			I-03			O-01			R-02			I-02			O-02			
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX				
4/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.13	0.09	0.15	108.76	105.15	109.83	NA	NA	NA	0.85	0.74	1.01		
4/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.13	0.09	0.16	103.20	0.00	108.92	NA	NA	NA	0.84	0.68	1.08		
4/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.12	0.09	0.15	105.47	104.14	106.44	NA	NA	NA	0.83	0.67	1.08		
4/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.13	0.09	0.15	105.44	105.01	107.13	NA	NA	NA	0.82	0.65	1.07		
4/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.12	0.10	0.14	105.25	105.02	106.33	NA	NA	NA	0.84	0.72	1.04		
4/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.12	0.11	0.13	105.39	81.89	107.28	NA	NA	NA	0.76	0.72	0.84		
4/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.11	0.07	0.14	53.72	0.00	108.89	NA	NA	NA	0.81	0.68	1.04		
4/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.10	0.06	0.13	64.96	44.29	103.57	NA	NA	NA	0.83	0.66	1.14		
4/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.09	0.05	0.12	81.77	0.00	103.47	NA	NA	NA	0.80	0.66	1.13		
4/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.08	0.05	0.11	100.65	0.00	107.77	NA	NA	NA	0.77	0.64	1.05		
4/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.07	0.04	0.10	101.53	100.82	106.06	NA	NA	NA	0.76	0.63	1.03		
4/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	0.07	0.05	0.09	101.93	99.23	102.72	NA	NA	NA	0.69	0.61	0.88		
4/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	87.32	NA	NA	NA	0.07	0.05	0.09	107.43	101.56	115.46	NA	NA	NA	0.67	0.60	0.81
4/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	96.72	0.00	110.23	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	23.00	0.00	102.46	0.07	0.03	0.10	102.51	95.02	106.67	102.40	0.00	111.48	0.68	0.57	0.87	
4/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	102.85	0.00	111.64	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	7.58	0.00	109.88	0.07	0.03	0.11	89.62	0.00	109.00	98.20	0.00	111.98	0.69	0.54	0.94	
4/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	109.79	109.25	110.29	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	0.00	0.07	0.03	0.10	101.47	97.17	104.83	110.34	109.80	110.77	0.68	0.56	0.92	
4/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	32.13	0.00	109.97	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	0.00	0.00	72.22	0.06	0.02	0.09	81.79	0.00	104.87	85.80	0.00	110.68	0.67	0.54	0.91	
4/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.38	0.00	75.35	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	43.30	0.00	98.86	0.05	0.02	0.08	83.08	66.35	97.30	89.08	75.60	103.31	0.69	0.52	0.98	
4/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.78	0.71	0.84	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	93.30	90.74	96.25	0.05	0.02	0.07	95.12	86.41	107.27	98.45	92.36	106.36	0.66	0.54	0.90	
4/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.77	0.53	0.83	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	89.92	0.61	103.24	0.04	0.00	0.07	94.92	0.00	107.75	94.29	0.00	106.40	0.70	0.54	1.00	
4/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.25	0.00	70.89	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	102.03	90.91	104.74	0.04	0.00	0.06	93.09	0.00	103.58	90.18	0.00	103.79	0.67	0.52	0.92	
4/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.35	0.00	83.42	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	86.76	0.15	103.62	16.46	0.00	83.60	102.86	91.96	105.52	88.82	0.00	104.79	15.31	0.00	90.03	
4/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.01	29.47	76.85	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	62.21	40.73	88.88	31.59	0.87	90.14	2.62	0.00	91.49	68.47	45.35	97.09	59.39	39.01	85.15	
4/24/2026	19.05	0.00	46.23	NA	NA	NA	NA	NA	NA	52.44	33.17	70.32	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	59.68	38.49	77.82	8.90	0.87	79.78	0.00	0.00	0.00	62.16	0.00	81.62	58.36	37.88	76.74	
4/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	70.78	58.10	75.70	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	77.08	63.99	82.32	80.09	65.83	85.14	0.00	0.00	0.00	61.08	0.00	81.30	75.88	61.37	80.59	
4/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.95	70.44	73.07	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	77.87	76.45	78.99	80.57	79.21	81.61	0.00	0.00	0.00	76.24	74.86	77.38	76.77	75.28	77.82	
4/27/2026	65.50	55.04	67.45	NA	NA	NA	0.00	0.00	0.00	68.55	49.34	73.71	77.56	53.19	80.19	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	74.07	54.29	79.65	76.47	55.48	82.24	0.00	0.00	0.00	72.38	52.78	77.97	72.95	52.74	78.93	
4/28/2026	69.15	66.98	70.95	NA	NA	NA	0.00	0.00	0.00	63.70	61.30	65.69	77.64	0.00	85.26	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	68.20	65.95	70.19	69.65	67.43	71.45	0.00	0.00	0.00	66.69	64.23	68.62	66.19	64.67	67.83	
4/29/2026	73.61	0.17	76.95	NA	NA	NA	0.00	0.00	0.00	67.83	0.06	71.21	6.61	0.00	85.23	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	72.53	0.19	75.80	74.22	0.87	77.71	0.00	0.00	0.00	71.02	0.21	74.55	70.40	0.59	74.72	
4/30/2026	73.78	70.78	76.56	NA	NA	NA	0.00	0.00	0.00	68.45	65.45	71.09	51.19	0.00	86.01	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	72.96	69.99	75.69	74.41	71.23	77.36	0.00	0.00	0.00	71.46	68.55	74.25	70.80	67.86	73.49	
Alert Level	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89		

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Production wells alternate between injection and recovery operations on a daily basis; therefore, some pressure readings correspond to recovery operations.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-17. Skid 6 - May Daily Injection Pressures

Date	R-07			O-05			R-08			I-04			R-06			R-01			I-01			R-09			I-03			O-01			R-02			I-02			O-02		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	75.55	73.23	79.28	NA	NA	NA	0.00	0.00	0.00	70.46	68.23	73.95	66.82	0.00	83.95	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	74.86	72.67	78.47	76.14	73.81	79.90	NA	NA	NA	73.35	71.12	76.98	73.35	70.44	77.27
5/2/2026	76.99	75.77	81.64	NA	NA	NA	0.00	0.00	0.00	72.15	70.89	76.54	62.91	0.00	85.35	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	76.40	75.22	80.92	77.64	76.39	82.36	NA	NA	NA	73.70	70.90	79.52	75.17	73.94	80.40
5/3/2026	78.03	76.92	78.83	NA	NA	NA	0.00	0.00	0.00	73.45	72.23	74.40	63.40	0.00	76.74	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	77.69	76.46	78.53	78.79	77.62	79.62	NA	NA	NA	74.96	63.09	77.06	76.23	75.06	77.08
5/4/2026	79.37	77.34	82.18	NA	NA	NA	0.00	0.00	0.00	75.05	72.91	77.94	78.22	75.13	82.28	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	79.19	77.07	82.09	80.22	78.13	82.97	NA	NA	NA	77.92	75.50	81.36	77.44	75.62	80.72
5/5/2026	81.00	0.00	82.92	NA	NA	NA	8.69	0.00	60.79	77.21	75.25	80.45	81.35	0.00	85.44	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	81.35	79.54	84.87	81.98	6.78	85.95	NA	NA	NA	80.42	76.23	83.96	79.30	76.76	81.99
5/6/2026	62.74	0.00	82.98	NA	NA	NA	48.53	21.76	122.15	50.41	0.00	82.38	61.65	0.00	74.21	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	27.91	0.18	85.68	72.27	0.89	98.60	NA	NA	NA	76.82	0.00	87.90	92.41	80.52	116.26
5/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.59	39.13	65.71	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	0.16	0.10	0.20	88.21	84.59	90.55	NA	NA	NA	83.08	82.26	84.07	97.07	96.09	98.01
5/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.83	64.46	69.17	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	0.15	0.11	0.19	89.46	88.51	90.09	NA	NA	NA	83.26	82.89	83.66	96.70	96.34	97.14
5/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.36	65.34	70.63	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	0.15	0.11	0.20	90.44	89.28	91.03	NA	NA	NA	83.51	82.89	83.91	96.98	96.49	97.30
5/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.12	68.72	73.30	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	0.15	0.11	0.20	90.87	90.09	91.26	NA	NA	NA	83.84	83.12	84.29	96.93	96.09	97.35
5/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.87	70.30	74.96	NA	NA	NA	NA	NA	NA	4.55	0.00	73.18	NA	NA	NA	0.15	0.12	0.19	91.09	90.41	91.77	NA	NA	NA	84.30	83.96	84.74	97.14	96.61	97.55
5/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	70.76	63.12	75.60	NA	NA	NA	NA	NA	NA	72.67	71.12	73.38	NA	NA	NA	0.15	0.12	0.19	80.06	0.89	91.59	NA	NA	NA	82.62	55.09	89.38	96.95	90.83	97.98
5/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.27	66.04	75.17	NA	NA	NA	NA	NA	NA	73.26	68.63	80.05	NA	NA	NA	33.54	0.11	85.54	79.51	66.17	90.76	NA	NA	NA	81.61	75.42	85.18	92.31	84.72	99.04
5/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.01	72.46	81.85	NA	NA	NA	NA	NA	NA	71.13	66.05	73.72	0.00	80.15	86.91	84.23	80.96	86.09	88.94	82.66	93.86	NA	NA	NA	82.07	76.10	85.77	85.97	79.80	90.32
5/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.41	0.00	83.36	NA	NA	NA	NA	NA	NA	69.11	0.00	83.59	0.00	0.00	83.49	77.89	0.19	86.13	82.47	0.89	95.02	NA	NA	NA	82.61	0.00	92.13	87.13	82.19	118.11
5/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.56	81.22	81.87	NA	NA	NA	NA	NA	NA	71.72	70.43	73.21	NA	NA	NA	85.24	84.26	85.59	91.53	90.35	92.27	NA	NA	NA	86.16	85.87	86.43	88.23	87.08	88.94
5/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.56	81.22	82.59	NA	NA	NA	NA	NA	NA	70.98	69.91	73.57	NA	NA	NA	85.24	84.91	86.19	90.18	89.15	94.03	NA	NA	NA	86.16	85.95	87.26	86.63	85.43	90.33
5/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.55	81.19	81.82	NA	NA	NA	NA	NA	NA	71.16	70.38	71.88	NA	NA	NA	85.24	85.03	85.50	90.33	89.74	90.97	NA	NA	NA	86.16	86.00	86.35	86.70	86.13	87.34
5/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.55	80.72	81.93	NA	NA	NA	NA	NA	NA	0.02	0.00	0.04	NA	NA	NA	85.24	84.61	85.63	94.09	90.37	96.53	NA	NA	NA	86.16	85.48	86.51	90.85	86.73	93.46
5/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.56	81.24	81.89	NA	NA	NA	NA	NA	NA	0.56	0.00	8.86	NA	NA	NA	85.25	84.72	85.87	96.57	95.50	97.35	NA	NA	NA	86.16	85.69	86.60	93.53	92.44	94.48
5/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.13	0.25	81.68	NA	NA	NA	NA	NA	NA	24.69	0.00	77.50	NA	NA	NA	81.84	0.18	86.00	94.23	0.87	97.76	NA	NA	NA	79.47	0.15	88.59	90.82	0.19	94.43
5/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	80.90	78.05	82.16	NA	NA	NA	NA	NA	NA	78.56	77.49	79.31	NA	NA	NA	85.24	84.62	85.82	96.41	95.58	97.06	NA	NA	NA	86.16	85.63	86.60	93.54	92.66	94.32
5/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.55	81.21	81.98	NA	NA	NA	NA	NA	NA	79.64	78.65	80.11	NA	NA	NA	85.24	84.62	85.91	97.12	96.31	97.43	NA	NA	NA	86.15	85.70	86.60	94.39	93.51	94.79
5/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.57	81.22	82.01	NA	NA	NA	NA	NA	NA	80.19	79.46	80.70	NA	NA	NA	85.24	84.68	85.89	97.20	96.92	97.54	NA	NA	NA	86.16	85.68	86.61	94.69	93.92	95.31
5/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.55	81.13	81.97	NA	NA	NA	NA	NA	NA	80.57	78.61	81.25	NA	NA	NA	85.23	84.56	85.82	97.19	96.36	98.08	NA	NA	NA	86.16	85.71	86.60	94.68	93.45	95.37
5/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.56	81.12	82.04	NA	NA	NA	NA	NA	NA	79.84	0.00	82.67	NA	NA	NA	85.23	84.54	86.00	96.61	94.38	98.67	NA	NA	NA	82.24	61.94	86.73	93.60	88.21	97.02
5/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.69	0.00	81.91	NA	NA	NA	NA	NA	NA	54.88	30.24	79.27	NA	NA	NA	72.98	18.64	85.82	49.45	5.85	95.82	NA	NA	NA	60.86	23.60	83.10	67.85	0.21	91.76
5/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.40	51.84	60.83	NA	NA	NA	NA	NA	NA	48.24	27.31	53.25	NA	NA	NA	60.94	54.86	63.30	20.76	5.77	28.96	NA	NA	NA	59.29	46.20	62.66	46.28	40.23	48.55
5/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	57.82	51.49	63.68	NA	NA	NA	NA	NA	NA	50.43	45.58	54.13	NA	NA	NA	58.17	11.35	63.31	28.75	24.09	33.02	NA	NA	NA	59.71	53.16	65.26	46.82	42.23	51.13
5/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.07	55.18	60.10	NA	NA	NA	NA	NA	NA	50.98	48.77	52.80	NA	NA	NA	57.52	55.23	59.74	31.78	29.12	34.24	NA	NA	NA	60.18	58.06	61.99	48.21	45.41	50.16
5/31/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	60.32	0.24	62.24	NA	NA	NA	NA	NA	NA	53.24	0.01	55.16	NA	NA	NA	60.28	0.26	62.10	35.43	0.19	38.11	NA	NA	NA	62.29	0.00	64.14	50.63	1.27	52.31
Alert Level	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Production wells alternate between injection and recovery operations on a daily basis; therefore, some pressure readings correspond to recovery operations.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.
- Operations switched from the following wells to their re-drill equivalents on the following dates:

Original Well ID	Re-Drill Well ID	Switch Date
R-01	130135	5/27/2026
R-02	132137	5/29/2026
R-06	128141	5/29/2026
R-07	126139	5/30/2026
I-03	130141	5/29/2026
O-01	132135	5/27/2026
O-02	134137	5/27/2026
O-05	126137	5/29/2026

Table 13-18. Skid 6 - June Daily Injection Pressures

Date	126139			126137			R-08			I-04			128141			130135			I-01			R-09			130141			132135			132137			I-02			134137		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	59.49	53.46	62.21	NA	NA	NA	NA	NA	NA	53.29	47.35	55.79	NA	NA	NA	60.58	55.40	62.91	36.90	30.84	39.63	NA	NA	NA	62.35	57.26	64.57	51.25	46.36	53.47
6/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.76	52.84	60.17	NA	NA	NA	NA	NA	NA	49.70	46.68	52.37	NA	NA	NA	58.10	54.77	61.19	33.55	30.25	36.60	NA	NA	NA	59.75	56.60	62.55	48.73	45.69	51.40
6/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.10	0.00	83.10	NA	NA	NA	NA	NA	NA	32.18	0.00	80.65	NA	NA	NA	59.64	0.01	87.80	39.60	0.24	61.97	NA	NA	NA	38.87	0.92	81.44	55.74	0.58	84.02
6/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.58	55.82	67.17	NA	NA	NA	NA	NA	NA	0.00	0.00	0.03	NA	NA	NA	72.16	68.87	74.78	61.15	56.31	65.74	NA	NA	NA	0.00	0.00	1.09	77.21	73.61	80.32
6/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.50	55.38	73.18	NA	NA	NA	NA	NA	NA	0.00	0.00	0.03	NA	NA	NA	71.23	69.58	74.11	65.97	62.63	67.57	NA	NA	NA	0.00	0.00	0.00	77.12	75.03	78.50
6/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.14	0.00	78.88	NA	NA	NA	NA	NA	NA	34.56	0.00	76.95	NA	NA	NA	77.36	0.01	85.71	66.36	1.07	73.42	NA	NA	NA	19.49	0.00	59.83	77.49	0.96	82.49
6/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.34	68.62	78.06	NA	NA	NA	NA	NA	NA	76.41	75.13	78.23	NA	NA	NA	85.25	84.05	85.77	72.38	69.74	73.65	NA	NA	NA	79.50	59.83	87.42	82.15	79.63	83.05
6/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.73	70.21	81.50	NA	NA	NA	NA	NA	NA	24.65	0.00	81.11	NA	NA	NA	85.08	52.02	86.07	72.86	65.89	80.19	NA	NA	NA	80.16	0.20	86.72	82.98	76.00	91.03
6/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.47	76.61	78.17	NA	NA	NA	NA	NA	NA	0.01	0.00	0.03	NA	NA	NA	85.23	84.57	85.87	73.64	72.40	74.83	NA	NA	NA	86.16	85.72	86.63	84.23	83.12	85.11
6/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.08	76.14	78.14	NA	NA	NA	NA	NA	NA	0.01	0.00	0.03	NA	NA	NA	85.24	84.44	85.86	72.78	68.64	75.48	NA	NA	NA	86.16	85.64	86.67	85.15	84.24	86.57
6/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.86	0.00	78.43	NA	NA	NA	NA	NA	NA	0.00	0.00	0.03	NA	NA	NA	78.30	0.00	86.33	57.00	0.00	72.60	NA	NA	NA	85.37	0.63	86.87	86.65	0.83	95.74
6/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.83	3.28	81.88	NA	NA	NA	NA	NA	NA	0.00	0.00	0.03	NA	NA	NA	81.93	0.00	85.87	71.87	2.05	80.01	NA	NA	NA	82.96	0.64	86.74	87.05	7.28	94.48
6/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.32	78.61	79.79	NA	NA	NA	NA	NA	NA	0.00	0.00	0.02	NA	NA	NA	85.24	84.30	86.10	74.53	73.52	75.35	NA	NA	NA	86.14	85.34	86.90	90.39	89.55	91.08
6/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.73	0.00	81.77	NA	NA	NA	NA	NA	NA	0.00	0.00	0.02	NA	NA	NA	72.95	0.14	87.33	68.29	0.20	75.78	NA	NA	NA	75.75	0.54	88.05	83.48	0.76	93.27
6/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.74	0.26	82.35	NA	NA	NA	NA	NA	NA	0.01	0.00	1.08	NA	NA	NA	70.18	0.15	86.05	64.09	0.41	80.10	NA	NA	NA	72.31	0.60	87.66	78.57	0.42	96.20
6/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	70.68	0.26	81.90	NA	NA	NA	NA	NA	NA	38.09	0.00	85.53	NA	NA	NA	75.90	0.00	87.38	65.92	0.07	78.99	NA	NA	NA	75.43	0.63	87.75	82.32	0.72	97.77
6/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.20	0.25	81.78	NA	NA	NA	NA	NA	NA	75.65	0.00	85.65	NA	NA	NA	82.94	0.14	85.95	72.86	0.20	78.57	NA	NA	NA	83.79	0.64	87.10	84.40	1.61	95.12
6/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.07	79.44	82.09	NA	NA	NA	NA	NA	NA	77.76	0.00	85.69	NA	NA	NA	84.10	0.00	86.10	78.15	74.87	95.37	NA	NA	NA	84.81	0.64	87.12	93.47	0.96	96.42
6/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.49	68.31	83.83	NA	NA	NA	NA	NA	NA	77.22	0.00	89.90	NA	NA	NA	83.89	53.27	86.84	79.78	75.36	88.86	NA	NA	NA	79.83	0.65	87.83	95.16	85.27	97.33
6/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.56	0.23	82.14	NA	NA	NA	NA	NA	NA	70.46	0.00	86.90	NA	NA	NA	79.62	0.15	86.02	75.06	0.00	85.93	NA	NA	NA	77.47	0.18	87.29	89.64	0.16	96.19
6/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.07	0.00	82.16	NA	NA	NA	NA	NA	NA	75.29	65.08	81.80	NA	NA	NA	84.67	0.00	86.26	81.95	1.05	84.17	NA	NA	NA	71.63	0.63	87.64	95.00	0.97	96.17
6/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.21	0.25	82.15	NA	NA	NA	NA	NA	NA	70.75	0.00	84.72	NA	NA	NA	83.20	0.14	86.98	84.56	0.20	94.00	NA	NA	NA	83.92	0.64	87.60	92.87	1.34	96.08
6/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	69.75	0.00	82.00	NA	NA	NA	NA	NA	NA	62.17	0.00	84.35	NA	NA	NA	73.33	0.13	86.35	80.52	0.00	96.89	NA	NA	NA	72.15	0.63	87.47	83.68	0.95	96.27
6/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.42	0.00	81.92	NA	NA	NA	NA	NA	NA	54.72	0.00	83.13	NA	NA	NA	75.44	0.13	86.54	80.33	0.09	97.63	NA	NA	NA	72.15	0.63	87.42	84.86	0.93	96.27
6/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.93	77.34	82.11	NA	NA	NA	NA	NA	NA	76.20	0.00	85.65	NA	NA	NA	85.27	83.32	86.85	90.86	57.35	98.56	NA	NA	NA	78.49	0.62	88.63	95.34	94.14	96.55
6/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.54	78.47	82.68	NA	NA	NA	NA	NA	NA	79.39	0.00	85.16	NA	NA	NA	85.22	83.18	86.58	79.46	0.00	100.08	NA	NA	NA	81.78	0.65	86.43	95.37	93.48	96.75
6/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.55	80.95	82.10	NA	NA	NA	NA	NA	NA	82.77	80.13	84.71	NA	NA	NA	85.25	83.99	86.74	88.36	76.74	97.58	NA	NA	NA	84.40	80.32	86.23	95.39	94.18	96.37
6/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	81.54	81.03	82.04	NA	NA	NA	NA	NA	NA	82.55	79.60	83.53	NA	NA	NA	85.25	83.59	86.84	97.46	95.90	98.28	NA	NA	NA	85.93	84.74	86.90	95.37	94.10	96.48
6/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	77.67	0.00	82.90	NA	NA	NA	NA	NA	NA	71.53	0.00	85.15	NA	NA	NA	80.25	0.00	86.86	88.41	0.18	98.61	NA	NA	NA	74.14	0.63	87.34	70.76	0.16	97.27
6/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.15	0.00	83.75	NA	NA	NA	NA	NA	NA	68.27	0.00	85.71	0.00	0.00	94.90	85.20	83.70	86.72	77.36	27.43	98.07	NA	NA	NA	73.23	67.92	79.13	72.46	13.77	81.72
Alert Level	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89	112.89

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.
- Operations switched from the following wells to their re-drill equivalents on the following dates:

Original Well ID	Re-Drill Well ID	Switch Date
R-08	128137	6/1/2026
I-01	130137	6/6/2026
I-02	132139	6/8/2026
I-04	128139	6/3/2026

Table 13-19. Skid 7 - April Daily Injection Pressures

Date	126129			128129			130125			130127			130129			130131			132125			132127			132129			132131			134125			134127			134129		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
4/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.36	0.38	NA	NA	NA	NA	NA	NA	103.29	99.18	105.48	NA	NA	NA	99.98	96.47	101.97	NA	NA	NA	NA	NA	NA	116.37	114.38	116.83
4/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	104.68	103.64	106.06	NA	NA	NA	82.61	79.98	100.86	NA	NA	NA	NA	NA	NA	116.38	115.67	116.90
4/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	104.89	101.83	105.99	NA	NA	NA	81.70	78.62	82.75	NA	NA	NA	NA	NA	NA	99.42	0.06	117.77
4/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	105.99	105.57	107.27	NA	NA	NA	91.53	82.57	103.47	NA	NA	NA	NA	NA	NA	116.39	115.70	117.54
4/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.38	NA	NA	NA	NA	NA	NA	106.03	16.28	107.32	NA	NA	NA	102.86	102.48	105.45	NA	NA	NA	NA	NA	NA	116.38	115.90	117.56
4/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.34	0.34	0.36	NA	NA	NA	NA	NA	NA	2.46	0.44	82.40	NA	NA	NA	103.97	99.38	105.53	NA	NA	NA	NA	NA	NA	116.39	115.16	117.24
4/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.35	0.33	0.36	NA	NA	NA	NA	NA	NA	22.29	0.60	49.88	NA	NA	NA	104.56	102.06	109.19	NA	NA	NA	NA	NA	NA	116.38	115.50	117.33
4/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.35	0.34	0.37	NA	NA	NA	NA	NA	NA	33.59	26.98	57.42	NA	NA	NA	104.50	99.55	106.52	NA	NA	NA	101.84	31.57	109.28	116.36	111.36	116.94
4/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.35	0.35	0.37	NA	NA	NA	NA	NA	NA	21.92	0.30	41.26	NA	NA	NA	93.60	0.00	106.83	NA	NA	NA	NA	NA	NA	104.83	1.57	116.99
4/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.38	NA	NA	NA	NA	NA	NA	99.14	6.27	111.69	NA	NA	NA	102.45	39.59	107.73	NA	NA	NA	NA	NA	NA	116.10	39.08	117.55
4/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	105.93	91.08	109.86	NA	NA	NA	103.09	102.19	107.05	NA	NA	NA	NA	NA	NA	116.38	116.09	116.63
4/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	107.31	104.66	108.61	NA	NA	NA	104.21	102.08	105.48	NA	NA	NA	NA	NA	NA	116.39	114.74	118.52
4/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	108.94	106.62	115.59	NA	NA	NA	105.67	104.31	110.50	NA	NA	NA	NA	NA	NA	115.34	1.40	118.52
4/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	108.37	105.96	110.72	NA	NA	NA	105.05	102.72	107.14	NA	NA	NA	NA	NA	NA	116.38	113.94	116.82
4/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.37	NA	NA	NA	NA	NA	NA	104.84	99.91	113.95	NA	NA	NA	104.97	97.43	109.54	NA	NA	NA	NA	NA	NA	116.38	114.59	117.68
4/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	104.17	103.79	104.56	NA	NA	NA	105.80	105.45	106.05	NA	NA	NA	NA	NA	NA	116.38	115.94	117.17
4/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.37	NA	NA	NA	NA	NA	NA	81.31	0.22	107.16	NA	NA	NA	103.96	0.00	107.42	NA	NA	NA	NA	NA	NA	113.50	1.48	118.46
4/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.37	NA	NA	NA	NA	NA	NA	70.85	69.90	71.55	NA	NA	NA	105.64	104.67	106.22	NA	NA	NA	NA	NA	NA	116.37	115.34	116.91
4/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	72.13	71.35	72.88	NA	NA	NA	106.10	105.64	106.58	NA	NA	NA	NA	NA	NA	116.39	116.02	116.85
4/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.35	0.34	0.37	NA	NA	NA	NA	NA	NA	49.20	0.25	103.63	NA	NA	NA	96.10	0.25	108.96	NA	NA	NA	NA	NA	NA	104.70	1.42	117.41
4/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	82.74	62.11	101.18	NA	NA	NA	82.05	0.00	107.03	NA	NA	NA	NA	NA	NA	114.54	1.64	117.60
4/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.32	0.37	NA	NA	NA	NA	NA	NA	84.76	0.17	104.91	NA	NA	NA	56.63	0.00	105.36	NA	NA	NA	NA	NA	NA	102.96	1.44	117.34
4/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.35	0.33	0.37	NA	NA	NA	NA	NA	NA	70.61	0.28	104.17	NA	NA	NA	73.41	61.16	85.38	NA	NA	NA	NA	NA	NA	95.32	1.37	116.59
4/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.39	NA	NA	NA	NA	NA	NA	91.05	64.30	112.49	NA	NA	NA	87.29	60.86	109.18	NA	NA	NA	NA	NA	NA	99.58	74.37	124.02
4/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	104.29	97.37	113.19	NA	NA	NA	109.02	108.72	109.33	NA	NA	NA	NA	NA	NA	116.39	115.79	116.87
4/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	103.37	101.43	104.98	NA	NA	NA	109.02	108.82	109.25	NA	NA	NA	NA	NA	NA	116.38	115.76	116.96
4/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	104.93	101.84	106.59	NA	NA	NA	109.02	108.71	109.37	NA	NA	NA	NA	NA	NA	116.39	115.83	116.91
4/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	105.94	103.87	107.91	NA	NA	NA	109.02	108.84	109.23	NA	NA	NA	NA	NA	NA	116.39	115.72	116.99
4/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.34	0.38	NA	NA	NA	NA	NA	NA	98.24	0.39	107.85	NA	NA	NA	108.02	15.32	109.69	NA	NA	NA	NA	NA	NA	115.32	1.47	117.79
4/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	91.73	81.81	107.89	NA	NA	NA	109.02	108.86	109.18	NA	NA	NA	NA	NA	NA	116.38	115.83	116.83
Alert Level	107.5	107.5	107.5	107.5	107.5	107.5	124.5	124.5	124.5	117.5	117.5	117.5	111.5	111.5	111.5	123.5	123.5	123.5	131.5	131.5	131.5	128.5	128.5	128.5	126.3	126.3	126.3	119.5	119.5	119.5	127.5	127.5	127.5	124.5	124.5	124.5	131.5	131.5	131.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-20. Skid 7 - May Daily Injection Pressures

Date	126129			128129			130125			130127			130129			130131			132125			132127			132129			132131			134125			134127			134129		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.38	NA	NA	NA	NA	NA	NA	107.61	107.28	107.89	NA	NA	NA	109.02	108.85	109.17	NA	NA	NA	NA	NA	NA	116.40	115.84	116.86
5/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.38	NA	NA	NA	NA	NA	NA	107.61	107.32	107.83	NA	NA	NA	109.02	108.79	109.30	NA	NA	NA	NA	NA	NA	116.39	115.93	116.92
5/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.36	0.39	NA	NA	NA	NA	NA	NA	107.59	107.30	107.90	NA	NA	NA	109.02	108.86	109.21	NA	NA	NA	NA	NA	NA	116.39	115.90	116.88
5/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	107.60	107.02	109.05	NA	NA	NA	109.02	108.30	110.15	NA	NA	NA	NA	NA	NA	116.38	115.40	118.53
5/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	107.61	107.29	107.96	NA	NA	NA	109.02	108.79	109.41	NA	NA	NA	NA	NA	NA	116.40	115.93	117.46
5/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	107.60	106.79	107.89	NA	NA	NA	109.02	108.27	109.39	NA	NA	NA	NA	NA	NA	116.38	115.32	117.00
5/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.39	NA	NA	NA	NA	NA	NA	107.64	107.29	107.98	NA	NA	NA	109.04	108.76	109.23	NA	NA	NA	NA	NA	NA	116.41	115.75	116.93
5/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.60	107.24	107.90	NA	NA	NA	109.02	108.79	109.27	NA	NA	NA	NA	NA	NA	116.37	115.75	116.95
5/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.60	107.29	108.00	NA	NA	NA	109.02	108.77	109.22	NA	NA	NA	NA	NA	NA	116.39	115.79	116.99
5/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.61	107.29	107.93	NA	NA	NA	109.02	108.79	109.23	NA	NA	NA	NA	NA	NA	116.39	115.82	116.89
5/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.61	107.20	108.03	NA	NA	NA	109.02	108.77	109.27	NA	NA	NA	NA	NA	NA	116.38	115.77	116.99
5/12/2026	NA	NA	NA	13.08	0.00	85.81	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	106.77	0.66	110.11	NA	NA	NA	109.02	107.50	109.71	NA	NA	NA	NA	NA	NA	116.36	114.84	117.16
5/13/2026	NA	NA	NA	14.50	6.70	21.07	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	102.19	0.48	110.62	NA	NA	NA	109.03	108.64	110.22	NA	NA	NA	NA	NA	NA	116.37	115.57	117.52
5/14/2026	NA	NA	NA	16.21	0.00	24.94	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.60	107.23	108.25	NA	NA	NA	109.02	108.40	109.70	NA	NA	NA	NA	NA	NA	116.37	115.15	117.08
5/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.39	NA	NA	NA	NA	NA	NA	107.60	106.76	107.91	NA	NA	NA	109.01	108.33	109.34	NA	NA	NA	NA	NA	NA	116.40	114.81	116.99
5/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.37	0.35	0.38	NA	NA	NA	NA	NA	NA	107.61	107.26	108.02	NA	NA	NA	109.03	108.82	109.22	NA	NA	NA	NA	NA	NA	116.37	115.71	116.98
5/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	107.60	107.27	108.24	NA	NA	NA	109.02	108.75	109.81	NA	NA	NA	NA	NA	NA	116.41	115.76	117.07
5/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	107.60	107.12	108.10	NA	NA	NA	109.02	108.80	109.19	NA	NA	NA	NA	NA	NA	116.39	115.85	117.09
5/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.37	NA	NA	NA	NA	NA	NA	107.60	107.04	108.15	NA	NA	NA	109.03	108.40	109.33	NA	NA	NA	NA	NA	NA	116.38	115.09	117.02
5/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.39	NA	NA	NA	NA	NA	NA	107.60	107.13	107.99	NA	NA	NA	109.02	108.67	109.29	NA	NA	NA	NA	NA	NA	116.36	115.70	117.07
5/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.32	0.39	NA	NA	NA	NA	NA	NA	102.46	0.39	108.44	NA	NA	NA	98.18	0.00	109.67	NA	NA	NA	NA	NA	NA	113.50	1.46	117.51
5/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.39	NA	NA	NA	NA	NA	NA	107.56	97.62	107.97	NA	NA	NA	109.02	108.75	109.33	NA	NA	NA	NA	NA	NA	116.38	115.62	117.04
5/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.35	0.38	NA	NA	NA	NA	NA	NA	97.16	96.36	97.62	NA	NA	NA	109.03	108.69	109.33	NA	NA	NA	NA	NA	NA	116.38	115.74	117.05
5/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.26	0.38	NA	NA	NA	NA	NA	NA	97.85	97.40	98.28	NA	NA	NA	109.03	108.67	109.36	NA	NA	NA	NA	NA	NA	116.36	115.51	117.06
5/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.34	0.31	0.37	NA	NA	NA	NA	NA	NA	101.39	97.44	104.86	41.92	0.44	107.19	109.02	108.74	109.26	NA	NA	NA	NA	NA	NA	116.40	115.65	117.16
5/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.28	0.26	0.31	NA	NA	NA	NA	NA	NA	102.92	101.88	105.01	NA	NA	NA	109.03	108.73	109.52	NA	NA	NA	NA	NA	NA	116.39	115.75	117.45
5/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.28	0.26	0.30	NA	NA	NA	NA	NA	NA	102.38	100.99	104.63	NA	NA	NA	109.03	108.66	109.50	NA	NA	NA	NA	NA	NA	116.38	115.58	117.33
5/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	71.92	0.26	111.13	NA	NA	NA	NA	NA	NA	100.43	93.46	107.50	NA	NA	NA	109.01	108.65	109.35	NA	NA	NA	NA	NA	NA	116.37	115.58	117.17
5/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.08	107.63	NA	NA	NA	NA	NA	NA	99.56	94.36	108.48	NA	NA	NA	109.02	107.79	109.58	NA	NA	NA	NA	NA	NA	117.77	115.60	121.86
5/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.72	107.56	NA	NA	NA	NA	NA	NA	107.61	107.15	108.10	NA	NA	NA	109.02	108.61	109.28	NA	NA	NA	NA	NA	NA	83.56	1.68	122.51
5/31/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	106.33	5.04	107.82	NA	NA	NA	NA	NA	NA	107.04	2.96	108.15	NA	NA	NA	107.74	27.25	109.71	NA	NA	NA	NA	NA	NA	112.53	11.39	122.47
Alert Level	107.5	107.5	107.5	107.5	107.5	107.5	124.5	124.5	124.5	117.5	117.5	117.5	111.5	111.5	111.5	123.5	123.5	123.5	131.5	131.5	131.5	128.5	128.5	128.5	126.3	126.3	126.3	119.5	119.5	119.5	127.5	127.5	127.5	124.5	124.5	124.5	131.5	131.5	131.5

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-21. Skid 7 - June Daily Injection Pressures

Date	126129			128129			130125			130127			130129			130131			132125			132127			132129			132131			134125			134127			134129		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.74	107.57	NA	NA	NA	NA	NA	NA	107.61	107.06	108.04	NA	NA	NA	108.34	104.78	109.43	NA	NA	NA	NA	NA	NA	116.37	115.50	117.18
6/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.79	107.68	NA	NA	NA	NA	NA	NA	107.60	107.09	108.11	NA	NA	NA	105.59	104.27	107.13	NA	NA	NA	NA	NA	NA	116.38	115.51	117.05
6/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	89.55	0.12	107.57	NA	NA	NA	NA	NA	NA	98.44	0.48	108.45	NA	NA	NA	90.60	0.19	106.93	NA	NA	NA	NA	NA	NA	108.29	0.00	117.43
6/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	104.56	101.82	106.24	NA	NA	NA	NA	NA	NA	107.61	107.21	107.98	NA	NA	NA	100.46	99.52	101.71	NA	NA	NA	NA	NA	NA	116.40	115.68	117.07
6/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	105.32	103.55	107.02	NA	NA	NA	NA	NA	NA	107.61	107.27	107.92	NA	NA	NA	102.01	99.39	103.92	NA	NA	NA	NA	NA	NA	116.39	115.68	117.17
6/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	95.47	9.89	107.53	NA	NA	NA	NA	NA	NA	90.44	9.86	107.89	NA	NA	NA	100.99	33.34	109.78	NA	NA	NA	NA	NA	NA	115.95	38.64	117.55
6/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	103.99	93.39	107.99	NA	NA	NA	NA	NA	NA	106.00	104.69	109.72	NA	NA	NA	109.02	108.58	109.31	NA	NA	NA	NA	NA	NA	117.09	115.54	121.19
6/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.93	107.52	NA	NA	NA	NA	NA	NA	105.81	85.81	110.71	NA	NA	NA	109.02	108.63	109.32	NA	NA	NA	NA	NA	NA	120.97	119.74	121.59
6/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.09	105.23	108.20	NA	NA	NA	NA	NA	NA	106.34	103.98	108.63	NA	NA	NA	109.02	108.77	109.38	NA	NA	NA	NA	NA	NA	121.28	120.65	121.96
6/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.07	104.41	107.76	NA	NA	NA	NA	NA	NA	108.52	108.13	108.83	NA	NA	NA	108.95	107.42	109.45	NA	NA	NA	NA	NA	NA	121.62	121.11	121.99
6/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	84.98	0.31	108.88	NA	NA	NA	NA	NA	NA	74.90	0.51	109.99	NA	NA	NA	102.56	21.32	109.58	NA	NA	NA	NA	NA	NA	112.27	0.00	123.43
6/12/2026	NA	NA	NA	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	89.61	0.26	107.60	NA	NA	NA	NA	NA	NA	98.09	0.35	108.56	NA	NA	NA	100.63	0.37	111.67	NA	NA	NA	NA	NA	NA	106.07	1.69	117.75
6/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.78	107.63	NA	NA	NA	NA	NA	NA	102.84	0.21	108.60	NA	NA	NA	109.02	108.71	109.36	NA	NA	NA	NA	NA	NA	116.39	115.36	117.24
6/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	84.60	0.24	107.68	NA	NA	NA	NA	NA	NA	97.38	0.00	109.34	NA	NA	NA	99.01	0.32	110.06	NA	NA	NA	NA	NA	NA	106.06	1.59	117.32
6/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.49	0.34	65.79	NA	NA	NA	NA	NA	NA	92.76	0.29	108.41	NA	NA	NA	93.82	0.31	110.35	NA	NA	NA	NA	NA	NA	100.51	1.60	118.92
6/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	79.20	0.30	108.14	NA	NA	NA	NA	NA	NA	94.91	0.00	108.09	NA	NA	NA	95.01	0.36	110.93	NA	NA	NA	NA	NA	NA	104.69	1.66	118.89
6/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	104.37	0.31	108.32	NA	NA	NA	NA	NA	NA	104.72	0.44	108.04	NA	NA	NA	106.29	0.00	110.15	NA	NA	NA	NA	NA	NA	113.67	1.77	119.28
6/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.45	107.67	NA	NA	NA	NA	NA	NA	107.60	107.19	107.94	NA	NA	NA	109.02	108.50	109.36	NA	NA	NA	NA	NA	NA	117.83	116.36	118.84
6/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.19	106.66	107.64	NA	NA	NA	NA	NA	NA	107.60	106.69	108.01	NA	NA	NA	109.03	108.39	109.47	NA	NA	NA	NA	NA	NA	112.65	0.76	121.37
6/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100.47	0.34	107.88	NA	NA	NA	NA	NA	NA	101.01	0.32	108.22	NA	NA	NA	102.45	0.34	109.36	NA	NA	NA	NA	NA	NA	110.30	1.52	117.40
6/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.80	107.52	NA	NA	NA	NA	NA	NA	107.60	107.24	107.92	NA	NA	NA	109.02	108.72	109.36	NA	NA	NA	NA	NA	NA	116.41	115.30	117.42
6/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	104.25	0.40	107.86	NA	NA	NA	NA	NA	NA	104.74	0.18	108.51	NA	NA	NA	106.33	0.37	110.36	NA	NA	NA	NA	NA	NA	113.80	1.80	117.47
6/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	96.24	0.17	108.44	NA	NA	NA	NA	NA	NA	97.14	0.00	108.47	NA	NA	NA	97.94	0.00	111.41	NA	NA	NA	NA	NA	NA	105.37	1.75	117.69
6/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	95.29	0.24	108.36	NA	NA	NA	NA	NA	NA	93.99	0.00	109.16	NA	NA	NA	97.40	0.35	110.34	NA	NA	NA	NA	NA	NA	105.22	1.75	117.89
6/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.19	106.52	107.81	NA	NA	NA	NA	NA	NA	107.62	107.23	108.01	NA	NA	NA	109.01	108.51	109.45	NA	NA	NA	NA	NA	NA	117.61	114.92	120.46
6/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.16	106.54	107.78	NA	NA	NA	NA	NA	NA	107.60	107.20	108.03	NA	NA	NA	109.01	108.55	109.44	NA	NA	NA	NA	NA	NA	119.36	117.51	120.64
6/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.18	106.59	107.74	NA	NA	NA	NA	NA	NA	107.61	106.87	108.03	NA	NA	NA	109.01	108.49	109.40	NA	NA	NA	NA	NA	NA	118.35	117.33	119.30
6/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.17	106.63	107.69	NA	NA	NA	NA	NA	NA	107.61	107.22	107.95	NA	NA	NA	109.02	108.48	109.41	NA	NA	NA	NA	NA	NA	119.12	117.74	120.07
6/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100.27	0.25	109.49	NA	NA	NA	NA	NA	NA	100.52	0.00	108.94	NA	NA	NA	104.32	0.33	111.14	NA	NA	NA	NA	NA	NA	110.75	1.26	123.21
6/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	107.19	106.73	107.65	86.15	0.18	101.51	NA	NA	NA	106.62	9.75	110.09	NA	NA	NA	109.01	108.59	109.38	NA	NA	NA	NA	NA	NA	103.93	1.75	124.61
Alert Level	107.5	107.5	107.5	107.5	107.5	107.5	124.5	124.5	124.5	117.5	117.5	117.5	111.5	111.5	111.5	123.5	123.5	123.5	131.5	131.5	131.5	128.5	128.5	128.5	126.3	126.3	126.3	119.5	119.5	119.5	127.5	127.5	127.5	124.5	124.5	124.5	131.5	131.5	131.5

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-22. Skid 8 - April Daily Injection Pressures

Date	122133			122135			122137			124133			124135			124137			126131			126133			126135			O-06			128131			128133			O-07			130133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
4/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	47.01	43.79	51.92	NA	NA	NA	NA	NA	NA	40.61	23.27	52.21	NA	NA	NA	0.00	0.00	0.00	32.00	14.49	38.08	NA	NA	NA	NA	NA	NA	83.70	80.04	87.27
4/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.59	48.57	50.63	NA	NA	NA	NA	NA	NA	51.56	50.91	52.09	NA	NA	NA	0.00	0.00	0.00	33.75	32.53	34.93	NA	NA	NA	NA	NA	NA	84.85	84.11	86.46
4/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.33	48.58	54.53	NA	NA	NA	NA	NA	NA	52.11	49.37	53.25	NA	NA	NA	0.00	0.00	0.00	32.57	1.07	35.20	NA	NA	NA	NA	NA	NA	85.11	82.47	95.64
4/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.97	53.40	56.37	NA	NA	NA	NA	NA	NA	53.98	52.70	55.98	NA	NA	NA	0.00	0.00	0.00	32.70	30.51	35.06	NA	NA	NA	NA	NA	NA	86.48	85.92	88.19
4/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.46	54.90	56.06	NA	NA	NA	NA	NA	NA	55.51	54.25	56.45	NA	NA	NA	0.00	0.00	0.00	34.91	33.26	36.26	NA	NA	NA	NA	NA	NA	86.98	86.54	87.59
4/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.38	54.75	55.92	NA	NA	NA	NA	NA	NA	56.05	55.75	56.45	NA	NA	NA	0.00	0.00	0.00	35.69	34.67	36.62	NA	NA	NA	NA	NA	NA	86.82	86.32	87.18
4/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.93	54.63	57.19	NA	NA	NA	NA	NA	NA	55.83	54.10	57.02	NA	NA	NA	0.00	0.00	0.00	24.11	0.00	54.51	NA	NA	NA	NA	NA	NA	87.52	86.11	88.95
4/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.55	52.97	56.55	NA	NA	NA	NA	NA	NA	55.15	51.83	56.96	NA	NA	NA	0.00	0.00	0.00	23.95	0.00	55.69	NA	NA	NA	NA	NA	NA	87.50	84.80	90.31
4/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.25	0.32	55.95	NA	NA	NA	NA	NA	NA	46.75	0.38	56.71	NA	NA	NA	0.00	0.00	0.00	48.32	0.00	57.43	NA	NA	NA	NA	NA	NA	69.13	0.00	87.11
4/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.95	1.26	55.51	16.55	0.00	90.06	0.00	0.00	23.90	48.67	1.62	59.57	NA	NA	NA	0.00	0.00	0.00	54.57	0.00	59.89	NA	NA	NA	NA	NA	NA	73.52	0.00	83.10
4/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.53	54.16	58.85	NA	NA	NA	NA	NA	NA	58.79	57.79	62.00	NA	NA	NA	0.00	0.00	0.17	58.80	57.85	61.99	NA	NA	NA	NA	NA	NA	74.80	73.91	78.21
4/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.29	54.21	57.49	NA	NA	NA	NA	NA	NA	59.91	58.19	60.90	NA	NA	NA	0.16	0.14	0.18	59.83	58.05	60.92	NA	NA	NA	NA	NA	NA	75.81	73.67	76.84
4/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.96	55.12	60.65	NA	NA	NA	NA	NA	NA	61.06	59.91	64.66	NA	NA	NA	0.16	0.15	0.17	60.83	59.68	64.41	NA	NA	NA	NA	NA	NA	77.16	75.67	80.96
4/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.89	53.07	58.37	NA	NA	NA	NA	NA	NA	60.22	57.64	62.75	NA	NA	NA	0.15	0.13	0.17	60.01	57.56	62.53	NA	NA	NA	NA	NA	NA	76.42	73.78	78.82
4/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.02	27.31	58.61	91.08	89.01	100.33	NA	NA	NA	58.14	55.96	66.26	NA	NA	NA	0.15	0.13	0.17	57.18	43.97	66.29	NA	NA	NA	NA	NA	NA	75.60	72.10	82.77
4/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.91	53.93	55.97	0.00	0.00	0.00	NA	NA	NA	55.69	54.91	56.33	NA	NA	NA	0.15	0.13	0.16	53.41	52.58	54.47	NA	NA	NA	NA	NA	NA	74.69	73.91	75.44
4/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.89	7.85	55.62	13.29	8.76	78.47	NA	NA	NA	29.02	6.86	57.09	NA	NA	NA	0.14	0.12	0.16	54.95	49.92	58.02	NA	NA	NA	NA	NA	NA	77.13	71.21	80.22
4/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.53	8.05	10.94	6.63	3.64	32.34	NA	NA	NA	8.92	2.97	13.14	NA	NA	NA	0.14	0.11	0.16	55.73	51.96	58.33	NA	NA	NA	NA	NA	NA	78.75	74.72	82.10
4/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.72	8.17	15.95	4.83	4.53	8.08	NA	NA	NA	18.15	10.08	30.89	NA	NA	NA	0.14	0.12	0.16	55.56	53.70	56.44	NA	NA	NA	NA	NA	NA	77.46	74.09	79.16
4/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.51	0.32	32.83	26.91	0.00	50.81	NA	NA	NA	29.85	0.45	52.22	NA	NA	NA	0.14	0.11	0.15	34.63	0.12	54.36	NA	NA	NA	NA	NA	NA	63.48	0.00	74.77
4/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.31	16.97	35.58	43.22	41.91	45.20	NA	NA	NA	40.53	38.95	42.09	NA	NA	NA	0.14	0.11	0.15	45.57	32.80	50.48	NA	NA	NA	NA	NA	NA	70.02	67.49	71.74
4/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.16	0.29	39.87	36.55	0.08	44.35	NA	NA	NA	35.24	0.35	51.87	NA	NA	NA	0.14	0.12	0.16	39.39	0.00	50.04	NA	NA	NA	NA	NA	NA	62.46	0.00	78.21
4/23/2026	NA	NA	NA	NA	0.00	99.53	NA	NA	NA	NA	NA	NA	13.47	5.66	19.50	13.70	8.48	21.49	NA	NA	NA	27.13	1.21	41.48	NA	NA	NA	0.14	0.11	0.15	17.52	7.58	32.21	NA	NA	NA	NA	NA	NA	63.39	42.91	79.92
4/24/2026	NA	NA	NA	NA	3.41	6.74	NA	NA	NA	NA	NA	NA	26.26	10.51	52.77	27.12	8.96	61.20	NA	NA	NA	37.77	18.30	52.62	NA	NA	NA	0.14	0.11	0.15	25.39	6.29	47.70	NA	NA	NA	NA	NA	NA	60.26	36.96	77.73
4/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.55	51.65	56.21	62.61	60.90	63.87	NA	NA	NA	53.19	51.53	54.58	NA	NA	NA	0.14	0.13	0.16	48.39	46.90	49.70	NA	NA	NA	NA	NA	NA	77.25	75.74	78.61
4/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.33	55.63	56.89	64.08	63.61	64.51	NA	NA	NA	54.75	54.32	55.14	NA	NA	NA	0.14	0.12	0.15	49.66	49.24	50.14	NA	NA	NA	NA	NA	NA	78.51	78.22	78.86
4/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.42	49.08	61.78	63.56	0.00	64.56	NA	NA	NA	58.34	54.05	63.61	NA	NA	NA	0.14	0.11	0.16	52.59	47.95	57.60	NA	NA	NA	NA	NA	NA	82.53	77.23	88.35
4/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.66	61.05	63.86	0.00	0.00	0.00	NA	NA	NA	62.88	0.70	63.94	NA	NA	NA	0.57	0.10	1.62	57.03	55.49	63.06	NA	NA	NA	NA	NA	NA	87.54	85.59	95.40
4/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.83	0.29	63.34	0.00	0.00	0.00	NA	NA	NA	57.66	0.34	62.22	NA	NA	NA	10.75	1.02	22.30	51.78	0.26	56.69	NA	NA	NA	NA	NA	NA	81.09	0.00	86.89
4/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.13	54.60	55.79	0.00	0.00	0.00	NA	NA	NA	56.45	55.99	56.85	NA	NA	NA	18.74	17.30	20.34	49.86	49.44	50.33	NA	NA	NA	NA	NA	NA	79.48	79.10	79.95
Alert Level	123.5	123.5	123.5	118.5	118.5	118.5	112.5	112.5	112.5	106.5	106.5	106.5	102.5	102.5	102.5	95.5	95.5	95.5	99.5	99.5	99.5	95.5	95.5	95.5	88.5	88.5	88.5	112.89	112.89	112.89	100.5	100.5	100.5	98.5	98.5	98.5	112.89	112.89	112.89	110.1	110.1	110.1

Notes:

- NA = Well not acting as an injection well
- Pressure greater than Alert Level
- All measurements in pounds per square inch (psi)
- Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.
- Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Table 13-23. Skid 8 - May Daily Injection Pressures

Date	122133			122135			122137			124133			124135			124137			126131			126133			126135			O-06			128131			128133			O-07			130133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
5/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.08	53.68	56.08	NA	NA	NA	NA	NA	NA	53.50	50.56	57.06	NA	NA	NA	50.27	17.49	76.93	49.28	48.18	50.26	NA	NA	NA	NA	NA	NA	79.45	79.17	79.59
5/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.54	54.75	56.12	NA	NA	NA	NA	NA	NA	50.39	50.00	50.74	NA	NA	NA	79.08	76.89	80.09	49.38	48.81	49.99	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.59	54.57	56.47	NA	NA	NA	NA	NA	NA	50.31	49.62	50.87	NA	NA	NA	79.80	78.61	80.86	49.45	48.76	49.96	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	52.62	46.92	56.41	NA	NA	NA	NA	NA	NA	50.22	49.46	51.37	NA	NA	NA	79.61	78.42	80.95	49.45	48.70	50.56	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.64	54.42	56.68	NA	NA	NA	NA	NA	NA	50.12	49.36	50.80	NA	NA	NA	79.90	78.96	80.90	49.64	48.69	50.48	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.67	51.66	57.51	NA	NA	NA	NA	NA	NA	48.42	46.81	51.66	NA	NA	NA	78.35	76.59	82.33	49.31	47.72	51.35	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	52.00	51.55	52.63	NA	NA	NA	NA	NA	NA	47.23	46.96	47.47	NA	NA	NA	76.63	76.20	77.13	48.94	48.61	49.42	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	52.66	52.02	53.27	NA	NA	NA	NA	NA	NA	47.74	47.30	48.26	NA	NA	NA	77.31	76.74	78.03	49.44	49.01	49.94	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.29	52.40	54.30	NA	NA	NA	NA	NA	NA	48.43	47.64	49.15	NA	NA	NA	78.00	77.24	78.88	45.13	32.48	50.31	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.21	53.66	54.69	NA	NA	NA	NA	NA	NA	49.21	48.68	49.66	NA	NA	NA	78.94	78.54	79.37	34.55	32.85	36.20	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.56	53.52	55.61	NA	NA	NA	NA	NA	NA	50.06	49.39	51.38	NA	NA	NA	79.36	78.51	80.12	36.03	35.00	38.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.38	52.91	55.60	NA	NA	NA	NA	NA	NA	50.59	49.58	51.80	NA	NA	NA	78.69	77.12	80.17	37.16	36.35	39.70	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.38	51.57	61.12	NA	NA	NA	NA	NA	NA	50.64	48.52	56.80	NA	NA	NA	78.31	75.89	83.28	37.22	32.15	41.71	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.01	53.66	56.84	NA	NA	NA	NA	NA	NA	51.03	49.59	52.82	NA	NA	NA	78.70	77.04	80.96	36.77	34.33	39.16	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.53	52.87	55.95	NA	NA	NA	NA	NA	NA	49.73	48.13	51.11	NA	NA	NA	78.37	77.07	79.96	33.44	31.34	34.53	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.20	52.50	53.74	NA	NA	NA	NA	NA	NA	48.32	47.93	48.69	NA	NA	NA	77.19	76.65	77.55	31.37	31.03	31.69	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.47	52.84	54.87	NA	NA	NA	NA	NA	NA	48.60	48.09	49.94	NA	NA	NA	77.48	76.98	79.95	32.11	31.02	32.64	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.76	53.19	54.41	NA	NA	NA	NA	NA	NA	48.90	48.55	49.27	NA	NA	NA	77.72	77.20	78.11	31.87	31.53	32.47	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.62	53.18	55.72	NA	NA	NA	NA	NA	NA	49.77	48.55	50.64	NA	NA	NA	78.37	76.66	79.25	32.85	31.74	34.80	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/20/2026	NA	NA	NA	75.25	25.83	86.76	NA	NA	NA	NA	NA	NA	41.33	17.97	56.08	NA	NA	NA	NA	NA	NA	47.21	38.46	53.21	NA	NA	NA	75.37	65.72	81.47	34.43	32.47	36.73	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.50	0.29	47.97	NA	NA	NA	NA	NA	NA	33.61	0.72	38.82	NA	NA	NA	68.76	0.20	71.45	32.98	0.00	36.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.51	47.31	56.77	NA	NA	NA	NA	NA	NA	36.39	34.09	53.16	NA	NA	NA	72.53	68.84	81.01	36.29	25.70	37.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.52	48.81	50.14	NA	NA	NA	NA	NA	NA	45.46	44.80	45.85	NA	NA	NA	80.64	79.92	81.44	24.40	22.96	25.79	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.83	48.73	50.39	NA	NA	NA	NA	NA	NA	45.26	44.23	45.71	NA	NA	NA	80.38	79.21	80.91	25.77	24.76	26.82	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.92	48.39	54.88	NA	NA	NA	NA	NA	NA	47.71	43.19	50.53	NA	NA	NA	80.03	78.96	87.08	32.43	12.59	39.43	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.00	37.53	58.68	NA	NA	NA	NA	NA	NA	46.51	39.83	58.80	NA	NA	NA	47.81	0.25	81.10	35.05	29.41	42.15	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.83	39.79	50.53	NA	NA	NA	NA	NA	NA	41.30	39.79	49.56	NA	NA	NA	15.40	14.82	19.40	29.15	26.93	34.96	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.31	38.52	51.32	NA	NA	NA	NA	NA	NA	41.83	37.84	49.64	NA	NA	NA	30.34	1.50	37.69	24.57	20.32	33.87	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/29/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.58	47.28	51.12	NA	NA	NA	NA	NA	NA	43.46	41.55	44.64	NA	NA	NA	37.44	21.43	39.61	16.94	9.24	20.47	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.09	48.16	49.98	NA	NA	NA	NA	NA	NA	43.10	42.30	43.87	NA	NA	NA	38.98	37.00	41.03	8.82	6.78	10.95	NA	NA	NA	NA	NA	NA	NA	NA	NA
5/31/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.45	0.39	51.16	NA	NA	NA	NA	NA	NA	43.53	1.11	45.04	NA	NA	NA	40.66	0.75	42.47	5.87	0.00	7.20	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alert Level	123.5	123.5	123.5	118.5	118.5	118.5	112.5	112.5	112.5	106.5	106.5	106.5	102.5	102.5	102.5	95.5	95.5	95.5	99.5	99.5	99.5	95.5	95.5	95.5	88.5	88.5	88.5	112.89	112.89	112.89	100.5	100.5	100.5	98.5	98.5	98.5	112.89	112.89	112.89	110.1	110.1	110.1

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

Operations switched from the following wells to their re-drill equivalents on the following dates:

Original Well ID	Re-Drill Well ID	Switch Date
O-06	128138	5/26/2026
O-07	128135	5/26/2026

Table 13-24. Skid 8 - June Daily Injection Pressures

Date	122133			122135			122137			124133			124135			124137			126131			126133			126135			128138			128131			128133			128135			130133		
	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX	AVG	MIN	MAX
6/1/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.60	43.43	51.36	NA	NA	NA	NA	NA	NA	43.26	38.23	45.74	NA	NA	NA	39.86	29.87	44.50	4.28	0.00	6.90	NA	NA	NA	NA	NA	NA	70.15	66.16	72.44
6/2/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.40	43.24	45.67	NA	NA	NA	NA	NA	NA	38.76	37.74	39.76	NA	NA	NA	32.33	29.39	36.92	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	66.93	65.96	67.84
6/3/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.85	0.33	51.13	NA	NA	NA	NA	NA	NA	29.52	0.75	43.79	NA	NA	NA	29.50	0.64	45.97	0.00	0.00	1.76	NA	NA	NA	NA	NA	NA	50.51	0.49	71.99
6/4/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.59	24.53	52.34	NA	NA	NA	NA	NA	NA	43.54	42.54	45.95	NA	NA	NA	45.05	24.46	47.24	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	71.79	69.33	72.78
6/5/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.11	49.68	54.48	NA	NA	NA	NA	NA	NA	43.90	42.40	44.84	NA	NA	NA	45.32	30.65	46.67	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	73.04	71.28	74.05
6/6/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.42	16.10	71.09	NA	NA	NA	NA	NA	NA	47.93	12.57	60.39	NA	NA	NA	52.25	12.90	69.06	0.00	0.00	0.52	NA	NA	NA	NA	NA	NA	74.87	5.55	88.45
6/7/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	60.58	59.61	62.50	NA	NA	NA	NA	NA	NA	49.45	48.78	51.23	NA	NA	NA	54.53	53.24	58.55	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	81.71	80.59	82.56
6/8/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	60.88	60.01	61.86	NA	NA	NA	NA	NA	NA	49.78	48.98	50.55	NA	NA	NA	54.70	53.63	55.51	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	81.72	80.66	82.41
6/9/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	60.98	59.96	62.81	NA	NA	NA	NA	NA	NA	49.41	47.90	50.81	NA	NA	NA	54.68	53.83	55.75	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	81.35	80.20	82.72
6/10/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	61.13	60.24	62.24	NA	NA	NA	NA	NA	NA	47.44	45.67	49.11	NA	NA	NA	54.05	53.00	55.25	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	79.90	76.12	82.52
6/11/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	32.03	0.34	61.47	NA	NA	NA	NA	NA	NA	25.49	0.58	47.49	NA	NA	NA	31.81	1.10	54.11	3.29	0.00	11.04	NA	NA	NA	NA	NA	NA	70.52	1.16	89.28
6/12/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	35.10	2.14	55.84	NA	NA	NA	NA	NA	NA	23.26	1.89	45.69	NA	NA	NA	38.29	1.48	48.59	10.88	0.00	20.41	NA	NA	NA	NA	NA	NA	75.67	4.92	85.93
6/13/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55.62	53.56	56.69	NA	NA	NA	NA	NA	NA	45.68	44.95	46.55	NA	NA	NA	49.10	47.58	50.21	18.74	18.04	19.68	NA	NA	NA	NA	NA	NA	75.49	74.64	76.33
6/14/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.20	0.22	57.11	NA	NA	NA	NA	NA	NA	35.50	0.71	46.75	NA	NA	NA	45.70	0.17	52.94	13.06	0.00	18.41	NA	NA	NA	NA	NA	NA	68.63	0.15	79.48
6/15/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	38.80	0.30	49.09	NA	NA	NA	NA	NA	NA	18.01	0.36	45.21	NA	NA	NA	44.12	0.22	61.67	3.51	0.25	10.72	NA	NA	NA	NA	NA	NA	69.30	0.14	87.57
6/16/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.51	0.32	59.77	NA	NA	NA	NA	NA	NA	14.34	0.76	23.17	NA	NA	NA	38.81	0.23	53.02	3.27	0.25	5.14	NA	NA	NA	NA	NA	NA	71.58	0.72	84.30
6/17/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	57.78	0.33	61.93	NA	NA	NA	NA	NA	NA	8.09	0.74	8.53	NA	NA	NA	50.66	0.26	54.47	2.42	0.26	2.78	NA	NA	NA	NA	NA	NA	81.03	0.72	85.08
6/18/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	59.57	57.44	61.68	NA	NA	NA	NA	NA	NA	26.21	7.76	51.14	NA	NA	NA	53.58	51.64	57.76	5.43	2.14	14.82	NA	NA	NA	NA	NA	NA	82.90	80.60	84.87
6/19/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.24	56.40	66.45	NA	NA	NA	NA	NA	NA	47.70	45.71	56.37	NA	NA	NA	53.08	50.73	61.65	14.50	10.19	27.35	NA	NA	NA	NA	NA	NA	81.56	80.01	86.66
6/20/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.64	0.30	60.00	NA	NA	NA	NA	NA	NA	43.91	0.70	50.07	NA	NA	NA	48.62	0.28	54.91	14.40	0.25	19.12	NA	NA	NA	NA	NA	NA	76.10	0.16	82.75
6/21/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	59.83	58.84	71.67	NA	NA	NA	NA	NA	NA	49.61	48.77	54.93	NA	NA	NA	54.85	52.82	65.60	19.03	17.54	26.20	NA	NA	NA	NA	NA	NA	82.83	81.50	97.17
6/22/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	58.77	0.34	68.41	NA	NA	NA	NA	NA	NA	52.75	0.77	58.57	NA	NA	NA	56.76	0.26	62.95	21.92	0.00	27.49	NA	NA	NA	NA	NA	NA	85.09	0.76	91.83
6/23/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.01	0.00	86.23	60.14	0.33	73.57	NA	NA	NA	NA	NA	NA	50.83	0.75	64.02	NA	NA	NA	53.97	0.28	66.57	21.28	0.00	29.63	NA	NA	NA	NA	NA	NA	81.15	0.69	96.60
6/24/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.99	0.33	75.86	NA	NA	NA	NA	NA	NA	53.22	0.45	65.10	NA	NA	NA	57.69	0.23	68.13	22.75	0.00	28.69	NA	NA	NA	NA	NA	NA	85.22	0.15	97.13
6/25/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.96	73.64	79.04	NA	NA	NA	NA	NA	NA	64.39	63.19	67.85	NA	NA	NA	67.24	65.76	70.88	26.60	25.36	28.43	NA	NA	NA	NA	NA	NA	97.67	95.79	100.37
6/26/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.99	68.50	79.15	NA	NA	NA	NA	NA	NA	63.89	59.10	68.36	NA	NA	NA	67.42	60.66	70.74	26.31	22.43	29.27	NA	NA	NA	NA	NA	NA	96.87	91.40	103.91
6/27/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.51	72.14	74.42	NA	NA	NA	NA	NA	NA	63.77	62.71	64.53	NA	NA	NA	67.90	66.44	68.81	26.64	25.86	27.32	NA	NA	NA	NA	NA	NA	95.72	93.95	97.17
6/28/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.44	73.23	75.22	NA	NA	NA	NA	NA	NA	64.64	63.61	65.26	NA	NA	NA	68.46	66.70	69.21	27.47	26.78	28.07	NA	NA	NA	NA	NA	NA	96.41	94.71	97.36
6/29/2026	NA	NA	NA	96.03	95.04	96.36	NA	NA	NA	NA	NA	NA	71.00	0.32	86.97	NA	NA	NA	NA	NA	NA	60.87	0.75	67.90	NA	NA	NA	64.41	0.34	78.45	24.66	0.00	29.69	NA	NA	NA	NA	NA	NA	89.28	0.13	97.98
6/30/2026	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.06	0.35	85.82	NA	NA	NA	NA	NA	NA	70.44	0.38	80.33	NA	NA	NA	63.93	30.00	76.87	28.86	0.00	46.95	NA	NA	NA	NA	NA	NA	93.98	0.15	103.02
Alert Level	123.5	123.5	123.5	118.5	118.5	118.5	112.5	112.5	112.5	106.5	106.5	106.5	102.5	102.5	102.5	95.5	95.5	95.5	99.5	99.5	99.5	95.5	95.5	95.5	88.5	88.5	88.5	112.89	112.89	112.89	100.5	100.5	100.5	98.5	98.5	98.5	112.89	112.89	112.89	110.1	110.1	110.1

Notes:

NA = Well not acting as an injection well

Pressure greater than Alert Level

All measurements in pounds per square inch (psi)

Production wells are grouped by their skid, where each skid serves as the junction point connecting to the main pipeline.

Allowable pressure at the top of the injection well screen (TOS) is 0.65 psi/foot of depth (ft). Alert Level = Total pressure allowed at TOS - pressure from weight of water column at TOS.

ATTACHMENT 13
Resource Block Status Report

Q2 2026 RESOURCE BLOCK STATUS SUMMARY

FLORENCE COPPER LLC

FLORENCE, ARIZONA


Table 13-1. Resource Block Status Summary

Resource Block ⁽¹⁾	Block Status ⁽¹⁾					
	Planned	Under Construction	Constructed	Operational	Rinsing	Closed
036	Yes			Yes		
037				Yes		
044	Yes		Yes	Yes		
045				Yes		
046				Yes		
053		Yes	Yes	Yes		
054				Yes		
061		Yes				
062	Yes			Yes		
063				Yes		
070		Yes				

Notes:

(1) Resource block numbering provided in attached Figure 13-1.

Operational refers to any well used in active operations, including observation wells, hydraulic control wells, and block monitoring wells. The operational status designation herein does not necessarily indicate that the resource block is undergoing active injection.



 PLANNED WELL
 WELL UNDER CONSTRUCTION
 OPERATIONAL WELL
 CONSTRUCTED WELL
 IN-SITU COPPER RECOVERY (ISCR) WELL FIELD
 RESOURCE BLOCK

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ISCR = IN SITU COPPER RECOVERY
3. AERIAL IMAGERY SOURCE: NEARMP, MAY 29, 2026




FIGURE 13-1

ATTACHMENT 14

Migratory Bird Landings and Mortality

Q2 2026 OBSERVED MIGRATORY BIRD LANDINGS
FLORENCE COPPER LLC
FLORENCE, ARIZONA

Table 14-1. Observed Migratory Bird Landings

Date	Migratory Bird Species	Location	Comments	Fatality* (Y or N)
4/14/2026	7 Ducks	Pond 3	-	N
5/15/2026	Active bird nesting (non-raptor)	Northeast PTF Pond	-	N

Notes:
Florence Copper personnel conduct daily inspections of the water impoundments.